

THE MAGAZINE THAT FEEDS MINDS

# HOW IT WORKS

INSIDE

**GRAVITY**  
THE FORCE THAT PULLS  
YOU BACK TO EARTH

SCIENCE ENVIRONMENT TECHNOLOGY TRANSPORT HISTORY SPACE

## UNDERWATER WONDERS

HOW THE PLANET'S BIGGEST BEASTS SURVIVE THE DEEP

- + LEARN ABOUT**
- ANGER
  - SPLEENS
  - MOSAICS
  - FIREBOATS
  - INSTAGRAM
  - 3D GLASSES
  - HANDBRAKES
  - CLEANROOMS

A great white's bite force is more than 18,000 Newtons

Orcas can live for over 50 years

Some jellyfish are 95% water

The sperm whale can hold its breath for up to 90 minutes



**MUSCLE CARS**  
THE ENGINEERING INSIDE A  
POWERFUL STREET RACER



**BIRTH OF THE SOLAR SYSTEM**

Where did all the planets come from?



**3.2 BILLION PIXEL CAMERA**

What's inside the world's biggest digital camera?



**EXOSKELETONS**

Which animals wear their skeletons on the outside?


www.howitworksdaily.com

ISSUE 38 £3.99



ip PUBLISHING





## The Medieval World

Taught by Professor Dorsey Armstrong  
PURDUE UNIVERSITY

### LECTURE TITLES

1. The Medieval World
2. The Legacy of the Roman World
3. The Christianisation of Europe
4. After the Roman Empire—Hybrid Cultures
5. Early Monasticism
6. From Merovingian Gaul to Carolingian France
7. Charlemagne and the Carolingian Renaissance
8. Byzantium, Islam, and the West
9. The Viking Invasions
10. Alfred the Great
11. The Rearrangement of the Medieval World
12. The Norman Conquest and the Bayeux Tapestry
13. King Arthur—The Power of the Legend
14. The Three Orders of Medieval Society
15. Pilgrimage and Sainthood
16. Knighthood and Heraldry
17. The Gothic Cathedral
18. Piety, Politics, and Persecution
19. The Persistence of an Ideal
20. Late Medieval Religious Institutions
21. The Magna Carta
22. Daily Life in a Noble Household
23. Daily Life in a Medieval Village
24. Medieval City Life
25. Food and Drink
26. Music and Entertainment
27. Dress and Fashion
28. Medieval Medicine
29. The Black Death and its Effects
30. Childhood in the Middle Ages
31. Marriage and the Family
32. Art and Artisans
33. Science and Technology
34. Weapons and Warfare
35. Revolts, Uprisings, and Wars
36. Towards the Early Modern Period

## What Was It Like to Live during the Middle Ages?

Far from being a time of darkness, the Middle Ages was an essential period in the grand narrative of Western history—one whose developments are an invaluable part of our own modern era. But what was it like to actually *live* in those extraordinary times?

Find out with **The Medieval World**, which offers you a fresh new perspective on the society and culture of the Middle Ages: one that goes beyond a simple historical survey and entrenches you in the experience of living during this underappreciated era. Your guide on this extraordinary historical journey is medievalist and Professor Dorsey Armstrong. Drawing on history, the arts, technology, archaeology, and science, her 36 lectures will deepen the way you understand not only the Middle Ages, but everything that came after.

**Offer expires 08/10/12**

**0800 298 9796**

**WWW.GREATCOURSES.CO.UK/4HIW**

### The Medieval World

Course no. 8280 | 36 lectures (30 minutes/lecture)

**SAVE UP TO £25**

DVD ~~£79.99~~ **NOW £34.99**

CD ~~£54.99~~ **NOW £34.99**

+£2.99 Postage and Packing

Priority Code: 69214

Designed to meet the demand for lifelong learning, The Great Courses is a highly popular series of audio and video lectures led by top professors and experts. Each of our more than 400 courses is an intellectually engaging experience that will change how you think about the world. Since 1990, over 10 million courses have been sold.

The Great Courses®, Unit A, Sovereign Business Park, Brenda Road, Hartlepool, TS251NN. Terms and conditions apply. See [www.greatcourses.co.uk](http://www.greatcourses.co.uk) for details.



HOW IT WORKS

ISSUE 38

# WELCOME

The magazine that feeds minds!


WEBSITE




APP



BOOKAZINES




eBOOK



## THE WORLD OF HOW IT WORKS

NOW AVAILABLE!

Get every amazing article, cutaway, photo and fact from issues 13-24 on one fully searchable eMag for £19.99.



www.imagineshop.co.uk

### THE SECTIONS

The huge amount of info in each issue of **How It Works** is organised into these sections

#### ENVIRONMENT

The splendour of the natural world explained

#### TRANSPORT

Be it road, rail, air or sea, you'll find out about it in Transport



#### HISTORY

Your questions about how things worked in the past answered

#### SCIENCE

Explaining the applications of science in the contemporary world around us

#### SPACE

From exploration of our Solar System to deep-space adventures

#### TECHNOLOGY

The wonders of modern gadgetry and engineering explained in depth



### Get in touch

Have YOU got a question you want answered by the **How It Works** team? Get in touch via...

HowItWorksMagazine  
howitworks@imagine-publishing.co.uk  
www.howitworksdaily.com  
@HowItWorksmag



## FEED YOUR MIND!

While over 70 per cent of the surface of the planet is covered by ocean, amazingly 95 per cent of it has never been explored, which only serves to deepen our

fascination with this alien part of our world. To satisfy your curiosity with this diverse and often inhospitable environment, this issue we're exploring the anatomy of the enormous creatures that call these dark depths their home. Find out why being bigger is definitely better for the wonders that inhabit our planet's oceans, and learn about the physiology of the marine giants that can withstand the immense pressure of a one-kilometre (0.6-mile) dive and hold their breath for well over an hour! You'll meet all kinds of mammoth mammals and gigantic fish, along with other species – including a crab the size of a car and a whale that weighs the same as 36 African elephants!

Also this issue, on page 40 you can learn about gravity, the powerful force that not only keeps our feet planted firmly on the ground, but helped to create the ground in the first place. Indeed, gravity is key to the formation of all planets, which you can read about in more detail in our excellent 'Birth of the Solar System' feature over on page 54.

Enjoy the issue.

*Helen*

**Helen Laidlaw**  
Editor

### Meet the team...



#### Dave

Ed in Chief

Muscle cars have certainly come a long way since their heyday in Fifties and Sixties America. It was a real eye-opener to see how their all-round engineering has stepped up a gear.



#### Robert

Features Editor

Breaking through the myth to reach a kernel of truth about velociraptors was a high point for me. Films like *Jurassic Park* have truly warped our perception of this turkey-sized dino.



#### Ben

Features Editor

Having visited The Rock myself, an insight into the history of Alcatraz as an island, military institution, high-profile federal prison and, finally, a tourist attraction was a riveting read.




#### Adam

Senior Sub Editor

Not since my Physics GCSE have I pondered gravity in any great detail. The big feature in Science, however, has made me see it in a whole new light – where would we be without it?

### WITH THANKS TO...

How It Works would like to thank the following organisations for their help





# CONTENTS

The magazine that feeds minds!

## MEET THE EXPERTS

Find out more about the writers in this month's edition of **How It Works...**

### Michael Simpson Instagram



Michael's article on Instagram technology betrays his obsession with technology and gadgets. While not working as an ecologist in BC, Canada, he also writes on science fiction and fact.

### Dave Roos Science of gravity



We may not be able to see it, but this issue science writer Dave reveals how great an impact the force of gravity has on everything in our world – in fact, without it Earth wouldn't be here in the first place!

### Mike Anderiesz Self-service checkouts



Technology writer Mike may not always get on with the latest method to pay for our shopping – and, let's face it, he's not alone – but he does know a thing or two about how self-checkouts work.

### Lynsey Porter Free radicals



This month biology expert Lynsey explains the science of some unusual molecules called free radicals, revealing why they can be harmful to our bodies and what we can eat to keep them in check.

### Tom Harris Quest for the Higgs boson



This issue **How It Works** regular Tom is taking a closer look at the decades-long journey to discovering the elusive Higgs subatomic particle and why being certain is a science unto itself.

**How does Instagram edit and share our photos?**  
Go to page 36 to find out!

## 12 UNDERWATER WONDERS



## Meet the ocean giants

Take a moment to ponder how the sea's biggest beasts can support such immense bodies and satisfy their mighty appetites in order to survive the deep blue yonder

## ENVIRONMENT

### 12 Supersized sealife

Take a dip into our vast oceans to learn about the sea monsters lurking beneath the surface

### 16 Sarychev volcano

### 18 The Devil's Marbles

### 20 Coastal erosion

Discover how powerful geological processes are demolishing and rebuilding the planet's coastlines

### 23 Narwhals

### 23 Animals that play dead

### 24 Exoskeletons

## TECHNOLOGY

### 26 Mega drills

We explore the mammoth drilling machines mining huge tunnels through earth and rock alike

### 30 Liquid body armour

### 30 How computers keep cool

### 32 Smartphone projectors

### 33 3D glasses

### 35 Wireless routers

### 35 Phone tapping

### 36 Instagram

Discover the tech at the heart of this popular photo-editing app

### 38 Self-service checkouts

## SCIENCE

### 40 How gravity works

What is behind this powerful force that creates galaxies and keeps our feet firmly on the ground?

### 45 SmartWater

### 45 Food irradiation

### 46 Discovery of Higgs boson

Find out how the groundbreaking achievements at CERN's Large Hadron Collider made the discovery of an elusive particle possible

### 48 Hormone replacement therapy

### 48 Anger

### 49 Free radicals

### 51 The spleen

### 52 Inside a nuclear reactor core

## SPACE

### 54 Birth of the Solar System

If you want to learn about how the planets and other celestial bodies were created, this feature reveals all

### 59 Cleanrooms

### 59 The Zone of Avoidance

### 60 Hypervelocity impacts

### 63 Helix Nebula

### 64 World's biggest digital camera

Inside the super-advanced Large Synoptic Survey Telescope is a 3.2 billion-pixel camera capable of capturing incredible views of the sky

## TRANSPORT

### 66 Muscle cars

Though once the brawny road hogs of US street race culture, today's muscle cars have brains too

### 70 Cherry pickers

### 70 Handbrakes

### 71 Jetstream UAV

### 72 Fireboats

## HISTORY

### 76 Velociraptors

A Hollywood villain and a remarkable predator, find out how this fearsome dino once lived

### 78 Nautical capstans

### 78 Making mosaics

### 79 Chimney sweeps

### 80 Alcatraz

Just how impenetrable was this famous island prison? Explore our amazing illustration to on page 80 and find out for yourself



54

## Planet formation


Go back to the very beginning of our Solar System to see how Earth and our celestial neighbours evolved



26

## Mega drills

How do these giant mechanical moles burrow through a mountain range?





"Manta rays may be the most intelligent of the sharks, rays and skates"



40

## Gravity

We all know that what goes up must come down, but this feature explains why



## REGULARS

06

### Global eye

Get the latest news and the greatest stories from the world of science, space, technology and the environment

82

### Brain dump: Q&A with top experts

A host of the finest experts, curators and professors from across the globe answer your most burning questions

88

### The knowledge: gear and gadgets

Advice on the articles of desire you should be spending your money on in our latest reviews

91

### Group test

We spent the last few weeks testing out the very best in one-box home audio setups so you don't have to

94

### How to...

This issue get some first-hand flying tips from a real-life Apache helicopter pilot, plus learn the proper way to fell a tree

95

### Test your knowledge

Enter our quiz based on the contents of this month's mag and you could win a prize!

96

### Letters

Get in touch and have your say on any subject. Tell us what you have learned this month, get something off your chest or regale us with your scientific wonderings



46


## Finding the Higgs boson

Forget needle in a haystack, this was more like amoeba in an ocean...




## Muscle cars 66

These powerful vehicles have reached a whole new stage in their evolution



## Velociraptors 76

We debunk the myths around this ferocious dinosaur made famous by *Jurassic Park*



## 20 Coastal erosion

Learn about the natural forces that are constantly reshaping our coastlines




**SUBSCRIBE NOW!**  
Go to page 92 for great deals



Showcasing the incredible world we live in...

## Mars's alien wilderness caught on camera

The Curiosity Rover, NASA's \$2.3bn explorer, touches down on the Red Planet and begins its landmark mission by transmitting stunning full-colour panoramas back to Earth



A view of the Gale Crater from above, with the target landing area marked by an ellipse



After an epic eight-month voyage across 566 million kilometres (352 million miles) of space, NASA's Curiosity Rover finally touched down on Mars, instigating celebrations around the world. From NASA's Jet Propulsion Laboratory (JPL) at the California Institute of Technology where the vehicle was designed and built, through to the deserts surrounding the European Space Observatory's Paranal Observatory in Chile where it was tested, the news has taken the world by storm, marking a momentous milestone in humanity's exploration of other planets.

After a hair-raising seven-minute descent through the Red Planet's atmosphere that culminated in Curiosity landing just 2.4 kilometres (1.5 miles) from its scheduled target zone, the rover then proceeded to wow both professional and layman astronomers alike by beaming back eerie black-and-white and then full-colour photographs of Mars's landscape. Strewn with pebbles, rocks and dust, a rust-coloured expanse was revealed stretching off into the distance where huge mountain ranges loomed over the region known as the Gale Crater – a remnant from a massive asteroid collision.

After taking in the sights Curiosity then synced up with its control centre on Earth allowing a four-day systems upgrade to begin. This upgrade – best described as a brain transplant – allowed NASA engineers to switch the rover out of its flight stage and activate two critical functions: the ability to drive and to use its geochemistry laboratory – the latter critical for obtaining samples to analyse.

The primary location for Curiosity's sampling is a rock formation called Mount Sharp, a large array positioned at the heart of the Gale Crater roughly 11 kilometres (seven miles) from the landing zone. The rocky layers of Mount Sharp are believed by NASA scientists to hold key details of Mars's geological history and, therefore, it's hoped that by analysing samples from here we will be able to determine whether life did exist – or at least could have once existed – on our celestial neighbour.


At the time of writing, Curiosity is undertaking a series of 'health checks' prior to embarking on its scientific mission proper, which entails putting the nuclear-powered, six-wheeled vehicle's systems and instrumentation through a painstaking series of small-scale tests. Once these are completed, Curiosity will be cleared for full-scale operation and will proceed with its task, sending a host of data and imagery back to Earth and perhaps confirming, once and for all, if there was ever life on Mars.





"A rust-coloured expanse was revealed stretching off into the distance where huge mountain ranges loomed"

President Obama makes a call to congratulate the MSL team after touchdown



## Drill en route to seek new life in Antarctica

Ancient ice lake's secrets set to be revealed

A ship carrying a revolutionary deep-ice drill has set sail from the UK for Antarctica, marking the launch of one of the most adventurous and difficult science missions in years.

The drill, which has been created by engineers from the British Antarctic Survey and the National Oceanography Centre over a three-year period, has been designed so that it can successfully cut through over three kilometres (two miles) of solid ice down to a subglacial lake.

Lake Ellsworth is the target destination as it lies completely encased within the ice and is believed to have been isolated for roughly half a million years. If this is true,

then the body of water is expected to harbour radical microbial life, as yet not recorded on Earth. If microbial life is found, it will provide scientists with incredibly valuable data on how species can adapt to some of the harshest environments.

The project's scientists need to ensure the drill remains as sterile as possible, as any contamination could adversely affect any microbes in the lake. As such, aside from being transported in a sterile container vessel, when in use the drill will employ a series of filters and ultraviolet systems to help minimise contaminants. Drilling operations are set to begin in December 2012.



## New mags land on Imagine's online hub

Imagine Publishing's latest titles make their digital debut

Imagine Publishing's groundbreaking digital magazine supersite – [www.greatdigitalmags.com](http://www.greatdigitalmags.com) – has just bolstered its portfolio of amazing titles with the brand-new **Fantasy Artist**, a premium publication offering readers the essential tips and tricks to maximise their digital art skills. Stuffed with insider secrets from digital-painting experts, 65 pages of Photoshop and painting guides as well as over three hours of video tutorials on a free DVD, **Fantasy Artist** is a one-stop shop for amateur and professional artists alike.

If that wasn't enough, [www.greatdigitalmags.com](http://www.greatdigitalmags.com) has also just welcomed the latest issue of Imagine's stellar new knowledge title **All About Space**, the most awe-inspiring space mag currently on the market. This month **All About Space** has an eye-opening feature on black holes, a day-in-the-life-of guide focused on the Paranal Observatory – home to the amazing Very Large Telescope (VLT) – and an in-depth look at the next-generation space stations set to radically transform our ability to explore the cosmos.






# WHAT ON EARTH IS IT?

A close-up look at the world!




Each month we post weird images on [www.howitworksdaily.com](http://www.howitworksdaily.com). Find out what they are now...



**You said...**

'A Chinese water fountain?' - Kevin Stolt  
'A dragon jigsaw puzzle?' - Lucy French



**You said...**

'I'd say it's an Aztec mask' - Barry Powderly  
'Some sort of African tribal mask' - Ashwin Kumaar




**You said...**

'Is it some kind of pelican or dodo?' - Fiona Cradock  
'An enraged pterosaur?' - Sarah Rockwell



**A: Nine-dragon wall**

This is a detail taken from a nine-dragon wall located in the Forbidden City, Beijing, China. Nine-dragon walls are a type of screen wall that feature, as you'd expect, nine different Chinese dragons. They are principally used to shield key entranceways to palaces and gardens. The first description of a nine-dragon wall comes from Chinese philosopher Confucius's *Analects*, written in the 5th century BCE.



**A: African ritual mask**

As many of you point out, this is an African ritual mask from the Bambara tribe in Mali. Historically ritual masks in most African cultures took on a religious/supernatural element, with the mask supposedly transforming its wearer from a human being into a spirit capable of contacting deceased ancestors or even gods. The Dogon people of Mali had 78 different masks, each purportedly representing one of their deities.



**A: Shoe-billed stork**

This evil-looking chap is a member of the *Balaeniceps rex* species of birds known as shoebills, which are native to east Africa. They are distinctive due to their massive, shoe-shaped beak, which can grow over 30 centimetres (11.8 inches). Adult males tend to be grey, while females and juveniles are brown.

To get involved, visit [WWW.HOWITWORKSDAILY.COM](http://WWW.HOWITWORKSDAILY.COM) to make your guess now!

[@HowItWorksmag](https://twitter.com/HowItWorksmag) [How It Works Magazine](https://www.facebook.com/HowItWorksMagazine) [www.howitworksdaily.com](http://www.howitworksdaily.com) [howitworks@imagine-publishing.co.uk](mailto:howitworks@imagine-publishing.co.uk)



## THIS DAY IN HISTORY 6 SEPTEMBER: How It Works issue 38 goes on sale, but what

**394 CE**

Christian Roman Emperor Theodosius I defeats the pagan usurper Eugenius at the Battle of the Frigidus.

**1492**

Christopher Columbus (right) sets sail from the Canary Islands, his final port of call before crossing the Atlantic.



**1620**

The Pilgrims sail from Plymouth, England, on the Mayflower to settle in North America.

**1781**

The Battle of Groton Heights takes place during the American War of Independence, resulting in a decisive British victory.



**1870**

Louisa Ann Swain becomes the first woman in the USA to cast a vote legally.



# The story of Britain

Top author and broadcaster Neil Oliver reveals the origins of the British Isles

**How It Works:** With *A History Of Ancient Britain* in mind, tell us about the challenges of piecing together a narrative from fragmentary evidence.

**Neil Oliver:** When you embark on something with the title *A History Of Ancient Britain* obviously you are opening yourself up to having to find a way to navigate from the human occupation of the earliest times – as much as half a million years ago (maybe even up to a million years ago) – and then that human habitation being interrupted by numerous ice ages, right on through to the first Roman contact. So, it was daunting to say the least!

What I tried to do is to tell very much a human story. I aimed to keep it as simple as I could to try to get across the idea that Britain's story is a very, very long one. That it is a story told in part by human beings – some exactly the same as us and others that are more distant relatives – but [ultimately] it is a story about people.

**HIW:** How far back are we talking for Britain's earliest inhabitants and what impact did the people of pre-Roman Britain have on its landscape?

**NO:** Well, the oldest human remains, in terms of actual bones, are from Boxgrove Man in Sussex. He, or she – it's only one shinbone and a couple of teeth so it's impossible to specify – lived approximately 500,000 years ago and occupied a very different kind of Britain. A Britain that would have been populated by woolly rhinos and hyenas. That is the earliest proof of a human form we have, a species called *Homo heidelbergensis*, which is our cousin, if you like – a common ancestor to *Homo sapiens*.

But even earlier than that on the east coast of England there have been finds of tools – human-made hand axes – and food remains which go back as far as 900,000 years. So again, we are talking about a much earlier species. There has also been, more recent than Boxgrove, occupation by Neanderthals who were in Britain and north-western Europe approximately 25,000 years ago, where [eventually] as a species they became extinct.

As to the impact those species would have had it's very difficult to tell. However, human beings have always had an impact on their environment. I think that right up until the advent of farming, where people engage in forest



clearing and open up the land for crops, the impact was very artificial. They would have had fire and perhaps it would have been in their interests to clear areas of woodland – maybe to instigate some sort of regrowth where they could attract animals to hunt – but broadly speaking the impact would have been [minimal].

**HIW:** What effect did the last ice age have on Britain and the people who lived here?

**NO:** The last ice age probably began around 25,000-30,000 years ago. And by roughly 18,000-20,000 years ago that ice age would have been at its peak. So we are talking about glaciers and ice sheets as much as [0.8 kilometres] half a mile thick, an enormous weight of ice that pushed the landmass down into the sea. The ice was moving too and it was an incredibly powerful force in terms of sculpting the landscape, so many valleys and mountains were scoured out at this time.

By about 15,000 years ago the climate began to warm up again and the ice started to melt into the sea. The ice was fully gone by 10,000-12,000 years ago and it left a barren landscape – very much like a building site where all vegetation was completely cleared. There was no wildlife – even the big animals like the mammoth couldn't survive – so it was like a blank slate. The blank slate was gradually repopulated, first by plants, then animals like deer, and

with these animals you get interest from humans. So bands of hunters from what we'd now call the European Continent would have walked dry-shod back into what would have been the British Peninsula, as at that time Britain was still a part of Europe.

You then began a long period of time when, with the ice gone, the land started to rise up again. At the same time you have rising sea levels [due to all the meltwater]. So you get a jockeying of position between the land and the sea, with sometimes the former winning and sometimes the latter. Interestingly, that process is still occurring to this day with the north coast of Scotland rising up out of the sea and the south of England – like the other end of a see-saw – slowly dipping into it.


Eventually, about 8,000 years ago, there was an event off the coast of Norway – a massive sub-sea collapse of a land ridge. This pushed a tsunami across the North Sea to Britain where it hit the eastern seaboard. It was this event that finally separated Britain from mainland Europe. From that point on the British Isles were born.

**HIW:** What are you currently working on?

**NO:** I've just completed work on a TV series and a new book, both called *The Vikings*. I think we're all quite familiar with the story of Vikings arriving in Britain and attacking the monasteries, however this project is all about looking at how wide-ranging the Vikings and the people of Scandinavia were. From about the 9th century to the 11th century CE, you had Swedish Vikings going through Russia, and then the Middle East, looking for Indian and Chinese silk and Arabic silver. You had the Norwegian Vikings heading west to Iceland, Greenland and eventually North America 500 years before Columbus. There are also the Danish Vikings who had such an impact on Britain and in northern Europe, and even Vikings raiding coastlines in the Mediterranean. So it's a project to help make all of us more aware of how

much the Scandinavian people contributed to the shaping of Europe and, indeed, the world.

**Neil Oliver's *A History Of Ancient Britain* is out now in hardback and in paperback from 11 September 2012. Neil's new BBC Two TV series and affiliated book *The Vikings* are due to be released this autumn.**



*“With the ice gone, the land started to rise up again”*

else happened on this day in history?

**1952**

Canada's first television station, CBFT-TV, airs in Montreal.

**1968**

The landlocked country of Swaziland in southern Africa becomes independent.



**1991**

The USSR recognises the independence of the Baltic states Estonia, Latvia and Lithuania.

**1997**

The funeral of Diana, Princess of Wales, takes place in London, England.



**2009**

SuperFerry 9 sinks off the Zamboanga Peninsula, Philippines. All but ten of the 971 passengers are saved.



# 10 COOL THINGS WE LEARNED THIS MONTH

AMAZING TOPICAL FACTS...

## Today's planes have reached their limit

NASA and Boeing have demonstrated a working prototype of a plane of the future. The hybrid body X-48C looks an unconventional shape because the current fixed-wing design has reached its limits in terms of speed and fuel efficiency. The prototype aircraft is an 8.5 per cent scale model of a type of plane that could be flying us across the globe 20 years from now.

1

## Online tool identifies bat calls

The iBatsID app has been developed to identify 34 out of 45 species of European bat by their calls alone. It's being used to assess human impact on the environment because bat populations are a good barometer for the health of local ecosystems. European bats are small, nocturnal and difficult to spot so this is a much more efficient method of collecting data.

3

## NASA is 40 atoms from perfection

NASA has created the Gravity Probe B, an incredibly precise gyroscope – the world's most precise gyroscope, in fact. Not only that, it's just 40 atoms' thickness away from being a perfect sphere. This form means that scientists can use the Gravity Probe B to test the laws of modern physics laid down by the likes of Albert Einstein.

4

## Squid glow in Japan

Watasenia scintillans, aka the firefly squid, is common in the western Pacific and famously found washed up in Toyama Bay, Japan, due to the area's topography. They have bioluminescent glands in their tentacles, so when they're deposited in their thousands on the beaches, nightfall sees an eerily beautiful blue light display along the waterline. They're also edible, although we wouldn't advise eating anything washed up like this.

## Stone can float

A 26,000-square-kilometre (10,000-square-mile) volcanic raft of rock has been found floating off the coast of New Zealand. It's comprised largely of pumice, which is less dense than water and so floats. It's believed to most likely have originated from the seamount Monowai, near Tonga, which has been active recently.

5

## Traffic can be bad for the heart

Leeds researchers have shown that carbon monoxide gas – commonly found in exhaust fumes, smog, cigarettes and faulty boilers – can disrupt the heart's rhythm. Carbon monoxide is already known to be deadly at high concentrations because it replaces oxygen being transported in the blood, but the Leeds University team's research suggests even low levels can damage the heart by unsettling its rhythm, which itself is potentially fatal.

6

2



"The closing ceremony took 93 lorries to move the actual set into the arena"

## Closing ceremony took 210,000 hours of preparation

Over 3,500 volunteers practised for around 60 hours each for the London Olympics 2012 closing ceremony. That's a total of 210,000 hours, or 24 years' worth of preparation for a three-hour event – around two and a half hours of practice for every second! The closing ceremony took 93 lorries to move the actual set into the arena, which included the 'audience pixels' built in to the seating – 634,500 of them creating the largest video screen ever.

© Getty

## Mount Doom's neighbour has erupted

Mount Tongariro in New Zealand has erupted having lain dormant for over a century. The eruption – the first since 1897 – took volcanologists by surprise as there was no seismic activity beforehand. It has covered the surrounding area in ash, closed roads and disrupted flights, though there was no evacuation order. Tongariro sits next to Mount Ngauruhoe, which stood in as Mount Doom in the *Lord Of The Rings* movies.

8

## Sprites are real

No, not the high fantasy fairy creatures but an as-yet unexplained phenomenon that happens around 80 kilometres (50 miles) above Earth. The vertical flashes of red and blue light happen so fast that they've never been deliberately caught on video until now. NASA scientists and Japanese TV company NHK filmed them from a satellite at 10,000 frames per second as part of a study.

10

## Brain scans can reveal age

Scientists have found that a simple MRI scan of the brain can reveal your age to within a year. A 'developmental clock' has been discovered in the organ that gives a reliable biological signature of age, regardless of environmental or any other factors, with a 92 per cent rate of accuracy.





## Ocean giants



### Welcome to... ENVIRONMENT

With 70 per cent of Earth's surface covered by water, it's no wonder marine life has grown in reverse. And indeed, huge, but how do the giants of the sea survive? Also discover why some animals play dead, how our coasts are continually changing and meet the critters with skeletons on the outside.



18 Devil's Marbles



23 Playful possum



24 Exoskeletons

17 Underwater wonders

18 Sarychev Peak volcano

19 Devil's Marbles

20 Coastal erosion


23 Narwhals

23 Tusked mammoths

24 Exoskeletons



LEARN MORE



# UNDERWATER WONDERS

## Real-life sea monsters so gigantic they dwarf the dinosaurs



The open ocean is an extremely dangerous place to live. There are no trees to hide in, no burrows you can dig. Death surrounds you in three dimensions and everything larger than you is a predator. To survive, you have to think big. For some species, this means living as part of a large school of fish. For others, it means actually becoming genuinely, truly enormous. Tiny fish are eaten by small fish. Small fish are eaten by larger fish and so on. In every size bracket, natural selection favours the larger animal over the smaller one. Over millions of years, animal species tend to grow gradually larger and larger until they are too big to fit in anyone's mouth.

Being big is easier in the sea than on land because the buoyancy of water supports an animal evenly around its body, instead of just through the soles of its feet. An African elephant, for instance, can't grow much larger than ten tons without fracturing its own legs. A blue whale, meanwhile, will weigh this much before it's three months old.

Sea giants can get by with much smaller skeletons and their bones don't need to be so strong as they aren't subject to so much shock loading. But the density of water also presents some challenges. It's much harder to move through water than air, so streamlining is essential. A blue whale is 60 times longer than it is wide, compared with only 3.5 times for a





## Oarfish

15m (49ft) long and eel-like in appearance. Rare sightings of these normally deepwater fish may have given rise to legends of sea serpents.



## Whale shark

The largest verified specimen was 12.7m (41.5ft) long, but there are unconfirmed reports of whale sharks that reach a staggering 18m (59ft)!



## Leedsichthys problematicus

Fossils of this fish from 155 million years ago show it was 22m (72ft) long, making it the largest known fish ever to live.

REDYLLION

In 2010 in New Hampshire, 150 people were stung by a single dead lion's mane jellyfish which had disintegrated

## Japanese spider crab

Claws that can straddle a car

### Binomial name:

Macrocheira kaempferi

### Type:

Crustacean  
Diet: Carnivore, eg shellfish and carrion

### Average life span in the wild:

80 years

### Weight:

19kg (42lb)

### Size:

3.8m (12.4ft) claw to claw

### Worldwide distribution:

Southern coast of Japan

**Amazing fact:** Those huge legs are quite fragile; indeed, almost three-quarters of Japanese spider crabs have a leg missing. This isn't a problem because they can survive with up to three legs missing and the walking legs can grow back when the crab moults to a new carapace.



## The largest animal ever to have lived

### Binomial name:

Balaenoptera musculus

### Type:

Mammal  
Diet: Filter feeder, eg krill, copepods

### Average life span in the wild:

80 years

### Weight:

180,000kg (396,832lb)

### Size:

30m (98ft)

### Worldwide distribution:


Throughout the world's oceans, in five to seven main populations

**Amazing fact:** A newborn blue whale is the same size as a full-grown adult hippopotamus at 2.7 tons. They drink 400l (700 pints) of milk every day and put on 90kg (198lb) of weight on a daily basis for the first seven months of their life.



1 blue whale = 36 African elephants

## Blue whale



## Lion's mane jellyfish

## A tangled cloud of floating stingers

### Binomial name:

Cyanea capillata

### Type:

Scyphozoan  
Diet: Carnivore, eg plankton, small fish

### Average life span in the wild:

1 year

### Weight:

25kg (55lb)

### Size:

2.5m (8.2ft)-diameter bell; 30m (98ft)-long tentacles

### Worldwide distribution:

Arctic, north Atlantic and north Pacific

**Amazing fact:** The largest lion's mane jellyfish ever found washed up in Massachusetts Bay, USA, back in 1870. Its tentacles were 36m (118ft) long, making it longer than a blue whale and possibly the longest animal ever recorded.



1 lion's mane jellyfish = 1 child

hippo. The rear third of the whale's body provides the muscle to drive the 7.5-metre (25-foot) tail fluke up and down. Why does an animal with no natural predators need to cruise at 32 kilometres (20 miles) per hour? One reason is that it makes it much harder for barnacles to attach. It's ironic that an animal as large as a whale should be threatened by something as small as a barnacle, but if enough take hold, the extra drag drastically increases the energy required to swim.

Food is the limiting factor for all large sea creatures. Light doesn't penetrate far in water so there are no grassy plains for large herbivores to graze. Instead the ocean is a thin soup, with the occasional chunk of meat bobbing in it. You can chase after the chunks, but catching them requires more energy, which means you need more food and so on.

The largest animals in the sea have found it is more lucrative to swallow the 'soup' instead. This is a mixture of unicellular organisms, fish larvae and shrimp, ie plankton. They are too small to swim against the current, so it's just a matter of straining them from the water. The lion's mane jellyfish can do this while expending virtually no energy. It swims slowly up by pulsing its bell and then relaxes to drift down again like a parachute. As it does, its tentacles billow out like hair to cover a wide area and prey gets speared by its stinger cells. Most large whales, along with the whale shark and the manta rays, adopt a slightly more active strategy by either swimming at speed into a dense cloud of plankton or taking huge gulps to suck them in, and then filtering them through a mesh of fibres made from modified teeth or gill bars. Different animals have different sized filter meshes that trap a particular size of plankton. Whales and whale sharks trap only the relatively large krill (a kind of shrimp) and crab larvae. A ton of krill contains about 450 thousand calories – which is about a tenth as much as a ton of chocolate – and an adult blue whale needs 3.5 tons of krill a day.

Very large animals need to protect their young to give them time to grow big enough to fend off predators. Whales are mammals so the embryo develops inside its mother to protect it. Great white sharks and manta rays have abandoned the usual fishy strategy of laying eggs on the seabed and copied mammals; the eggs are retained inside the female and hatch as live 'pups'. The mating and birthing of the whale shark has never been, but they are believed to use the same technique. Even the giant Pacific octopus will guard her nest of eggs until they hatch. Her month-long vigil is the last thing she does though because the exertion kills her – to compensate she lays around 100,000 eggs in one go!

Huge fish have other tricks normally reserved for mammals too. Large sharks and manta rays have a low surface area compared to their body size so they don't lose as much heat. This makes them effectively warm-blooded and allows them to maintain a more active lifestyle even in colder seas.

The best-studied ocean giants are those that live in fairly shallow water – above 200 metres (656 feet) – where most of the plankton is. But there are very large animals including squid that live in the perpetual blackness beyond. If you are an air-breathing mammal like a sperm whale that feeds on these squid, you face a unique challenge. To feed you need to dive to depths of up to three kilometres (1.9 miles), but to breathe you need to return to the surface. The pressure change in a round-trip is almost 300 atmospheres! Sperm whales have three times more myoglobin in their muscles to store more oxygen and their ribcage is flexible so that the lungs collapse under pressure and reduce the amount of nitrogen that dissolves into the blood. Despite this, the skeletons of older whales show pitting from the decompression effects of repeated dives. ☼





"The hungriest creatures in the ocean are the killer whales"

### Supersized diets

Let's look at what some of the world's largest animals eat. The blue whale is the largest animal on Earth, and it eats krill. The killer whale is the largest predator in the ocean, and it eats fish, seals, and even other whales. The great white shark is the largest shark, and it eats fish, seals, and even humans. The giant Pacific octopus is the largest invertebrate, and it eats fish, mollusks, and even seals. The lion's mane jellyfish is the largest jellyfish, and it eats plankton.

How many fish can fit in the mouth of a whale? The answer is: a lot. The mouth of a whale is like a giant vacuum cleaner. It can suck in up to 90 tons of water. The whale then strains the water through its baleen plates, which are like giant combs. The krill are caught in the baleen, and the whale swallows them. The whale then uses its enormous tongue to force the water through the baleen plates. The whale then swallows the krill. The whale then uses its enormous tongue to force the water through the baleen plates. The whale then swallows the krill.

### How the largest animal eats the smallest prey

#### 1. Big gulp

The whale swims towards a group of krill and opens wide to suck in up to 90 tons of water.

#### 4. Baleen plates

Feathery bars made of keratin hang down from the roof of the mouth like a huge comb.

#### 5. Straining

The wriggling mass of krill is caught against the baleen, where it can be swallowed.

#### 3. Sieving

With the mouth shut, the whale uses its enormous tongue to force the water through the baleen plates.

#### 2. Ventral pleats

Between 60 and 90 concertina grooves allow the mouth to expand six times bigger to hold its huge mouthful.

### How much do they eat a day?

...and how many cheeseburgers would that equate to?

Blue whale: 3,600kg (7,937lb) eg krill = 16,667

Killer whale: 227kg (500lb) eg fish, sharks = 1,051

Great white shark: 30kg (66lb) eg fish, seals = 138.9

Giant Pacific octopus: 1kg (2.2lb) eg crabs = 4.6

Lion's mane jellyfish: 100g (3.5oz) eg plankton = 0.46

### The shark with the biggest bite



**Binomial name:** *Carcharodon carcharias*  
**Type:** *Carcharodon*  
**Diet:** Carnivore, eg fish, seals  
**Average life span in the wild:** 30 years  
**Weight:** 13,000kg (28,660lb)  
**Size:** 6m (19.7ft)  
**Worldwide distribution:** Tropical and temperate seas, eg the Atlantic, Pacific, and Indian Oceans

### Each arm is as long as you are

**Binomial name:** *Enteroctopus dofleini*  
**Type:** Cephalopod  
**Diet:** Carnivore, eg fish, molluscs  
**Average life span in the wild:** 3-5 years  
**Weight:** 15-70kg (33-154lb)  
**Size:** 4.3m (14.1ft) arm span  
**Worldwide distribution:** Coastal waters of the north Pacific  
**Amazing fact:** Its huge size isn't enough to keep this octopus safe. Seals, sperm whales and even sea otters all prey on them. Their short life span is an adaptation to compensate for high predation. All their energy is expended in a single huge spawning of 100,000 eggs.

### Giant Pacific octopus



### Super-smart king of the gliders

### Giant oceanic manta ray

**Binomial name:** *Megachasma pelagios*  
**Type:** *Megachasma*  
**Diet:** Filter feeder, eg plankton  
**Average life span in the wild:** 27 years  
**Weight:** 13,000kg (28,660lb)  
**Size:** 6.7m (22ft)  
**Worldwide distribution:** Shallow water of the western Pacific and Indian Oceans  
**Amazing fact:** Manta rays may be the most intelligent of the sharks, rays and skates, as their brain-to-body ratio is much higher than other fish. A network of blood vessels called the rete helps to keep their brain warm.





The largest turtle ever found was a leatherback that washed up on a beach in Wales in 1988. It was 2.75 metres (nine feet) long and at least 100 years old when it died.

**WILD IN YOUR KITCHEN**

Lobsters don't seem to age and can grow almost indefinitely. The biggest ever caught was over 1m (3.2ft) long!



## Great white shark



## Whale shark

The world's largest fish

**Binomial name:**  
Rhincodon typus

**Type:** Elasmobranch fish

**Diet:** Filter feeder, egg krill, crab larvae

**Average life span in the wild:**  
80 years


**Weight:** 9,000kg (19,842lb)

**Size:** 9.7m (32ft)

**Worldwide distribution:**  
Tropical seas worldwide

**Amazing fact:** According to the Whale Shark & Oceanic Research Center, there are several reports of whale sharks three or four times bigger than the norm. Indeed, in 1994 a shark caught off the coast of Taiwan allegedly weighed almost 36 tons!

1 whale shark = 1.8 African elephants



## What does it take to sustain a whale shark?

### Mouth

When a whale shark is feeding, its mouth can gape 1.5m (4.9ft) wide. This creates tremendous suction that makes it impossible for small animals to swim out of the way. Whale sharks have over 300 rows of teeth but each tooth is quite small and they don't appear to serve any purpose.

### Skeleton

Sharks have cartilage rather than bone, and no ribcage. Whale sharks beached in shallow water are quickly crushed to death by their own body weight. In the open sea, though, a cartilage skeleton saves weight because it has half the density of bone. This makes the whale shark a much more efficient swimmer.

### Gills

The real business of feeding occurs at the gills. As well as extracting oxygen from the water, the gills have ten filter pads (see picture) that sieve out anything over 2-3mm (0.08-0.12in). Although efficient, sometimes the pads can become blocked and the shark must 'cough' to clear them.

### Skin

10cm (3.9in)-thick skin provides a rigid covering that maintains the shark's streamlined shape; when we swim, the water causes our skin to ripple, which leads to drag. Shark skin is also covered with tiny placoid scales. Each one is structured like a tooth, with enamel, dentine and a pulp cavity; the scales reduce microturbulence.

### Brain

Whale sharks have quite small brains compared to other sharks. Brain tissue requires a lot of energy, so big brains must earn their keep. These sharks don't actively hunt, and their huge size keeps them safe from most predators, so they don't need the same cunning as other shark species.

### Liver

Instead of a swim bladder, sharks use an oil called squalene to maintain buoyancy. This is stored in the liver and, since oil isn't as light as gas, the whale shark needs lots of it – indeed, the liver can weigh up to two tons! Fishermen in Kenya hunt whale sharks for their liver and the oil from a single shark can last them for years.

## Ones that got away!

Meet a few more contenders of the deep.

### Seven-arm octopus

Known as the giant Pacific octopus, it can grow to 3m (10ft) long and weigh 250kg (550lb). It has seven arms and is known for its intelligence and ability to escape its predators.

### Colossal squid

It is thought to grow up to 11m (36ft) long, an adult specimen has never been found. It has the largest eyes in the animal kingdom.

### Sperm whale

This 40-ton cetacean has the largest brain of any animal to have lived and has teeth that weigh 1kg (2.2lb) each. Its diet includes the colossal squid.

### Giant clam

The biggest bivalve mollusc. They can weigh up to 200kg (441lb) and live on a combination of filter feeding and photosynthesis from symbiotic algae.

### Brisingid starfish

Midgardia xandaros is the biggest starfish. Its slender arms can be up to 1.4m (4.6ft) long. Most starfish have five arms while some, like the one pictured, have 12 or more!

### Giant isopod

Bathynomus giganticus might look like a garden woodlouse, but this relative can weigh up to 1.7kg (3.7lb) and reach 76cm (29.9in) long; that's the size of a newborn baby!



"The shockwave from the eruption could have punched a hole in the cloud deck"

Volcanic eruption up close

# The Sarychev Peak eruption

Snapped by NASA in a remote part of Russia, this volcano photo has sparked a heated debate among scientists...




On 12 June 2009, the International Space Station happened to be passing the northern part of the Kuril Islands, a Russian archipelago in the north-west Pacific, just as the Sarychev Peak was erupting explosively for the sixth time since 1946.

This photo was immediately taken by an enthusiastic astronaut, which excited volcanologists not just because of the early stage of Sarychev's eruption, but because of several interesting features that can be observed at once in the same image. The characteristic plume that's rising from the caldera is mainly composed of ash that has blown back downwind by the relatively calm day. Curiously, this has been capped with a white head of steam called a pileus cloud, a result of air rising quickly in a strong updraft and cooling rapidly.

On the ground, there are several columns of molten material winding their way down from the peak which are known as pyroclastic flows; these are superheated currents of rock and gas made fluid by water vapour. The flows are extremely hot (read: up to 1,000 degrees Celsius/1,832 degrees Fahrenheit) and travel very fast, at around 200 metres (656 feet) per second. Their speed, deadly temperature and unpredictability make them especially dangerous in more populated areas.

What scientists can't explain is the hole in the cloud above the volcano. To the untrained eye, it would appear that the plume is having an effect on the cloud mass above it. That is a possibility, as the shockwave from the eruption could have punched a hole in the cloud deck or evaporated it as the hot ash rose. But it could easily have been pure coincidence. Sheets of cloud form in these regions where the ocean surface is cool and move with the wind. But when they come into contact with an island, they're forced upwards into a dry layer of air, which causes them to break up. ☼






The highest known volcanic plume on Earth was caused by the 1815 eruption of Mount Tambora, Indonesia (the biggest eruption on record). The ejecta thrust into the stratosphere affected global weather for a whole year.

**THE NEW YORK PUBLIC LIBRARY**

The Kuril Islands belonged to Japan until after WWII, when Russia evacuated all 17,000 Japanese inhabitants

## Space volcanoes put things into perspective







"The Devil's Marbles started life nearly 2 billion years ago"

# What are the Devil's Marbles?

Part of Australia is littered with odd boulders, but where did they come from?



You can understand how this odd natural feature got its name: in the middle of Australia's Northern

Territory wilderness, near the town of ~~Mauchope~~ hundreds of rounder boulders are strewn conspicuously across the arid landscape. Some are piled in heaps, while others are poised atop rocky outcrops in a seemingly deliberate attempt to balance them. The Aboriginal owners of this 1,800-hectare (4,453-acre) reserve call it Karlu Karlu, which is also derived from a traditional belief that a supernatural being placed the boulders for its own unfathomable amusement. And while the reality might not involve the paranormal, the science is just as interesting...

The Devil's Marbles started life nearly 2 billion years ago as the magma cooled in the Earth's crust to form the igneous rock granite. On top of the granite, a

thick sedimentary layer of sandstone formed that compressed the granite under its immense weight. Over millions of years, the sandstone gradually eroded, simultaneously releasing the pressure and causing the granite to expand and then crack into roughly cube-shaped blocks.

Once the sandstone was completely eroded, the angular blocks of granite were subject to erosion themselves. But granite is a significantly harder material than sandstone, so the boulders you can see now are a lot more resistant to the same chemical and mechanical weathering. A combination of water and acidic chemicals naturally present in the atmosphere rounds off the points of the blocks to leave smoother rocks, while the great difference in day and night temperatures expands and contracts the rock forms, peeling off layers to leave the 'marbles' we see today. ☼

## Marbles in the making


### 1. Pressing situation

Around 1.7 billion years ago, granite in the crust was under immense pressure from the sandstone above.




### 2. Big release

As time goes by, weathering of the sandstone lessens the pressure, causing the granite layer to fragment.



### 3. Not-so-instant chemistry

Granite blocks at the surface are exposed to natural chemicals that, over time, round off the edges.




### 4. Maximum exposure

Mechanical erosion continues, weathering the surface away to eventually leave round boulders.



## Aussie rocks




### Wave Rock

This distinctive Australian rock is found near Perth, Western Australia. It's shaped like a 14-metre (46-foot)-high wave and is 110 metres (361 feet) long.



### Uluru

Easily Australia's most well-known rock, Uluru (formerly Ayers Rock) is 348 metres (1,142 feet) high, and is Earth's biggest monolith.



### Mount Augustus

The less-known Mount Augustus is much bigger than Uluru, at 860 metres (2,820 feet) high, but is a monocline, rather than a monolith.





## 5 TOP FACTS: BRITISH FORCES LAND ROVERS



WMIK stands for  
Weapons Mount  
Installation Kit

There is a choice of  
main armament for the  
WMIK - either a 12.7mm  
heavy machine gun or  
a 40mm grenade  
launcher can be fitted.

The R+ is the latest  
version of WMIK. With  
increased armour it is  
also the most capable.

Designed for use in  
Northern Ireland the  
Snatch Land Rover has  
found use wherever the  
British Army has been  
deployed.

As they are being  
phased out many  
Snatch Land Rovers  
are now available to  
buy on the civilian  
market.

# How it works



Scan this QR code  
with your smartphone  
to find out more!

### Specifications

Weight: 1.60 tonnes  
Length: 4.55m  
Width: 1.79m  
Height: 2.03m  
Speed: 160 km/h

### Crew:

2+6 passengers  
(GS version - General Service)

### Main armament:

12.7mm heavy machine gun

### Engine:

Land Rover 300 Tdi/111hp

### Operational range:

510 km



Notes: 1. The Snatch is a light armoured and patrol combat vehicle. 2. The WMIK is a heavy machine gun or 40mm grenade launcher. 3. The Snatch is being phased out of service in favour of more modern replacements. 4. The heavily armed WMIK continues to serve in its most recent incarnation, the R+, as an effective Special Forces and reconnaissance vehicle. 5. The Snatch is a light armoured and patrol combat vehicle. 6. The WMIK is a heavy machine gun or 40mm grenade launcher. 7. The Snatch is being phased out of service in favour of more modern replacements. 8. The heavily armed WMIK continues to serve in its most recent incarnation, the R+, as an effective Special Forces and reconnaissance vehicle.

## BRITISH FORCES LAND ROVERS

The Snatch Land Rover is used as a protected transport vehicle by the British Army. Being light and manoeuvrable they make for ideal utility vehicles. The Land Rover WMIK (Weapons Mount Installation Kit) is the British Army's light armoured and patrol combat vehicle.

Both adaptations of civilian Land Rover Defenders, the Snatch and WMIK are as far removed from everyday Land Rovers as you could get. The Snatch is an up-armoured version of the Land Rover 110, suitable for armoured patrols in potentially hostile environments. Able to offer some protection against small arms fire and limited protection against explosives, the Snatch is being phased out of service in favour of more modern replacements. The heavily armed WMIK continues to serve in its most recent incarnation, the R+, as an effective Special Forces and reconnaissance vehicle.

A06301 1:48 Scale British Forces Land Rover Twin Set



A Hornby Product

**HORNBY**

**www.airfix.com** and all good retail stockists

Join the AIRFIX Club



**You Tube**

www.youtube.com/  
officialairfix



www.twitter.com/  
airfix



www.facebook.com/  
officialairfix



www.humbrol.com



For schools and all  
youth organisations



**HORNBY**  
visitor centre





"Coastal erosion is a very slow process, but scientists believe that climate change is speeding things up"

# What is coastal erosion?

Our coastlines are constantly changing – building up and breaking down. Learn about the amazing processes reshaping our shores right now...

The arch Durdle Door in Dorset, UK, is one of the most photographed features on the Jurassic Coast



Water is not given enough credit for the role it plays in shaping Earth. Tectonic plates and volcanic eruptions are often cited as the culprits for most land features, but it is water and wave action that shapes and constantly reshapes the coastlines of our world.

When a wave crashes on the shore it carries sediments that are suspended in the water, and it pushes larger sediments along the ground too. When a wave recedes it also takes sediment with it and this is rarely done at an equal rate.

If a wave deposits more sediment than it takes away it builds up, causing coastlines to extend. Alternatively, when more sediment is being removed than added, the coastline recedes or erodes. Coastal erosion is responsible for some of the most amazing landforms we know today from the Twelve Apostles in Australia to the White Cliffs of Dover in England.

The type of coastline that is created from erosion varies greatly depending on any number of factors including the strength of the wave action and wind, sediment composition of the coastline and the types of rock in the vicinity.

Coastal erosion is a very slow process taking hundreds of years, but scientists believe that climate change is speeding things up. Climate change has caused a rise in sea levels and storm frequency and severity – both of which play a key role in erosion. Indeed, the UK's Environment Agency has estimated that the British coastline could erode anywhere from 67-175 metres (220-575 feet) over the next 100 years.


## Longshore drift explained

Alongshore, or littoral, drift occurs when a wave crashes on the beach at an angle and then flows back at a right angle. When repeated, this action causes the sediment brought in by the waves to be pushed along the shore in a zigzag motion

### Swash

Water and suspended sediment from a wave washes up onto the beach/coastline.

### Beach drift



### Sediment


Sediment is washed ashore and pulled back into the ocean at differing rates. During a longshore drift the angle of the waves causes the sediment to move along the beach.

### Longshore current

The angle of the waves hitting and receding from the shore, moving along the beach, causes a parallel current to form in the sea. These can become dangerous rips.

### Backwash

Water and suspended sediment from a wave recede back into the ocean.



### Sand spit

During a longshore drift, when the coastline changes direction, the sediment carried by the longshore drift accumulates in a sandbar fashion.

## More than one way to wear a rock...

### Corrosion

This chemical-based erosion occurs only with certain types of rock such as chalk or limestone, which are high in calcite. The acidity of the seawater causes a chemical reaction in the mineral, eating away at it.

### Abrasion

This occurs when the sediment suspended in the water (eg sand) is thrown against the shore by waves. The sediments grind against the land, weakening the structural integrity of the coastline.

### Hydraulic action

Wave action compresses tiny air pockets within the rock, which eventually causes cracks to form. The cracks get bigger and bigger over many years and eventually develop into caves and so on.

### Attrition

Continued wave action hurls stones and other material at the land, which smooths and breaks up the rocks on the coast, dislodging them from. These in turn collide with other rocks on the shore.





## Sea stack formation

Discover how these rocky towers develop and what fate awaits them in the long term...

### 6. Top of stack

Sea stacks are a popular nesting site for seabirds as they are isolated and difficult for predators to reach.

### 1. Cracks

Water finds the weakest point in the rock of a headland and creates cracks through hydraulic action.

### 2. Cave

As the water breaks against the cracks, they open out into a small cave, which becomes larger and larger as time goes by.

### 3. Arch

Wave action from both sides of the cave causes it to break open forming an arch-shaped structure.

### 4. Stack


Eventually the meeting point of the tip of the arch and the headland will collapse, leaving a free-standing stack, separated entirely from the headland.

### 7. Stump

The stack gets eroded away further until it leaves just a stump, which is often covered at high tide.

### 8. Headland

Harder-density rocks remain jutting out into the ocean where the coastline has receded behind it, usually creating bays.



© Thinkstock

## The different shapes of coastlines



### Bay

A bay is a body of water partially enclosed by land. Bays are usually smaller than gulfs and are often found along the coastlines of continents and islands.

### Arch

An arch is a natural rock formation that is shaped like a bridge. It is formed by the erosion of a cave. The arch is usually found in the middle of a headland. The arch is usually found in the middle of a headland.

### Stack

A stack is a rocky tower that is isolated from the mainland. It is formed by the erosion of a headland. The stack is usually found in the middle of a headland. The stack is usually found in the middle of a headland.

### Fjord

A fjord is a deep, narrow inlet of the sea between high cliffs. It is formed by the erosion of a headland. The fjord is usually found in the middle of a headland. The fjord is usually found in the middle of a headland.

### Peninsular

A peninsular is a piece of land that is almost completely surrounded by water. It is formed by the erosion of a headland. The peninsular is usually found in the middle of a headland. The peninsular is usually found in the middle of a headland.

### Headland

A headland is a piece of land that juts out into the sea. It is formed by the erosion of a headland. The headland is usually found in the middle of a headland. The headland is usually found in the middle of a headland.



## ON THE MAP

### Erosion landmarks

- 1 The Twelve Apostles (sea stacks): Victoria, Australia
- 2 Dungeness Spit (sea spit): Washington, USA
- 3 Azure Window (arch): Gozo, Malta
- 4 Moeraki Boulders (stumps): Otago, New Zealand
- 5 White Cliffs of Dover (cliffs): Strait of Dover, UK
- 6 Farewell Spit (sea spit): South Island, New Zealand



Australia's Twelve Apostles are some of the most famous sea stacks in the world






# "For people who want a home aquarium, but think it's too much work"

**A**t last, an aquarium for busy people. biOrbs have built-in lighting and simple filtration that really works. The filter cartridges are easy to change and it only takes a few seconds.

## A revealing truth about aquarium filters

Many traditional aquariums have a filter on the side or at the top, but guess what - fish waste sinks. biOrbs have a filter hidden at the bottom of the aquarium. Put simply, a biOrb filter works where there is most waste to filter.



**Inside the patented filter.**  
Air driven filtration creates vigorous water flow. This maintains oxygen saturation. Circular water flow collects fish waste and traps it in the easy-to-change cartridge.

## Why they're made from acrylic, not glass

Acrylic is ten times stronger than glass. Why's that so important? Just ask anyone who's broken a glass aquarium and flooded their home.

## Did you know it's clearer?

Acrylic has a transparency rate of 93% but glass only allows 70% of light to pass through. With a biOrb it's

Acrylic

Glass

been said that "it's like watching your fish in high definition".

## All you'll need to get started is included

Light, Pump, Filter. You'll also get step-by-step, easy to follow instructions. Just sit back and enjoy the magic of keeping fish. What's more, every biOrb is backed by our no-quibble 12 month guarantee.



## Tested in Hannover, Germany

biOrbs have been tested by the renowned University of Veterinary Medicine in Hannover to make sure they provide a healthy environment for your fish.

## Over one million sold worldwide

Over a million people now keep fish the easy way with a biOrb. If you ever thought that an aquarium would be nice to have, but didn't like the idea of all the work, then a biOrb is for you. They're designed to be simple to set up and easy to look after.

biOrbs are available in many shapes, sizes and colours to suit every home.

Choose yours today. Visit us online at [www.reef-one.com](http://www.reef-one.com)

## FREE BROCHURE

Please send me my free brochure.

Name

Address

Postcode

Email

Post this coupon to:  
Reef One Ltd, Abbey Farm Business Park,  
Horsham St Faith, Norwich, Norfolk NR10 3JU


Ask about biOrb at your local aquatics store or buy online at [www.reef-one.com](http://www.reef-one.com)

**biOrb®**



## HORN VS TUSK

In medieval Europe the narwhal's spiral tusks were sold as 'unicorn horns' at more than ten times their weight in gold. Though a protected species today they're still hunted for their unusual elongated teeth, which can fetch thousands of dollars.



**DID YOU KNOW?** Red flour beetles can play dead for up to 20 minutes in the presence of the Adanson's house jumper spider

# The life of a narwhal

A closer look at the 'unicorn of the sea'



They may bear more than a passing resemblance to the mythical unicorn, but narwhals are very much real and are a member of the porpoise family most immediately to the Arctic and northern Atlantic coasts.

With a fairly compact body, a super-thick layer of blubber and the ability to live as deep as 1,000 metres, it can be the smallest of the big fish. In fact, they are perfectly adapted to surviving in the frigid north.

They have a small, rounded snout – the typical look of a cetacean – but a few species, including narwhals, do not have a snout. Instead, they have a long, thin, fleshy snout. This is a porpoise, not a whale, but the general consensus is that it is a whale. It is a very rare and elusive creature.

males. Males are sometimes seen creating 'tusk' in a practice called 'tusk-ing', but this is believed to be play-fighting – a way of showing a social hierarchy within the group. It is not a true tusk, but a tooth that is not used for eating. It is a tusk, but it is not a tusk.

The tusk is a single, elongated tooth that grows from the upper jaw. It is made of ivory, but it is not a tusk. It is a tusk, but it is not a tusk. It is a tusk, but it is not a tusk.

## Tusk

This elongated, spiral-shaped tusk is 1.5m (4.9ft) long in male narwhals. Although it looks rather formidable, its principal purpose is thought to be for bonding, sending a social order, like post and a breeding mates, or to protect against a lethal weapon.



## Markings

Narwhal skin features a mottled pattern of black-brown over white, which increasingly lightens as they approach maturity. These markings offer some degree of camouflage from predators like killer whales.

## Body

The narwhal's body is cylindrical and quite stocky, compared to other cetaceans like dolphins and they have no dorsal fin. Along with a 10cm (3.9in) thick layer of blubber under the skin, this body shape ensures optimal heat preservation in freezing-cold waters.

## Porpoises in demand

Narwhals provide a host of invaluable resources to the native Arctic tribes

People would struggle to live in the Arctic if it weren't for marine creatures to hunt and, in many respects, narwhals are considered the ultimate catch, with not a single part of the creature wasted.

Starting with the tusk, this is often incorporated into everyday tools like harpoon shafts, as well as in many traditional handicrafts; it's sometimes also used for bartering with other tribes.

Meat from the porpoise is often the main food source for hunters' dog teams, though it's also consumed by people – particularly the fatty layer of skin (sometimes called 'mattak'), which is a rare source of vitamin C in the region.

On top of all this, oil can be extracted from the narwhal's blubber, which is an essential fuel for both cooking and powering lamps, while its sinews can be used to sew boots and other clothing.

## The statistics...

### Narwhal

**Type:** Mammal  
**Genus:** *Monodon monoceros*  
**Diet:** Carnivore (eg fish, squid, shrimp)  
**Average life span in the wild:** 50 years  
**Length:** 4-6.1m (13-20ft)  
**Tusk length:** 2-3m (6.6-9.9ft)  
**Weight:** 1,600kg (3,500lb)

# Why do some animals play dead?

Learn about the critters that feign death in order to live another day



Perhaps one of the most peculiar behaviours witnessed in the animal kingdom, tonic immobility is an involuntary reflex where a creature experiences total paralysis and, essentially, appears dead. Often demonstrated by sharks and some bony fish when turned on their backs, the animal enters a cataleptic state – much like the proverbial 'rabbit caught in the headlights'. Whether it's your world being flipped 180 degrees or a car hurtling towards you, it's believed this condition is the result of some form of sensory overload. Left to their own devices, most fish will 'come to' within 15 minutes and return to normal, however certain chemicals can be used to speed up the process.

Although an animal might look dead when in a tonic state, there's a distinction to be made between tonic immobility – which is outside a

creature's control – and thanatosis, which is an instinctual behaviour where death is actively feigned. This is seen across mammals (eg opossum – hence 'playing possum') to reptiles (eg grass snake) and insects (eg pselaphid beetle). Most use the technique as a defence to deceive predators, or members of their own species, into thinking they're already dead, but a few actually use it as a means of predation. For example, the pselaphid beetle tricks ants into carrying it back to their nest, where it will dine on the colony's eggs and larvae.

There has been some research into whether humans can experience tonic immobility and recent studies suggest we can in extremely traumatic situations, where we essentially 'switch off' from a life-threatening situation. Most likely our brains trigger this response to try and reduce psychological damage.



The prairie ringneck snake, found in North America, often coils and rolls onto its back when threatened to appear as if it's dead.



## Exoskeletons explained

# Animals with exoskeletons

Why do some critters have their skeletons on the outside?

The rhinoceros beetle is considered by many as the world's strongest creature, able to carry up to 850 times its own weight!



It might come as a surprise but 98 per cent of the animals on Earth don't have a backbone, and 95 per cent don't have any bones at all. So how do all these creatures support and protect themselves? Well, many invertebrates – and all arthropods – have a protective external casing called an exoskeleton. This literally means 'outside skeleton' and its role is to cover the animal's soft tissues and also provide a rigid structure to which the creature's muscles can attach.

Insect exoskeletons are made of chitin, which is embedded into a kind of tough protein matrix. Chitin is a nitrogen-based biopolymer – similar, at least in function, to keratin, which is the stuff our hair and nails are made of. Arthropods such as crustaceans, meanwhile, have additional calcium carbonate in their exoskeletons for extra armour plating.

As well as supporting and protecting the creature, an exoskeleton also creates a watertight barrier that prevents the

animal from drying out. The exterior of an exoskeleton can also contain sensory hairs or bristles, while some animals can secrete various pheromones and chemicals onto the surface of their shell as a means of repelling predators.

Though an exoskeleton consists of flexible leg joints to enable the creature to move about, once it's formed this armour does not expand with the rest of the body. Therefore, the animal will eventually outgrow it. At this point a process called ecdysis, or moulting, takes place whereby the creature will shed its overly tight outer skin in order to make way for a new one.

There are three main types of skeletal system in the animal kingdom: exoskeletons (on the outside), endoskeletons (on the inside, like humans) and hydrostatic skeletons, which are a bit different as they have no real framework but rather maintain their shape by the pressure of fluid in their bodies. Examples of creatures with hydrostatic skeletons include slugs, worms and jellyfish.

## Which creatures have exoskeletons?



### Scorpion


Baby scorpions start out all soft and squishy, riding around on their mothers' backs, but their exoskeletons soon harden. One unusual trait about the scorpion's exoskeleton is that it glows fluorescent under ultraviolet light.

### Spider

The discarded cuticle left behind after a spider has outgrown its exoskeleton and wriggled out is complete with all the legs and you can even see the fine hairs on its body.







**LIFE WITH ANTS**

Unlike other crustaceans which shed their entire exoskeleton in one go, woodlice only shed half at a time



In Chinese medicine, cicada shells, or sloughs, are used to treat certain ailments


## Outgrowing your shell

Arthropods, including insects, crustaceans and some marine animals, have a hard exoskeleton that protects them from predators and the environment. This exoskeleton is made of chitin, a tough, flexible material that is stronger than many plastics. However, it is not indestructible. As the arthropod grows, its exoskeleton becomes too small and it must shed it to make room for a new, larger one. This process is called molting or ecdysis. During molting, the old exoskeleton is shed in one piece or in fragments, depending on the species. The new exoskeleton is then formed underneath the old one. This process can take several days or even weeks, depending on the species. During this time, the arthropod is vulnerable to predators and the environment. Some arthropods, like crabs, shed their entire exoskeleton at once, while others, like insects, shed it in stages. In some cases, the old exoskeleton is reused as a source of nutrients. In other cases, it is discarded. The process of molting is a crucial part of an arthropod's life cycle, allowing it to grow and survive in a changing environment.

## Arthropod exoskeletons

All arthropods have an exoskeleton, aka cuticle, which consists of two main protective layers: the thin, waterproof outer epicuticle and the thicker chitinous procuticle just below it...

Gland duct



Membranous layer

Basement membrane

Epidermal cells

### Dermal gland

Found in the epidermis, the dermal glands are responsible for producing predator-repelling chemicals, which are released on the surface of the exoskeleton through minute ducts.

### Epicuticle

A thin, waxy layer, the epicuticle is both water and solvent-resistant. It contains no chitin and makes up the hard exterior of the exoskeleton.

### Hardened exocuticle

The thick procuticle layers are made of chitin, which is like nature's plastic. Compacted layers of this structural biopolymer produce the exoskeleton's characteristic hardness.

### Flexible endocuticle

Located below the exocuticle is a criss-crossing network of further chitinous layers, which together form the tough yet flexible endocuticle layers.

### Procuticle

The procuticle is made up of two main layers: the exocuticle and the endocuticle. The procuticle contains chitin microfibrils bound by a protein matrix, each layer aligned differently for strength.

### Epidermis

Below the cuticle layers is the epidermis, which is a single layer of secretory cells from which the epicuticle is produced.



### Crab

A crab's broad protective plate across its back is called the carapace. The decorator crab's exoskeleton comes in handy for disguise too, as it features tiny hooks onto which coral attaches. The coconut crab (above), meanwhile, is so big it can spend a whole month shedding its shell and waiting for the new one to harden.



### Millipede

Its long, tubular exoskeleton is reinforced by hard minerals. Toxic chemicals can also be secreted onto the surface of the outer shell to deter predators or when millipedes feel threatened.



### Spiny African flower mantis

A mantis will moult between five and ten times during its lifetime, and usually it will stop growing and shedding once it's an adult with fully functioning wings.

### Lobster

Crustacean exoskeletons are reinforced with calcium and made up of plates. Hormones that originate from the lobster's eye tell it when it's time to shed its shell. When a chef boils a lobster its outer skin will turn from blue-black to bright red. This is because certain pigments in the exoskeleton turn red when exposed to heat.







### Welcome to... TECHNOLOGY

A mountain can be a big obstacle, but for a mighty tunnel-boring machine it's just another day at the office, as you'll see here. Also learn the workings of smartphone projectors, self-checkouts, 3D glasses, Instagram and more.



### 32 Galaxy Beam




### 33 3D glasses



### 38 Self-checkouts

- 26 Mega drills
- 30 Liquid body massage
- 30 Heat sinks
- 32 Smartphone projectors
- 33 3D glasses
- 35 Phone tapping
- 35 Wireless routers
- 36 Instagram
- 38 Self-service checkouts

### LEARN MORE



# MEGA DRILLS

Burrowing through a mountain range requires a little more digging power than a couple of pickaxes. Here How It Works takes a closer look at the giants of the tunnelling world



Tunnel-boring machines (TBMs) – sometimes known as ‘mega-moles’ within the industry – are pieces of drill-mining equipment used to excavate long tunnels, such as those used by cars and trains in hilly and mountainous regions. They can be configured to bore through a surprising variety of materials, ranging from sand, through to earth and even solid rock.

Each tunnel-boring machine consists of three key components: a cutterhead, hydraulic bracing system and an excavating conveyor, as well as a host of other elements (see ‘Tunnel-boring machine breakdown’ overleaf for details).

The cutterhead comprises a circular metal face interspersed with discs that, when the cutterhead rotates – and it can turn a full 360 degrees – are forced against the tunnel face under immense pressure. In this process the cutter discs roll over the surface, loosening the material – whether it’s rock or soil – into small segments referred to as chips. As the chips are created,

they fall into large bucket lips, which are openings in the cutterhead that lead to a series of sheltered hoppers. Once the hoppers receive the excavated material they discharge it onto a vast conveyor belt system that extends backwards through the central body of the tunnel-boring machine.

At the rear of the TBM the belt deposits the material into a back-up area, which tends to be an enlarged cavern within the tunnel system with access to the surface. Here the chips are scooped up by a tracked or wheeled loading unit and placed into a ‘muck truck’, a large dump vehicle that specialises in traversing the tunnel system to the surface where the material can be dropped off for further processing or relocation.

Importantly, the overall extraction process greatly relies on a TBM’s ability to remain stable within the tunnel it is mining. This is made possible due to radially mounted hydraulic braces, which are fixed to the mega drill’s body, pushing outwards into the tunnel’s walls. These braces simultaneously stabilise its




1999

Excavating activities begin for the GBT with blasting works starting at Sedrun, Switzerland.

2003

After being awarded the contract, Herrenknecht delivers four Gripper TBMs and begins drilling.



2006

The Gripper TBMs on the northern and southern sections reach their first target nine months ahead of schedule.

2009

Mechanised tunnelling is completed in the north.

2010

The main breakthrough of the eastern tunnel is completed between Sedrun and Faido.



2011

The main breakthrough of the western tunnel is completed between Sedrun and Faido.

**DID YOU KNOW?** The first railway tunnel through the Gotthard region was completed in 1882

## Mining in action

No matter the type of tunnel under construction, a host of heavy-duty and technologically advanced machinery is needed

### Spraying platform

Any excavated tunnel needs to be continually reinforced structurally to prevent cave-ins. This is achieved by driving supportive steel bolts into the walls, lining them with metal meshes and covering the entire lining with a substance called shotcrete (a combination of mortar and concrete). The shotcrete is applied through a pump nozzle from a spraying platform.

### Mining wheel loader

Similar to the wheel loaders used on the surface, though jacked up with improved hydraulic lifting arms, heavy-duty chassis frames, reinforced driver cabins and large engines, mining wheel loaders are designed to dig into, pick up and deposit vast quantities of excavated material into the muck trucks.

### Mining muck truck

These are the ultimate dump trucks, capable of carrying phenomenal loads of excavated material in their chip basins. Their immense carrying ability is granted by their insanely high-torque, high-horsepower engines, as well as industrial-grade truck frames optimised for torsion load displacement.

### Tunnel borer

The most advanced pieces of drill-mining equipment, tunnel borers specialise in continuously excavating tunnel faces no matter what they're made of. Various types are manufactured ranging in size, length and material expertise (eg sand, earth, rock, etc). The largest TBM in the world has a cutterhead 19.3m (63.3ft) across!

### Shaft drill

These allow their operator to use a series of drill shafts/booms to penetrate tunnel faces with acute precision. The drills – which are akin to manual jackhammers – extend from the vehicle's body on long hydraulic arms and, powered pneumatically, drive their drill bits into the rock/earth to break it up.

position so it can push forward, while also supporting the structure of the tunnel. Once braced, a series of hydraulic cylinders extend from the TBM's body and press the cutterhead's disc cutters firmly against the tunnel face, allowing a new stretch to be cleared.

While drill mining is, of course, the primary purpose of a TBM, it also acts as a platform for many of the safety procedures needed to secure a tunnel during the building process.

These include installing rock anchors, metal meshes, steel beam supports and, at the rear of the TBM, the necessary pumps and nozzles required to inject shotcrete – a mortar/concrete wet mix used to line and reinforce tunnel walls. All these tasks are performed in the 'working area' of the TBM, a large segment positioned just behind the cutterhead where ring erectors, anchoring drills and wire-mesh installers semi-automatically secure a freshly excavated tunnel to make it safe for tunnel workers to proceed.

## Boring history

Prior to mechanised boring machines, tunnels were made through a mixture of explosives and manual labour, with men and machine alike locked in an incredibly dangerous game of knock and run. The introduction of the first boring machines didn't improve things much either, with the early systems relying on water compressors to supply them with pressurised air to drive their drills into the earth. The machines broke down frequently and, due to their cumbersome and inaccurate nature, led to many accidents deep within mountain excavations.

Other early systems, such as the 1853 Wilson's Patented Stone-Cutting Machine, just failed to work at all. Famously, engineer Charles Wilson's contraption, which had been employed to help



drill out the Hoosac railroad tunnel in Massachusetts, USA, cut through just three metres (9.9 feet) of rock before breaking and falling to bits. The tunnel was eventually completed 20 years later using traditional methods and it, as well as the remains of Wilson's machine, can still be seen there to this day.

© Thinkstock/Alamy; Herrenknecht






"Each TBM has three key parts: a cutterhead, hydraulic bracing system and excavating conveyor"

### Boring the Gotthard Base Tunnel

Officially the world's longest railway tunnel, the GBT stretches a total 152km under the Swiss Alps. Here we look at how this engineering marvel was built...




#### Record breaker

Due to the vast cutterhead diameter of the Herrenknecht Gripper TBMs, in 2008 a new world record was set by a northern unit, drilling through 56m (184ft) of earth between Erstfeld and Amsteg in 24 hours. What's more, when the TBM in question made the breakthrough into the Amsteg tunnel centre, it had only deviated from the ideal drill line by 4mm (0.15in) horizontally and 8mm (0.3in) vertically!





#### Water logged

In 2005 the engineers in the western tube hit the longest delay of the project due to a combination of loosened rock and mountain water suddenly infiltrating the cutterhead. After a failed attempt to clear the cutterhead by hand, engineers had to solidify the loose soil ahead by injecting it with cement and bentonite. The cutterhead was eventually cleared and, five months later, boring resumed.



#### Fire in the hole!

Tunnel construction began proper in 1999 at Sedrun, a small settlement 1,405m (4,610ft) above sea level. From here engineers set up a construction control centre and began blasting operations. This allowed large access and supply tunnels to be excavated down to the tunnel's position, as well as a ventilation shaft for the supply of fresh air. Drilling operations began at Amsteg and Bodio in 2003.



#### The Intschi zone

Typical penetration rates for TBMs on the tunnel ranged from 300-450m (984-1,476ft) per month, however when geological conditions were optimal, monthly tunnelling performances could stretch to 560m (1,837ft). When conditions were not ideal – such as in the region south of Amsteg known as the Intschi zone – performance could drop severely, with advances of only 140m (459ft) per month.



#### Zurich to Milan

With drilling operations now complete the tunnel is set to be fully equipped and ready for its public opening in 2017. When opened the Gotthard Base Tunnel will enable passengers to travel from Zurich, Switzerland, to Milan, Italy, in just two hours 40 minutes, which is a whole hour less than the current route allows.



**23**  
THOUSAND

ANACONDAS



**13**  
THOUSAND

NARROWBOATS



**345**

TUNNEL-BORING MACHINES



**DID YOU KNOW?** Trains will travel at up to 250km/h (155mph) through the Gotthard Base Tunnel

### Epicentre

Both main breakthroughs – the joining up of the north and south excavations – occurred in 2010 and 2011, respectively, at the epicentre of the tunnel, about 28km (17.5mi) from either end. Deep within the Swiss Alps, and under more than 2,000m (6,562ft) of rock, the joining of both east and west tunnels was a momentous achievement for all those involved and marked the end of the drilling operation.




### Devil's basin


Not far from Faïdo lies the Piora Basin, a funnel-shaped region consisting of sugar-grained dolomite and water, under a huge pressure of 150 bars. When inclined drills were used to probe the area back in 1996, a deadly jet of water and dolomite exploded out. This led to speculation that boring through the area could be immensely dangerous. Luckily, after reports came through that the basin culminated in a gypsiferous cap-rock above the tunnel's depth, both southern TBMs passed through the area without issue in 2008.

### Kakirite zone

The two southern tunnel-boring machines that began drilling at Bodio hit a major obstacle after only 200m (660ft) of operation, running into a geological disturbance region known as a kakirite zone. This area was made of material too soft for the Gripper TBMs to process as usual, which specialise in drilling through hard rock. As such, every metre of the tunnel that was excavated needed to be reinforced prior to boring.




EASTERN Tunnel  
WESTERN Tunnel  
SOUTH



## Tunnel-boring machine breakdown

Get to grips with the key components of these burrowing behemoths – or mega-moles – from the cutterhead through to the walking device



### 1. Cutterhead

All the excavation tools are mounted in the cutterhead at the front of the TBM, which also supports the tunnel face.

### 2. Disc cutters

These roll in concentric circles over the tunnel face. The contact pressure crushes the rock/earth.

### 3. Conveyor belt

The system's buckets deposit the excavated rubble behind the cutterhead onto a conveyor belt system.

### 4. Thrust cylinders

These drive the rotating cutterhead against the tunnel face.

### 5. Roof bolting unit

This part can rotate around the machine's axis and drills holes into the rock for receiving metal bolts.

### 6. Walking device

The rear of the bore and the back-up systems rest on these moving feet.

## The statistics...



### Gotthard Base Tunnel

Construction start: 2003  
Maximum altitude above sea level: 550m (1,804ft)  
Total length of tunnels/shafts: 151.8km (94.4mi)  
Tube diameter: 8.8-9.6m (29-31ft)  
Maximum overburden: 2,500m (8,200ft)  
Tunnel borers: 2 x south / 2 x north (Herrenknecht/Grippers)  
Construction end: 2016





## How does liquid armour stop bullets?

Why this revolutionary protective gear takes Kevlar to a whole new level




While Kevlar armour offers good stopping power against standard rounds, the material is both stiff

and heavy, making it hot and uncomfortable to wear – especially considering that over 30 layers of it are used in an average suit! It is battle proven at stopping bullets, but it often does so at the expense of its own structural integrity, warping the armour so it's unusable in the future.

Liquid armour goes a long way to tackling these issues by splicing traditional Kevlar layers with a shear-thickening fluid. The fluid acts as an impact energy displacement layer, hardening upon a bullet's impact and spreading its force out over a larger area than if it were just Kevlar. The fluid turns solid much in the same

way that custard does when heated, starting off with a runny consistency, only to become thicker and more dense as it is warmed up.

The liquid's chemical composition, however – which remains top secret – catalysed by the intense heat of the bullet, allows the hardening process to take place instantaneously. Critically, once the round has been stopped by the armour, the liquid layer returns to its fluid state, reducing warping and therefore improving the longevity of the kit.

In addition to providing superior impact resistance, due to the fewer Kevlar layers needed, the overall thickness of the liquid armour is reduced by nearly half. As a result, it's considerably more comfortable to wear than standard all-Kevlar suits. 

### Thinner

The liquid armour is 45 per cent slimmer than standard Kevlar suits.

### Stronger

With a third less Kevlar layers, the liquid armour still provides superior stopping power.

### Tougher

The liquid armour is also less prone to warping post-impact, extending its life span.



## How do computers stay cool?


Learn how heat sinks help a computer reach its full potential



Heat sinks are passive cooling components commonly found in PCs. They consist of a series of metal plates, pipes, pins and lattices that work together to absorb heat from electrical components through conductivity then dissipate it into the environment.

Conduction, which is the central operating principle of heat sinks, occurs when two objects with different temperatures are placed in contact with each other. When they touch, the hotter object's faster-moving molecules transfer a portion of their energy to the colder object's less-active molecules.

Not surprisingly, for conduction to take place optimally, the two objects must be made out of a material that is a good conductor. Metals, for the most part, are very effective and, as such, form the base material for almost all heat sink devices. Aluminium alloys and copper are probably the two most commonly used metals on commercial heat sinks as they offer a favourable thermal conductivity-to-cost ratio.

If we take a computer's central processing unit (CPU) as an example component, its mounted heat sink operates by attaching itself to the CPU's small surface area (ie the top of the chip) and then transfers the generated heat away via a series of pipes into a lattice. The lattice, due to its considerable surface area, allows for a balanced and more rapid radiation of the heat into the surrounding system, which enables the processor to remain at a stable and efficient operating temperature. 

### Pipework


The pipes – here made out of highly conductive copper – receive heat from the electrical component(s) and funnel it up into the lattice.

### Lattice

The aluminium lattice receives heat from the copper pipes via conduction and, due to its structure, spreads the energy out over a large surface area, radiating it into the surrounding air.

### Plate

The base plate of the sink makes contact through a thermal adhesive to the electrical component(s). It is securely attached via a bracing system of clips and/or push pins.





Introducing... **amodex**<sup>™</sup>

# STAIN *Swipe*

**NEW!**



- Perfect for whiteboard 'shadowing'
- Handy for on-the-go stain treatment
- Unique, non-toxic formula & eco-friendly
- Safe to use on all colours
- Clean and fresh scent
- Contains ten (10) 152cm x 203cm individually wrapped, pre-moistened towelettes
- Also available in liquid form for inks, paint, daily stains, and on most fabrics.



**WIPES ONLY £8.99**



Contact the UK Distributor

[www.gbapen.co.uk](http://www.gbapen.co.uk)

01245 225758



**THE CLASSIC TOUR (available daily)**

Travel in style by road and river on an incredible journey to remember! Our lively, entertaining and informative tours are suitable for the whole family. Let our professional character tour guides bring the sights and sounds of London to life in a completely new way, before splashing down into the Thames.



**THE JAMES BOND TOUR - Themed Tour (selected dates)**

Experience a tour packed with intrigue, espionage and the excitement of James Bond's London before entering the water Bond style.



**THE D-DAY DUCK TOUR - Themed Tour (selected dates)**

We'll take you on an exhilarating journey back to the blitz, before heading to the river for the D-Day landings.



Visit us at: [www.londonducktours.co.uk](http://www.londonducktours.co.uk)

Call us on: **0207 928 3132**





"Colour is introduced to the image by the LED's white light being broken down into RGB via a prism filter"

# Inside the Galaxy Beam

How does this smartphone device double up as a video projector?




Samsung's Beam is one of the latest smartphones in the manufacturer's Galaxy range of devices. The phone itself offers a 10.2-centimetre (four-inch) TFT screen, 1GHz dual-core CPU and the usual list of connectivity and storage options. However, what separates it from the pack is that it also comes equipped with an integrated projection system capable of blowing up the screen's display to a rather sizable 127 centimetres (50 inches).

The projector's integration is possible due to it being based on the advanced Digital Light Processing (DLP) system made by Texas Instruments. This differs from standard units as it can reflect a binary data pattern (video or image) with a speed, precision and efficiency greater than most spatial light modulators. It achieves this through a revolutionary array of 2 million tiny mirrors, or digital micromirror

devices (DMDs), each of which is just one-fifth the width of a human hair. The hinge-mounted mirrors are controlled via bit-streamed binary data entering the DMD unit from the DLP processing chip, the information ultimately dictating their angle of tilt.

The Beam uses a single white LED as a light source. This illuminates the DMD mirrors, which – adapting to the pixel arrangement of the video/image that's embedded in the code – individually tilt so the pattern is replicated – each mirror acting as a real-world pixel. So if a specific pixel in the image needs to be black, the corresponding DMD mirror would tilt away from the light source. Colour is introduced to the image by the LED's white light being broken down into RGB via a prism filter prior to reaching the mirrors. As such, upon leaving the device, a colour, highly detailed image can be reproduced from just binary data.




The Beam's projector unit is manufactured by Texas Instruments

## Anatomy of the DLP projector

How It Works takes a closer look at the Galaxy Beam's primary feature

= Direction of light



### Light

For the DLP system to work a light source is needed (for the DMDs to reflect). In the Beam's DLP system a single white LED is used.

### Optics

For the light from the white LED to be focused correctly it must pass through a series of lenses. This ensures it hits the DMDs just so and is therefore projected correctly on leaving the device.

### Infrared transmitter/receiver

As the Beam's projector is housed within a plastic casing (rather than invar), an infrared transmitter and receiver are also included. These are used to monitor the system's optical path length in the event of the heat or humidity creating lens displacement. If this occurs the IR system can detect it and shift the mirrors to compensate or shut the projector down.

### Filter


On its own the DMD unit reflects white light into light, dark and grey pixels. For colour to be added, prior to the white light from the LED reaching the DMDs, it must pass through a wedge mirror prism to be split into RGB.

### DMD unit


The DMD unit is a rectangular array of 2 million hinge-mounted microscopic mirrors, each just one-fifth the width of a human hair. The bit-streamed image code entering the DMD unit from the DLP chip directs the mirrors' movement so that each reflects either a light, midtone or dark pixel.







These black out the left then right eye views in quick succession using a battery-powered liquid crystal system.



By filtering out wavelengths with opposite polarising filters to the projection, each eye sees a slightly different image to get a 3D composite.



Chromatically opposing colours filter out parts of each frame, resulting in two images that are fused by the brain into one.

**DID YOU KNOW?** Panasonic, Sony and Samsung promote active 3D, while LG and Vizio favour passive 3D

# Active vs passive 3D glasses

See through the technology that enables us to watch films in three dimensions



## Polarising 3D

How passive glasses use a trick of the light to create the illusion of 3D

### Passive 3D display

The movie is transmitted as two offset streams of light oriented at different angles.




Both active and passive 3D glasses are used with display devices that show a movie as two offset streams of imagery. For a viewer, essentially this means that each eye receives slightly differing information, which – without conscious thought – the brain combines to form a sequence of three-dimensional images.

However, the method that the glasses employ to achieve this differs somewhat. First, with active shutter 3D the streams are displayed as an alternating sequence of matching frames so rapidly that it looks like they are transmitted together. The glasses respond to wireless signals from the display device by applying voltage to a liquid crystal layer in each lens successively. This basically makes the lenses 'wink' at the speed at which frames are swapped.

Passive 3D glasses, on the other hand, have no circuitry and essentially just filter light. Passive displays show two streams of images simultaneously as light waves aligned at different angles. The glasses act as polarising filters that reflect back the light wave matching the alignment of their polarisation.

If working correctly, both types of glasses ideally ensure that each eye only ever sees one stream of footage and the brain does the rest of the work, fusing the two streams into a 3D scene.



### Polarising lens

Differently orientated polarised coatings in each lens filter the streams of light so that only one reaches each eye.

### Offset images

The brain receives the different images from each eye and fuses them, interpreting the offset as three-dimensional distance.

© Thinkstock/Alamy/Panasonic

## Personal CNC for Home or Hobby

### Don't Let Your Tools Hold Back Your Creativity

Tormach's new PCNC 1100 is a compact, affordable CNC machine that can be used for a wide range of applications. It's perfect for hobbyists and professionals alike. The PCNC 1100 is a 3-axis CNC machine that can be used for a wide range of applications. It's perfect for hobbyists and professionals alike.

### The PCNC 1100 Features:

- 3-Axis CNC Milling Machine cuts aluminum, steel, plastic, wood and more
- Table size 26" x 8"
- 5000 RPM computer-controlled spindle
- Stiff cast iron frame
- Space-saving footprint
- Requires single-phase 230VAC 50/60Hz electrical service
- Optional accessories: Reverse Engineering CNC Scanner, 4th Axis, Digitizing Probe



www.tormach.com

Steel Clutch Plate for Reproduction Case 65 Steam Traction Engine machined with the PCNC 1100



3-Axis Mill

**\$8480**

USD (plus shipping)



Shown here with optional stand, LCD monitor, machine arms, and accessories.





SPECIAL USA OFFER

# Subscribe today and get 5 free issues\*

The  
magazine  
that feeds  
minds

**HOW IT  
WORKS**

## Why subscribe?

- Subscribe today and pay just **\$6.15\*** per issue
- Save **35%** off the newsstand price
- Each issue mailed to you direct before it goes on sale in stores
- Money-back guarantee on any unmailed issues

To order online,  
visit our secure site and  
enter the offer code **USA**

**[www.imaginesubs.co.uk/hiw](http://www.imaginesubs.co.uk/hiw)**

Or call **+44 (0)1795 418 680** and quote **USA**



**Outside  
the US?**

See page 92 for  
our full range  
of offers

\* Savings compared to buying 13 issues from the newsstand. You will actually be charged £50 in UK sterling, which is equivalent to \$80 at current exchange rates. Your subscription will start from the next available issue and will run for 13 issues. Five free issues refers to the newsstand price of \$9.50 for 13 issues being \$123.50. This offer expires 31 December 2012. Imagine Publishing reserves the right to limit this offer to one per household.



The US FCC allows anyone to freely transmit radio signals on the 900MHz, 2.4GHz and 5.8GHz frequency bands.

The Institute of Electrical and Electronics Engineers (IEEE) agrees a common standard for data transmission: 802.11.

The IEEE releases the first widely adopted wireless standard – 802.11a – which grants a transmission up to 54Mbps.

New routers have nominal maximum throughput speeds of 300Mbps, kick-starting the online multimedia revolution.

Over 15 tech companies form the Wireless Gigabit Alliance (WiGig) to promote superfast 60GHz wireless technologies.

**DID YOU KNOW?** Marketed transfer speeds of wireless routers are rarely achieved due to distance and interference

# Wireless routers explained

What happens inside the magic boxes that get us online over thin air?



Wireless routers have revolutionised information access on the go. Yet there is nothing revolutionary about how they work. Internet data is essentially sent and received like over-the-air (OTA) television broadcasts, except in reverse. OTA signals are broadcast as radio waves and picked up by antennas attached to television sets. Each antenna converts the waves into electrical signals and sends them down wires to be turned into images by the TV.

Wireless routers do things the other way around. They receive electrical signals from a modem connected to a cable on an internet service provider's network. These signals contain information in the form of data packets. A processor in the router decodes each packet's digital label or 'header'. This contains the unique numerical internet protocol (IP) addresses of the sender and intended recipient. A packet's payload of data (an email, for example) is then converted into a radio signal by the router and broadcast on the 2.4GHz or 5GHz frequencies via antennas. Wireless network adaptors in Wi-Fi-enabled devices intercept this transmission and convert it back into electrical signals.

## Router teardown

Take a closer look at the Linksys WAP54G router


### Electrical signal

A data packet, encoded into an electrical signal, is received from or sent to a modem connected to the router and to the internet by cable.



### Antennas

Data is converted into radio signals, as well as sent and received, by built-in antennas.



### Processor

The addresses of the sender and recipient of an incoming data packet are decoded before the contents, or 'payload', is converted into a radio signal.

### Ethernet port

The data packet enters the router from the modem here. Some routers have additional ports for hard-wired connections to networked devices.



### Radio signal

Radio signals carrying data are transmitted to Wi-Fi-enabled devices. These devices also send data to the router as radio waves.

# How are telephones tapped?

Tech that lets people listen in on others' phone calls



Phone tapping enables people to listen in on conversations. It can be achieved in a variety of ways, each requiring different techniques and tools. Regardless of the method, all tapping techniques rely on exploiting a phone's internal cabling, microphones and speakers.

The most basic method is to manipulate a person's phone line outside their home or office. This is achieved by attaching a gateway phone onto the line by 'piggybacking' off the device's cabling. This works as phones transmit audible noises (such as the human voice) as a fluctuating electrical current through their wires, which are encoded and decoded via handsets' microphones and speakers. As such, by simply adding a splitter to any line and then plugging in another phone – ideally with its microphone wire disconnected – a line's activity can be heard remotely. The advantage

of this technique is that it's incredibly easy to carry out and requires little in the way of equipment. The main downside is that physical access is needed to the line both before and during tapping operations.

The second, slightly more complex method of tapping a telephone involves installing a 'bug' in the handset. The bug is actually a minuscule radio transmitter that either through direct connection to the handset's wiring – the same piggybacking process as before – or via the addition of a microscopic microphone of its own, is capable of picking up and transmitting a conversation and then broadcasting it wirelessly on a specific frequency to a receiver. This option enables someone to remotely monitor a phone's activity without having to be in the locale, however it does require a greater level of access to the physical handset in the first instance.







*"Instagram's services are delivered by over 25 64-bit computers with powerful processors"*

# Inside Instagram

Discover the tech behind the billion-dollar app that adds retro effects to your photos in seconds



Everybody knows that social-networking services thrive on constant interaction with a large and diverse community of users.

The smartphone-based photo-sharing app Instagram has taken only two years to master this, securing over 50 million snappers worldwide and a highly publicised \$1 billion (£638 million) takeover by Facebook.

Ironically, given its value according to Facebook, Instagram runs on a version of the free Linux operating system Ubuntu. Free doesn't mean limited though: Instagram's services are delivered by over 25 64-bit computers with powerful processors, each connected to the same server infrastructure that supports Amazon's websites.


Day and night these computers manage the mass of descriptive information, or metadata, in user profiles and photos using another piece of free software called PostgreSQL. This

database system gives Instagram users on-demand access to specific data, such as photo locations, using keywords and hashtags.

At the frontend, the Instagram app allows uploaded photographs to be modified using filters that produce effects such as converting colour to black and white or boosting contrast. When a user picks a filter, Instagram runs a mini-program called a script. This employs mathematical algorithms that determine which colours the pixels in a picture should be to create the desired result.


Instagram can even expand beyond the app thanks to its application programming interface (API). The API is essentially a software socket that allows third-party programs to plug in to core information including image metadata and tags. The results include cool extensions like This is Now (<http://now.jit.su>), a website delivering real-time feeds of Instagram photos from major cities around the world.

## Key features behind the app




### Filters

Every detail in a photo is determined by the colour of its pixels. When a filter is applied, a software script changes these where necessary to achieve the desired finish, eg Lo-Fi.



### Metadata

If you write a caption for a photo, it's saved as part of the image's metadata – coded information that includes the time and location of where the picture was captured.



### Search

When looking for friends to add to your Instagram network, the app sends a query to the service's massive database, which is stored across a series of powerful servers.



Instagram filters produce a number of different effects, from giving a photo a focal point to adding depth of field or aesthetically ageing a shot



## Instagram timeline A focus on the major milestones in the app's history



### July 2010

Kevin Systrom – one of Instagram's founders – uploads the very first photo to a prototype app called Codename.

### October 2010

Instagram is officially launched in Apple's App Store as an iOS app for the iPhone and its popularity snowballs.

### April 2012

Instagram is released on the Android platform for phones running Android 2.2 or above and supporting OpenGL ES 2.

### April 2012

Facebook buys Instagram for \$1 billion (\$698 million) in cash and stock, pending approval by the US Federal Trade Commission.

### July 2012

Two years after the first image was uploaded to Codename, over 50 million 'Instagrammers' have shared more than 1 billion photos.



unlock the power of your shift's investment



© 2009 Pearson Education, Inc. All rights reserved. Printed in the United States of America. This publication is protected by copyright. Permission is granted to reproduce copies for personal or internal use, on the sole basis that requests for reproduction are made directly to Pearson Education, Inc., 501 Boylston Street, Boston, MA 02116.

everything you love everywhere you go



Ice Cream Sandwich OS | 7" &amp; 10" Multi-Touch Screens | 1.2GHz Processor | Wi-Fi n | Up to 400,000 Apps\*





"Data passes back and forth between the till and its host computer or data centre"

# SELF-SERVICE CHECKOUTS

Some people may dislike them but there's no arguing these machines are revolutionising the way we shop



Self-service checkouts have been steadily rising in number since British supermarket giant Tesco introduced the technology in the UK in 2010, with the aim of making paying for groceries much more efficient. From less than 100,000 terminals throughout the world back in 2008 to nearly half a million installed today, they have gone through many changes in this short period, vastly improving in speed and accuracy.

Self-service checkouts come in many shapes and sizes, depending on the floor space available, but usually consist of four main sections: the barcode scanner, touchscreen display, bagging area and the payment terminal.

Barcode scanners feature a wipe-friendly surface and see-through panel over which items are passed to be logged. Beneath this panel are components that illuminate, scan, convert and then decode the barcode, swiftly passing data

back and forth between the till and its host computer or data centre. Items that can't be barcoded (for example, loose fruit and veg) can be selected manually via a touchscreen display.

Loose items must also be weighed using a pressure pad that matches the item against its expected weight. If this does not happen, the customer and supervisor are both alerted with the now-familiar 'unexpected item in the bagging area' warning. Otherwise, it's simply a matter of paying, using a combination of debit/credit card reader, note reader and coin counter to check and verify the payment.

Despite improvements in accuracy and speed, the advantages of self-checkouts are debated. Certainly, one operator monitoring up to six tills means lower staff costs. However, for some consumers human interaction is a vital part of the shopping experience and, in busy periods, you can end up waiting longer than normal if the machine has a fault.



Tesco was the first retailer to introduce self-checkouts to the UK high street



1879

The cash register is invented in the US by the saloon owner James Ritter.

c.1880

A paper roll is added to keep a physical record of till transactions.

1906

Inventor Charles F Kettering (right) introduces the first motorised cash register.



1973

This year sees the first cash register controlled by a built-in microprocessor.

1974

The first UPC barcode is introduced, on a pack of Wrigley's chewing gum.

2010

Self-service checkouts begin to appear in UK supermarkets.

**DID YOU KNOW?** 'Unexpected item in the bagging area' is such a well-known phrase in Britain now that it's a T-shirt slogan!

## Check out a checkout

We look at some of the key features that make these DIY devices so convenient

### Alert system

If a problem is detected, the checkout light will flash to alert a supervisor. An audible warning will also sound.

### Note reader

Despite their widespread use, note readers are still prone to rejecting notes and coin counters to bouncing change out of the collection tray.

### Card reader

Debit/credit card readers are now commonplace and, barring recent network failures, impressively reliable.

### Bagging area

A weighing scale linked to a product database verifies the expected weight for each selected item that arrives in the bagging area.

### Touchscreen

Barcodes already include the weight of a product. Where this is impossible, customers can select the item (eg fruit), typically on a 38cm (15in) capacitive touchscreen.

### Scanner

Checkout scanners are quick and sensitive enough to scan, price and verify an item every three seconds. The barcode scanner can read six sides of a cube simultaneously, so the shopper doesn't have to precisely align the product to the horizontal and vertical readers.

### Base unit

The base unit stores a light source to illuminate the barcode, a sensor and a converter/decoder to verify data with the host computer.

## Black and white all over


Barcodes were first developed in the US in the late-Forties, but achieved acceptance with the Universal Product Code (UPC) introduced in 1974 for Wrigley's chewing gum. The UK version (known as UPC-A) consists of a strip of black bars and white spaces above a sequence of 12 numbers, the first six defining the manufacturer, five for the product and a final check digit to ensure the code has been scanned correctly. The bars and spaces are merely a machine-friendly representation of the readable UPC number, designed so it can be illuminated, scanned and checked by the till at high speed.

Once the sale is concluded, barcode data is used in a number of different ways, from controlling stock levels to updating loyalty points and creating a profile of each customer's shopping habits for future marketing. Barcodes have not just made shopping quicker and easier but also helped cement supermarkets' dominance over the last few decades.

## Stand and deliver?

Supermarkets' increasingly low-well (the threat of self-service checkouts pose, not just from customer inattention but also have been known to the counter staff to modestly kick out otherwise 'honest' customers, triggered by the control they now have over what used to be handled by a real person. However, there are significant security safeguards in each of the key areas of weighing, bagging and paying, as well as constant monitoring by both human and CCTV eyes, to prevent theft.

When a theft is detected (for instance, an item scanned but not bagged), there are both audible and visual warnings to alert both the customer and supervisor. Despite this, research suggests up to a third of all customers have stolen items at self-service tills, using anything from tampering with the scales to bagging without scanning or simply walking off without paying. Retailers are understandably angry about revealing exactly how many customers get away with it through








### Welcome to... **SCIENCE**

Gravity might be invisible, but it affects everything from galaxies to single atoms. Find out how here. Elsewhere learn how the shelf life of certain foods can be extended with radiation, how the Higgs boson was found, plus what happens to the body when we get cross.



40 Higgs boson



48 Anger



51 Spleens

40 Gravity

45 Smart Water

45 Food irradiation

46 Higgs boson

48 HRT

48 Anger

49 Free radicals

51 The spleen

52 Inside a nuclear reactor

**LEARN MORE**



# HOW GRAVITY WORKS

## Unravel the mysterious force that formed the stars and keeps our feet on the ground



Of all Isaac Newton's revolutionary discoveries, perhaps none was more ambitious than unravelling the enigma of gravity. In the 1660s, Newton saw an apple fall to the ground and dared to ask, "Why?" Why doesn't the apple drift slowly upward? Why does water always seek the lowest place? Why does the Moon stay in orbit and not catapult into space? In his day, it was a question of near-religious significance.

Instead of meditating on divine mysteries, Newton drew up formulas. His law of universal gravitation, as presented in his 1687 treatise *Principia*, states that every particle of matter in the universe attracts every other particle of matter in the universe with a measurable force called gravity (named for the Latin 'gravitas', or weight). The strength of the gravitational force increases with mass and decreases with distance. In other words, the larger the object, the more gravity it exerts, and the closer you are to the object, the greater the pull.

Here is Newton's brilliantly simple formula for calculating the force of gravity between two objects, where  $m_1$  and  $m_2$  are the masses of the two objects,  $r$  is the distance between the two objects' centres of gravity, and  $G$  is the universal gravitational constant:  $F = G \frac{m_1 m_2}{r^2}$

Perhaps the most surprising thing about Newton's law is its universality. Though it can be difficult to conceive, not only is there a gravitational attraction between the apple and the Earth, but there's also a gravitational attraction between you and the apple. Essentially, any two objects that have mass – whether cosmically huge like a galaxy or infinitely small like an atom – exert a gravitational force on each other.

If that's true, though, why don't we swerve toward the street when a large truck passes, or get pinned to the base of a skyscraper? Because that 'big  $G$ ' in Newton's equation is actually incredibly small – roughly  $6.67 \times 10^{-11}$  Newtons (square



ACCELERATION OF GRAVITY ON EARTH

$9.8\text{m/s}^2$

GRAVITATIONAL CONSTANT (G)

$6.67 \times 10^{-11}\text{Nm}^2/\text{kg}^2$

TERMINAL VELOCITY OF A SKYDIVER


$\sim 60\text{m/s}$

ACCELERATION OF GRAVITY ON THE SUN

$274\text{m/s}^2$

**Did you know?**

The value of the universal gravitational constant ['big G'] wasn't measured until 70 years after Newton's death



### Microgravity

Scientists use the orbiting ISS to conduct experiments in the weakened gravity 370 kilometres (230 miles) above the Earth's surface. In a microgravity environment, flames aren't drawn upward by convection currents. The steady, slow-burning flame of microgravity allows scientists to better understand the process of combustion both on our planet and beyond...



## Gravity through the Solar System

As Newton theorised back in the 17th century, every particle of matter exerts a gravitational pull on every other particle of matter. If you concentrate a large amount of matter in one place, it will create a much greater gravitational pull than a loose smattering of particles.

Mass is the measurement of how much matter is in a particular object. The greater the mass, then the more gravitational influence it will possess. Every planet, moon,

star and galaxy in the universe has a different mass and therefore generates a unique gravitational pull.

The mass of the Earth pulls a falling object toward the ground at a rate of  $9.8\text{m/s}^2$  ( $32.2\text{ft/s}^2$ ). In contrast, the mass of the Sun is 333,000 times greater than the Earth. As a result, a falling object near the surface of the Sun would be pulled downward at a rate approaching  $274\text{m/s}^2$  ( $899\text{ft/s}^2$ ), 28 times faster than on our planet.



Gravity is the weakest force of nature, which is why a magnet can easily 'defy' it to pick up metal objects below.

metres/kilograms); yes, the decimal point is 11 digits to the left. Unless the combined mass of the two objects is very, very large, the force of gravity between them is undetectable.

The Earth qualifies as a very, very large object with a mass of  $5.97219 \times 10^{24}$  kilograms ( $1.31664 \times 10^{25}$  pounds). In comparison, your mass (not weight) is probably closer to 70 kilograms (154 pounds). If you plug the Earth's mass into Newton's equation as  $m_1$ , your mass as  $m_2$ , and then use the radius of Earth for  $r$ , you get an answer of 686 Newtons (154.2 pounds force).

That is the gravitational force between you and our planet – in other words, the force that your mass exerts through gravity, aka your weight on the surface of the Earth. If you were to run the same numbers at a jumbo jet's cruising altitude of around 12,200 metres (40,000 feet) above sea level, however, you would actually exert a whole two Newtons less, because there is a greater distance between your centre of gravity and the centre of the Earth. ▶

## How orbits work

There are over 900 satellites currently orbiting the Earth. But how do they stay in orbit without any engines? Satellites in orbit don't require power as they're really in controlled freefall. A satellite is launched into space in the nose of a rocket. That rocket must provide enough thrust to escape the surface gravity. Once in space, the satellite is released on a perpendicular trajectory. But instead of flying away from the planet, the satellite 'falls' into an elliptical orbit determined by the long-distance gravitational pull of the planet.



© Thinkstock, NASA





"Little g is critical because it explains why objects fall to the Earth at a consistent rate"

► Thanks to Newton's second law of motion, we know that force equals mass multiplied by acceleration (expressed as  $f = ma$ ). Using Newton's gravity equation on page 40, we figured out the gravitational force between you and the Earth. Since we know the combined mass of you and the Earth, we can then solve the acceleration of gravity ( $a = f/m$ ). The answer,  $9.8\text{m/s}^2$  ( $32.2\text{ft/s}^2$ ), is also known as 'little g'. Little g, like big G, is a constant, but it's only a constant for objects on or near the surface of the Earth. This means that little g on, say, the Moon or near the Sun is a whole different story.

Little g is critical because it explains why objects fall to the Earth at a consistent rate, even when they are of wildly different masses. For instance, if you push a BMW Sedan and a bowling ball off the top of the Burj Khalifa hotel in Dubai – currently the tallest building in the world – they will both hit the ground at exactly the same time. The only exceptions are objects with low mass and a lot of surface area, like a feather or a parachute, which float down slowly as the result of upward drag. This wouldn't be the case, however, in an airless environment – for example, a laboratory vacuum or the surface of the Moon – where, believe it or not, the feather and the bowling ball would fall at precisely the same rate.

Notice that gravity is the force of attraction between *two* objects; that is, it's a two-way process. Not only are you attracted to Earth with a force of 686 Newtons (154.2 pounds force), but the Earth is attracted to you with an equal force. In fact, if you fall out of a tree and accelerate toward the Earth at  $9.8\text{m/s}^2$  ( $32.2\text{ft/s}^2$ ), the Earth also accelerates towards you. But that's impossible, right? The world doesn't jostle out of orbit every time some klutz tumbles out of a tree. The difference is in the rate of acceleration. If  $a = f/m$  and  $f$  is 686 Newtons, then the rate of acceleration gets slower and slower as mass gets bigger and bigger. Yes, the Earth technically accelerates towards you and every other falling object, but that rate of


acceleration is so tiny – and the Earth's inertia and momentum so great – that no wiggle is remotely detectable.

While Newton's universal law of gravitation gives us the physics to calculate the force and acceleration of gravity just about anywhere in the universe, it doesn't explain what gravity is and how it works at an atomic level.

Albert Einstein took up that challenge with his general theory of relativity, published in the early-20th century, which explained gravity as a curve in the space-time continuum. Beyond our three-dimensional universe, Einstein argues, is a fourth dimension of space and time. Objects with large masses, like planets, can warp the space-time dimension like a bowling ball on a trampoline. If you try to roll a marble across the trampoline, it will be drawn toward the bowling ball. The same is true for planets as they swirl in orbit around a huge celestial body like the Sun, or a cosmic beam of light that bends as it passes a black hole.

But even Einstein's revolutionary theory didn't explain the mechanism at work in gravity. What is it, exactly, that carries this force between two objects? Today, many physicists believe that the gravitational interaction is carried by undetectable, massless particles referred to as gravitons. Others talk of gravitational waves – barely detectable shockwaves of gravitational force created by the collision of neutron stars or the explosion of a supernova.

Despite the limits of our understanding, what began as an apple falling from a tree in the 17th century has led to remarkable insight into the mysterious forces that guide the universe. Gravity, the force that keeps our feet firmly on the ground and dictates global tides with the passing of the Moon, appears to be the same ancient force that bound together primordial cosmic elements to form the first stars and galaxies. If nothing else, it's something to mull over the next time you're falling out of a tree...



## What goes up...

A fun way to experience weightlessness on Earth is to leave it momentarily. The flight of this motorbike follows a parabolic curve – the same path flown by NASA aircraft to ready astronauts for zero gravity.

### Acceleration

Cruising across flat ground, the bike experiences normal gravity as it reaches a speed of around 104km/h (65mph).

### Horizontal to vertical

When the bike hits the 45-degree ramp, it's forced upward against gravity, increasing the gravity force – G force – felt by the rider.

### Liftoff

The second the motorbike is airborne, the force of gravity drops to zero, giving the rider a weightless sensation.

### True weightlessness

At the top of the parabolic arc, the rider experiences the closest thing to true weightlessness on Earth, minus the drag of air resistance.



1543

Nicolaus Copernicus placed the Sun as the gravitational centre of our Solar System.

1604

Galileo Galilei (right) uses his inclined plane experiments to measure the acceleration of falling objects.




1687

Isaac Newton publishes his *Philosophiæ Naturalis Principia Mathematica*, containing the law of universal gravitation.

1915

Albert Einstein (right) publishes his theory of general relativity, which explains gravity as a disturbance in the space-time continuum.



1976


A rocket probe confirms Einstein's theory that gravity slows the passing of time.

**HOW IT WORKS**

Due to topographical features, the gravity of the Hudson Bay area in Canada is the lowest on Earth

### Gravity warps space and time

NASA's Gravity Probe B (pictured) is being used to test Einstein's general theory of relativity. He said that large masses, such as planets and other massive bodies, distort both space and time – as seen in the framework that represents space-time in this picture. More mass means more warping and greater gravity. In this artist's impression you can see how NASA's Gravity Probe B's super-sensitive gyroscope can detect the gravitational effect of Earth on both space and time, and the resulting distortion.




### Finding the centre of gravity

To calculate the acceleration of gravity, you need to know the distance between the centres of gravity of object one and object two. But how do you work out these centres of gravity? For a sphere like the Earth, it's easy. The centre of gravity is the exact centre of the sphere. The distance, then, between your centre of gravity and the Earth's centre of gravity is equal to the Earth's radius. For odder shapes like an apple or the human body, the centre of gravity is defined as the average centre of the object's mass. In practice, you can locate the centre of gravity of any object by finding its balancing point.

## Measuring gravity

Thanks to Newton, gravity is a measurable force. Not coincidentally, the international standard unit of force is called a Newton (N). On Earth's surface, roughly 0.98N equals the downward force of gravity on 100 grams of mass. Likewise, one kilogram of mass exerts a downward force of 9.8N. To calculate the force of gravity, physicists use the formula  $f = ma$  (force = mass x acceleration). Since the acceleration of gravity is  $9.8\text{m/s}^2$  on Earth – ie little g – we can easily calculate the Newton force of any mass. The average person's mass is 70 kilograms, which multiplied by 9.8 gives you 686N – the force by which gravity keeps us all securely grounded.



Newton was inspired by many scientists including Robert Boyle, Simon Stevin and René Descartes



### Coming down

With a take-off speed of 104km/h (65mph), a bike launched from a 45-degree ramp travels 22m (70ft) before gravity pulls it back to Earth.

### Landing

On the bike's landing, the rider experiences greater than normal gravity. An inclined landing ramp decreases the G force.

## A hammer vs a feather

Newton's law of universal gravitation states that an object with greater mass will exert a greater gravitational force. But force is not the same as acceleration. The question of which object lands first is a matter of acceleration. When you do the maths, you find that every object – regardless of its mass – has the same acceleration of gravity near the Earth's surface. Take a look:

$$a = f/m; \text{ or } a = (m \times 9.8\text{m/s}^2)/m; \text{ or } a = 9.8\text{m/s}^2$$


The only reason the feather falls slower on Earth is air resistance. In a perfect vacuum like space, in contrast, the feather and the hammer land at precisely the same time.



# Expand your mind...

Magazines, bookazines and DVDs about science, technology, transport, space, history and the environment.

## Bookazines






### How It Works Annual Vol.2


Over 8,000 facts included! A section dedicated to the greatest inventions of all time, a look at the vehicles and designs that changed the world of transportation, fully illustrated guides and fantastic cutaways all written by experts to be understood by all.

£9.99

## Back issues




£4 each



### How It Works Book of Junior Science

The ultimate resource for budding scientists. Explaining how the world around us works in a fun and easy-to-understand format, this book is the ideal tool to get kids interested in science.

£9.99




### How It Works Amazing Answers to Curious Questions

Packed with fascinating facts and answers to loads of life's intriguing anomalies. An encyclopaedia of knowledge in 212 pages is waiting for you to impress your friends with and expand your horizons.

£9.99

## DVDs



### How it Works eMag Vol.1

Every page of How It Works issues 1-12 on one amazing DVD! Browse by keyword or by topic and view the magazine on a PC, Mac or transfer to iPad.

£19.99




### How it Works eMag Vol.2

Search, browse, read, print and enjoy every single article from issue 13-24 of How It Works magazine on one handy interactive DVD-ROM. If you're looking for a particular article, interview, news story or cutaway, this is a fully searchable disc.

£19.99

How it Works  
bookazines  
only  
£9.99



Become an ImagineShop customer and leave reviews of your favourite products.

Order online **imagineshop.co.uk**



@imagineshopuk  
/imagineshopuk

MAGAZINES

BOOKS

DVDS

DOWNLOADS

GIFTS



**DIY DETECTIVE** With over a million users, SmartWater is currently believed to be protecting in excess of 20 million items

# Preserving food with radiation

## How does firing gamma rays at food extend its shelf life?




Food irradiation is a form of preservation that involves carefully exposing foodstuffs to ionising radiation for a specific length of time in order to destroy any harmful bugs and pathogens that could be lurking on your fruit and veg.

Ionising radiation is a kind of energy emitted by elements with an unstable electrical charge – either positive or negative. The high-frequency, high-energy waves of gamma radiation can penetrate a variety of different materials, drastically altering their chemical makeup, which is why ionising radiation is dangerous to humans.

Ionisation involves bombarding atoms with radiation such as gamma rays to dislodge the electrons in orbit around the nuclei, which results in the atoms becoming charged, or 'ionised'. The atoms are then called ions. The chemical bonds in ionised bacteria are irreversibly damaged. Once that happens the cell's genetic instructions stop working, which means harmful bacteria can no longer reproduce.

## The irradiation process

A closer look at the production line which employs some clever science to make sure our food lasts longer



**Electron beam**  
A stream of high-energy electrons is fired out of an electron gun. Machine operators remain behind a thick concrete wall while irradiation takes place.

**Irradiation cell**  
This is the chamber through which the food to be irradiated passes. Neither the product being irradiated nor the machine itself can become radioactive and no radioactivity is released into the environment.

### Cobalt-60

Cobalt-60 is the radioactive isotope usually used to irradiate food with gamma rays. This naturally occurring isotope spontaneously decays to its stable state. When not in use it is stored in water, which absorbs the radiation.

### Radiolysis

The high energy of ionising radiation striking a microbe breaks the chemical bonds in the bacteria; this process is called radiolysis. When this happens the cell can no longer develop and/or multiply.

# What is SmartWater?


## The technology that uses chemical signatures to tag and identify our most treasured possessions to deter thieves



Whenever stolen goods are retrieved by the police, determining their rightful owner can be nigh-on impossible. Today, however, SmartWater Technology Ltd uses a chemical solution called SmartWater and forensic science techniques to do exactly this.

SmartWater contains taggants: identifying ingredients that can be cross-referenced like a barcode to establish their source. By 'marking' an item with a unique blend of SmartWater, the owner can then be identified.

The solution consists of a liquid polymer. Polymers are large molecules with repeating chains of smaller units called monomers. And in the same way that your DNA contains polymers that define you, each SmartWater solution contains a unique combination of 24 rare synthetic compounds to make each batch distinct. Retrieved stolen items are scanned with a mass spectrometer, revealing the mass of individual components and ultimately the molecular composition of a sample, which can then be traced to the owner via a database.



SmartWater is resistant to extremes of temperature and sunlight, so it's almost impossible to remove from a marked item





# MILESTONES

MARKING MOMENTOUS  
MOMENTS IN SCIENCE

## 5 facts: Higgs boson

### 1 ESSENTIAL TO EVERYTHING

The Higgs boson is a particle that gives other particles mass. Without it, the universe as we know it wouldn't exist.

### 2 MASS IS KEY

Mass is what makes matter matter. It's what keeps things from flying off at the speed of light.

### 3 HOW DOES IT PROFIT US?

The Higgs boson is a key part of the Standard Model of particle physics. It helps us understand how the universe works.

### 4 FORMERLY A DARK HORSE

The Higgs boson was first proposed in 1964. It took nearly 50 years to be discovered.

### 5 DATA OVERLOAD

The LHC produces billions of collisions every second. Finding the Higgs boson was like finding a needle in a haystack.

# THE DISCOVERY OF THE HIGGS BOSON

In 1964, a bunch of physicists had a wild idea about how the universe works. 48 years and one £2.6bn laboratory later, it looks like they were bang on...



In 1913, Danish physicist Niels Bohr revealed the inner world of the atom: a positively charged nucleus orbited by negatively charged electrons.

This only led to more questions, like what was in those particles, and why did they behave the way they did?


New subatomic particle discoveries, such as the neutron (1932) and the muon (1937), added pieces to the puzzle. By the early-Sixties, the hot game in town was devising a maths-based theory to explain how it all fitted together. But leading theories tripped on a basic question: where does mass come from?

In 1964, three separate groups of physicists arrived at the same answer: particles gain mass by moving through an invisible field, formed less than a second after the Big Bang. In a 1966 follow-up paper, one of the crowd – Scottish physicist Peter Higgs – elaborated on how it all might work. In the Higgs mechanism, the invisible Higgs field imparts mass to particles by way of force-carrying particles called Higgs bosons.

The Higgs mechanism is a cornerstone of the Standard Model, a theory of how fundamental forces work on the subatomic level. To validate the model, physicists needed evidence of the Higgs field – clear detection of a Higgs boson.

Higgs-hunting means rapidly colliding particles together to reproduce the immense amounts of energy that followed the Big Bang. The energy of these collisions transforms into subatomic particles. A Higgs particle is especially tricky to identify as, if it exists, it immediately decays into other particles. The search requires computers to pore over trillions of collisions looking for decay patterns that match the theoretical profile of the Higgs.

In the Nineties, high-energy collisions in CERN's Large Electron-Positron Collider (LEP) yielded proof of Z and Y bosons – also predicted in the Standard Model – but no conclusive evidence of a Higgs. CERN dismantled the LEP in 2000, and in 2008 replaced it with the more powerful Large Hadron Collider (LHC). On 4 July 2012, physicists reported that the LHC had detected a previously unknown boson that matches the predicted mass and behaviour of the elusive Higgs.




## JOURNEY TO THE HIGGS BOSON

We look at some of the key events on the path to uncovering this tiny particle

### 1964

Peter Higgs and associates propose the mechanism that suggests such a particle as the Higgs boson could exist.



### 1967

The Higgs mechanism is shown to be compatible with the electroweak theory and therefore the Standard Model of physics.

### 1971

The world's first particle accelerator – the Intersecting Storage Rings (ISR) – is built at CERN, Switzerland. However it's not advanced enough to observe Higgs-scale events.

### 1989

The Large Electron-Positron Collider (LEP) is built. It eventually generates data which hints that a Higgs-like particle had been observed with a mass of 115GeV.



# Particle collision step-by-step

This is a proton collision recorded by the CMS detector in May 2012. One of many events analysed in the Higgs hunt, the collision showed the results of a possible Higgs boson decaying into other subatomic particles

## 1. Protons

The LHC propels two protons into each other, releasing energy approximating levels immediately following the Big Bang.

## 2. Higgs boson

The energy turns into matter, including a particle believed to be the Higgs boson. It's gone almost instantly, but leaves a tell-tale decay pattern.

## 4b. Muon




The other Z boson decays into two muons, negatively charged particles that are similar to electrons, but about 200 times as big.

## 4a. Electron

One of the two Z bosons decays further into two electrons, the negatively charged particles which orbit atomic nuclei.

## 3. Z bosons

The Higgs boson very rapidly decays into two Z bosons, the particles believed to carry the weak nuclear force.



The Compact Muon Solenoid (CMS) detector is located in a room 100m (328ft) underground

## The future of Higgs?

Physicists are now looking for signs of new particles and forces. They're also looking for signs of new physics. The Higgs boson is a key piece of the puzzle. It's the only particle that gives other particles mass. Without it, the universe would be a very different place. The Higgs boson is a key piece of the puzzle. It's the only particle that gives other particles mass. Without it, the universe would be a very different place.

## The 'God particle'

In the fervour around the search for the Higgs, this 'God particle' nickname got the public's attention, but journalists soon realised it's best not used near physicists...


The name comes from the title of a 1993 book on particle physics co-authored by the Nobel Prize-winning physicist Leon Lederman. Lederman says the working title was *The Goddamn Particle*, a reference to the frustrating effort to find the missing piece. His publisher proposed the more polite

alternative, and Lederman saw the name as a metaphor: the particle helps us simplify our understanding of the universe.

Like many physicists, Peter Higgs is embarrassed by the term. In an interview with *The Guardian* newspaper, he explained that, while he's not a believer himself, he sees the name as a potentially offensive misuse of the concept of 'God'. The particle is not an ultimate creator and its existence has no inherent religious implications.

## 2008

The Large Hadron Collider (LHC) is finished, becoming the world's highest-energy particle accelerator. It resumes the search for the Higgs boson.




## 2010

The six original authors of the 1964 papers receive the J.J. Sakurai Prize for Theoretical Particle Physics.

## 2011

CERN reports that if the Higgs boson exists it is most likely to have a mass constrained to the range of 115-130 GeV.



## 2012

Two teams at the LHC independently confirm they have found an unknown boson whose behaviour is consistent with the Higgs. The boson has a statistical probability of 5.9 sigma - 0.9 over the formal level required to announce a new particle discovery.





"As anger is controlled by the emotional part of the brain an angry person can lose control"

# What makes you get angry?

Learn what happens when someone loses it...



Anger is one of the six universal emotions experienced by humans – the others being happiness, fear, sadness, disgust and surprise.

Our emotions are the largely unconscious physical responses we have to stimuli.

While we use the cerebral cortex in the brain to think logically and make


judgements, anger is controlled by the limbic system, a group of structures buried lower down in the primitive regions of the brain. A sophisticated network of nerve pathways controls instinct and governs such emotions as fear and rage. We get angry to protect ourselves from danger if something threatens us, our belongings or anyone that we care about.

Within the limbic system is the amygdala, a structure in which we


store our emotional memories. Anger is a primitive form of self-preservation and it's the limbic system that invokes our natural instincts such as the fight-or-flight response to fear. When a stimulus triggers the amygdala, a flood of hormones – such as adrenaline – is produced automatically to warn the body to prepare for action. Because

anger is controlled by the emotional centre of the brain – rather than the 'thinking' part – an angry person can temporarily lose control of their actions as well as the things they say. This is why we often refer to someone as 'losing it' when they get really mad.

We exhibit anger in a variety of ways, including facial expressions, raising of the voice and more aggressive behaviour. We communicate this emotion for others to read and respond to.



## Exploring the limbic system



# Understanding the menopause and HRT

How does HRT help women going through 'the change'?



As a woman gets older her reproductive system becomes less and less responsive to hormonal stimulation. Over a period of time, known as the menopause, she will produce less and less oestrogen, which eventually stops her four-weekly ovulation cycle. The menopause can last several years with the last period usually occurring around the age of 51 in developed countries.

Menopause reduces the levels of two significant hormones produced in a woman's ovaries: oestrogen and progesterone. Oestrogen helps to regulate things like bone density and body temperature. Therefore, a reduction in oestrogen can cause thinning of the bones (known as osteoporosis) and hot flushes. Progesterone, meanwhile, is key to the health of the womb and preparing a woman's body for pregnancy, and a lack of progesterone in the system generally increases a woman's risk of endometrial (womb) cancer.

To counteract falling hormone levels – including oestrogen and progesterone – HRT can supplement the body's natural hormones with synthetic ones either in the form of pills, creams or transdermal skin patches impregnated with hormones.

HRT is administered in several forms including tablets, creams and patches





## Frequent exposure

**1** We are exposed to free radicals in the environment every day – alcohol, tobacco smoke, household chemicals and even radiation from the Sun all contain radicals.

## Take it easy

**2** Although exercise is extremely beneficial for the body in many respects, lots of strenuous activity can actually increase production of these harmful molecules, so don't overdo it!

## Eat your fruit and veg

**3** Research has shown that eating a varied diet with plenty of fruit and vegetables helps your body fight against the effects of free radicals – generally limiting the damage they can cause.

## What's the charge?

**4** Free radicals can have positive, negative or zero charge, hence why they bond with other molecules. As a result they can affect our cells in different ways.

## Free as a bird

**5** The reason 'free' often precedes 'radical' is because the reactive molecules will float freely until they find another molecule to exchange electrons – which is when they start causing damage.

**DIETARY TIPS** Berries are some of the best food you can eat to keep free radicals in the body in check

# What are free radicals?

Often blamed for ageing, and even serious illnesses such as cancer, what exactly are these atoms and how do they affect the human body?



Free radicals – also known simply as radicals – are singular atoms, or a group of atoms, with an odd number of electrons. As they have an uneven number of electrons, they are consequently unstable. To stabilise themselves, they constantly look to react with other molecules either by stealing an electron, donating an electron, or just merging with the molecule entirely.

In the human body this can often cause damage or even cell death, which affects major functions. Consequently the body has to defend itself against these molecules to limit potential damage, and it

does so using antioxidants – which neutralise the free radicals – as well as the natural immune system. Typical antioxidants are vitamins, which often must be sourced through diet as the body can't synthesise them; this is one of the major reasons why daily consumption of fruit and vegetables is so important. Berries, grapes, kale, sweetcorn and beetroot are just a few of the antioxidant-rich foods we can eat.

No human can avoid free radicals no matter what their lifestyle as they are a natural result of cell metabolism. Radicals, such as superoxide, are present within the body as they and their by-

products play an important role in a number of biological processes we couldn't live without.

There is a leading school of thought that posits free radicals are a key contributor to ageing. This theory states that damage caused by free radicals stealing electrons from other cells accumulates over time and reduces cell function, causing the overall organ to grow less efficient.

Free radical damage has also been associated with more serious ailments like strokes, heart disease and cancer and there's evidence that cognitive diseases such as Parkinson's and Alzheimer's may be exacerbated by radicals.

## Free radical damage

We look at the harm radicals can cause within a blood vessel, both inside and outside a cell

### White blood cells

These are the body's second line of defence against radicals which operate alongside antioxidants, 'engulfing' the potentially damaging oxidised cells. However, a negative side-effect is that these bloated cells can become stuck on blood vessel walls and lead to artery narrowing.

## A radical history



The first 'radical' was discovered at the turn of the 20th century at the University of Michigan, USA, by Moses Gomberg. He is now known by organic

chemistry researchers as the founder of the field due to the impact of his work.

He found the free radical by accident when looking to synthesise a carbon compound; what he actually got was triphenylmethyl. Until the Thirties, however, many in the scientific field still didn't recognise the existence of this compound or indeed any other radical.

Following the confirmation of the existence of these reactive molecules, there have been significant advances. Radicals are now known to play a key role in combustion, polymerisation and other chemical processes and this knowledge has improved our ability to manufacture plastics and many other everyday materials. Research has improved our understanding of the metabolic processes so we can develop better treatments for radical damage.

### Free radical stream

Radicals enter a blood vessel by damaging its lining, then can affect cell replication or oxidise other molecules in the body – which can have severe implications for the organism.

### Cholesterol

Low-density lipoprotein (LDL) cholesterol is oxidised by free radicals, making it stickier, increasing the risk of blockage.

### Antioxidant defence

Vitamin C (blue) and vitamin E (yellow) defend the cell and lessen damage by neutralising the free radicals.

### Oxidisation



The free radical stream oxidises the cholesterol in the bloodstream, which turns it into a form of plaque. A condition which can occur as a result of this is atherosclerosis – hardening or narrowing of the blood vessels – which is a primary cause of heart disease.

### DNA damage

Free radicals can interfere with DNA, which can then affect cell replication. This results in ageing, cell death, and the creation of cancerous cells, or even the singeing of DNA when the radicals are too close to the DNA.



Is your photography missing something?



# Photography for beginners™

Search for PFBMag on...



Shoot, edit & share better photos

Get your copy today

✓ Print    ✓ iPad  
✓ iPhone    ✓ Android



Quality print edition on sale at **imagineshop**.co.uk

Interactive digital edition on all platforms on sale at

**www.greatdigitalmags.com**



**DID YOU KNOW?** Around 15 per cent of us have an extra spleen – a small sphere close to but separate from the principal organ

# How the spleen works

Perhaps not as well known as famous organs like the heart, the spleen serves vital functions that help keep us healthy



The spleen's main functions are to remove old blood cells and fight off infection. Red blood cells have an average life span of 120 days. Most are created from the marrow of long bones, such as the femur. When they're old, it's the spleen's job to identify them, filter them out and then break them down. The smaller particles are then sent back into the bloodstream, and either recycled or excreted from other parts of the body. This takes place in the 'red pulp', which are blood vessel-rich areas of the spleen that make up about three-quarters of its structure.

The remainder is called 'white pulp', which are areas filled with different types of immune cell (such as lymphocytes). They filter out and destroy foreign pathogens, which have invaded the body and are circulating in the blood. The white pulp breaks them down into smaller, harmless particles.

The spleen is surrounded by a thin, fragile capsule and so is prone to injury. It sits beneath the lower ribs on the left-hand side of your body, which affords it some protection, but car crashes, major sports impacts and knife wounds can all rupture the organ. In the most serious cases, blood loss can endanger the person's life, and in these situations it needs to be removed by a surgeon. Since this reduces the body's ability to fight infections, some people will need to take antibiotics to boost their immunity for the rest of their lives.

## The immune system

Although the red blood that flows through our bodies gets all the glory, the transparent lymphatic fluid is equally important. It has its own body-wide network which follows blood vessel flow closely and allows for the transport of digested fats, immune cells and more...

### Spleen

One of the master co-ordinators that staves off infections and filters old red blood cells. It contains numerous lymphocytes that recognise and destroy invading pathogens present in the blood as it flows through the spleen.

### Thymus

A small organ that sits just above the heart and behind the sternum. It teaches T-lymphocytes to identify and destroy specific foreign bodies. Its development is directly related to hormones in the body so it's only present until puberty ends; adults don't need one.

### Tonsils

These are masses of lymphoid tissue at the back of the throat and can be seen when the mouth is wide open. They form the first line of defence against inhaled foreign pathogens, although they can become infected themselves, causing tonsillitis.

### Adenoids

These are part of the tonsillar system that are only present in children up until the age of five; in adults they have disappeared. They add an extra layer of defence in our early years.

### Bone marrow

This forms the central, flexible part of our long bones (eg femur). Bone marrow is essential as it produces our key circulating cells, including red blood cells, white blood cells and platelets. The white blood cells mature into different types (eg lymphocytes and neutrophils), which serve as the basis of the human immune system.

### Lymph nodes

These are small (about 1cm/0.4in) spherical nodes that are packed with macrophages and lymphocytes to defend against foreign agents. These are often linked in chains and are prevalent around the head, neck, axillae (armpits) and groin.

## Inside the spleen

*How It Works takes you on a tour of the major features in this often-overlooked organ*

### Hilum

The entrance to the spleen, this is where the splenic artery divides into smaller branches and the splenic vein is formed from its tributaries.

### Splenic artery

The spleen receives a blood supply via this artery, which arises from a branch of the aorta called the coeliac trunk.

### Location

The spleen sits underneath the 9th, 10th and 11th ribs (below the diaphragm) on the left-hand side of the body, which provides it with some protection against knocks.

### Splenic vein

The waste products from filtration and pathogen digestion are returned to the main circulation via this vein for disposal.



© Alamy

### White pulp

Making up roughly a quarter of the spleen, the white pulp is where white blood cells identify and destroy invading pathogens.

### Red pulp


Forming approximately three-quarters of the spleen, the red pulp is where red blood cells are filtered and broken down.

### Splenic capsule

The capsule provides some protection, but it's thin and relatively weak. Strong blows or knife wounds can easily rupture it and lead to life-threatening bleeding.

### Sinusoid

Similar to those found in the liver, these capillaries allow for the easy passage of large cells into the splenic tissue for processing.







"The intensity of the core's fission events is directly related to the intensity of its Cherenkov radiation"

# EXPLORE A NUCLEAR REACTOR'S CORE

### What goes on within the core and why does it glow?



This image shows a nuclear reactor's core surrounded by Cherenkov radiation. Cherenkov radiation is a unique phenomenon where electromagnetic charged particles – such as electrons – emitted from a nuclear reactor's core travel faster through its coolant (pressurised water) than the phase velocity of light. This process causes the particles to polarise the water molecules, which then

proceed to rapidly descend back to their ground state, expelling photons – hence the perceived blue-white illumination – and intensifying observed radiation levels. As such, the intensity of the core's fission events is directly related to the intensity of its generated Cherenkov radiation.

For a closer inspection of a core's main features and processes, check out the 'Inside a nuclear reactor' boxout below. ⚙

## Inside a nuclear reactor

What are the main components?

### 5. Steam generator

Heated water from the core enters the steam generator, where it's converted into vapour to drive turbines, which in turn power an electrical generator.

### 3. Control rod mechanism

This holds the control rods – neutron-absorbing bars of chemical elements – and lowers them into the core. It's used to dictate the rate of fission of the uranium and plutonium.

### 4. Core

The core is filled with bundles of nuclear fuel rods, with each bundle consisting of 200–300 rods. Typically a reactor has 80–100 of these bundles.

### 2. Pumps

The reactor's pumps push the pressurised water (coolant) around the core, which absorbs heat generated by nuclear fission, and then into the steam generator.

### 1. Water pressuriser

The water pressuriser receives light (ordinary) water and brings it to a high pressure so that it doesn't immediately turn into steam.



© Thinkstock







### Bruce Nuclear Generating Station

With a net capacity of 4,748 megawatts, it outputs over 36,180 gigawatt-hours of energy a year in Canada.



### Gravelines Nuclear Power Station

With a 5,460-megawatt net capacity, it outputs over 36,625 gigawatt-hours of energy a year in France.



## Kashiwazaki-Kariwa


**Located in Niigata, Japan,** this has a net capacity of 7,965 megawatts and outputs 50,790 gigawatt-hours of energy each year.

**Did you know?** Nuclear power plants currently supply 14 per cent of the world's electricity



Copyright © 1999 by John Wiley & Sons, Inc.  
All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage or retrieval system, without permission in writing from John Wiley & Sons, Inc.






### Welcome to... SPACE

It's time to go back to a time when Earth, the Sun and the rest of our Solar System didn't exist, but here we're going way back to reveal how it all began and what the future may hold. Also learn how cleanrooms are kept spotless and why NASA is firing metal balls at its own space shuttles.



### 59 Cleanrooms



### 63 Helix Nebula



### 64 LSST

### 54 How planets form

### 59 Cleanrooms

### 59 Zone of Avoidance

### 60 Hypervelocity Gun Lab

### 63 Helix Nebula

### 64 Large Synoptic Survey Telescope

### LEARN MORE



# BIRTH OF THE SOLAR SYSTEM

The fascinating story of how our Sun and all its orbiting celestial bodies were created



Until 500 years ago, the Earth was at the centre of the universe and had been since the dawn of time. Orbiting the Earth was the Sun, Moon, stars and planets of Mars, Mercury, Venus, Jupiter and Saturn. Then, in the 16th-17th centuries, the three astronomers Copernicus, Kepler and Galileo turned two millennia of scientific belief on its head with the theory of heliocentrism – the idea that the Earth and planets revolve around the Sun: in other words, the Solar System. The notion was vehemently opposed by the Church until the 18th century, when a growing number of prominent members of society began to question conventional wisdom. It allowed French scientist Pierre-Simon Laplace to formulate one of the first origin of the Solar System theories that had a hard scientific basis. His Nebular Hypothesis first appeared in his 1796 book *Exposition Of A World System*, which suggested that the Solar System was originally a spinning cloud of gas that condensed to form the Sun and the planets – not exactly light years from the way most astronomers believe the Solar System came to be today.

20th-century physics and mathematics allowed for more cohesive theories as to the origins of the planets, but one idea they all had in common was that their creation started with a nebula. In the wake of Edwin Hubble's discovery that the Milky Way was just one of many galaxies in the cosmos, the Accretion Theory was proposed. Soviet astronomer Otto Schmidt suggested that the Sun in its present form had moved through a cloud of stellar particles and emerged on the other side surrounded by an envelope of gaseous dust. The Accretion Theory was modified by Raymond

Lyttleton in 1961, but it still couldn't explain how the planets were formed from this material to everyone's satisfaction. Other explanations were put forward, including McCrea's Protoplanet Theory, in which a nebula collapsed and dust particles gathered to form protoplanets, and Capture Theory, where material from a protostar was captured by the Sun and eventually collapsed to create planets.

Although no origin of the Solar System theory is a certainty, it's Laplace's model that remains the most, albeit in a modified form. Modern Laplace Theory kicks off with an ancient supernova, a billion years ago, which threw out a sphere of elements and gas that collided with a hydrogen and helium nebula, seeding our embryonic Solar System. We can see this happening in other parts of our galaxy and beyond.

This cloud of material that included nitrogen, oxygen, iron and silica (all components vital for building an Earth-like planet) rotated slowly at first, but – under the force of its own gravity – gathered towards a central point, spinning faster and faster according to centripetal acceleration (the same force that causes a pirouetting ballerina to spin more rapidly when pulling their arms into the body). A denser cloud meant motes of dust could more easily coalesce to form small clumps that, in turn, grouped together over millions of years to form an enormous body at the centre – a protostar. The protostar was cold enough to collapse under its increasing mass and, as it did, a nuclear chain reaction was triggered that ignited it into a star similar to the Sun we know today.

But what of the planets? How did they form and why does each differ so much? It's hard to believe that





The economic role of the primary sector has been declining steadily. The activity of the primary sector is declining in many countries, but this does not necessarily mean that the sector has a negative growth rate. In fact, in many countries, the primary sector is still growing, but at a slower rate than the other sectors. This is due to a number of factors, including a decline in the demand for primary products, a decline in the price of primary products, and a decline in the productivity of the primary sector. However, the primary sector is still an important part of the economy, and it is still growing in many countries.

These conclusions are based on time-series, cross-country data from the 1970s, but they provide the first empirical evidence of how a country's wealth affects its economic growth. The findings suggest that the higher a country's wealth, the faster it grows. This is a new result, and it is important because it suggests that the growth rate of a country is not just a function of its initial income, but also of its current income. This is a new result, and it is important because it suggests that the growth rate of a country is not just a function of its initial income, but also of its current income.

In 1992, the Kuiper Belt was discovered. Similar in form to the Asteroid Belt, it's around 4.5-7.5 billion kilometres (2.8-4.6 billion miles) from the Sun, is 20 times wider and contains up to 200 times more mass. Where the Asteroid Belt is composed of small rocky minerals and metals, the Kuiper Belt is made up mostly of chunks of frozen methane, ammonia and water ice. It's a remnant of the early Solar System and

space scientists suspect some comets originate from here. Two moons – Saturn's Phoebe and Neptune's Triton – are also suspected to have been planetesimals from the Kuiper Belt. After Pluto was declassified to a dwarf planet in 2006, it became the largest-known feature of the Kuiper Belt, although it was only the second biggest dwarf planet after icy Eris, which is 27 per cent larger than Pluto.





"It's hard to believe that these massive celestial bodies were originally nothing but gaseous dust"

► these massive celestial bodies were originally nothing but gaseous dust, but this is believed to be the case.

As the protostar collapsed and its angular rotational speed increased, what was left of the dust concentrated around the equatorial region to form a circumstellar disc. When the protostar went nuclear to become our Sun, an enormous blast of solar wind spread the dust evenly across over 6 billion kilometres (3.7 billion miles) of space.

The inner planets of the Solar System (Mercury, Venus, Earth and Mars) were all formed from the material that spread across the first 400 million kilometres (250 million miles). At this range it was too hot for molecules like water and methane to condense, so only heavier minerals and metals like iron and nickel clumped together. Like the protostar that became the Sun, they bound as motes of dust before forming larger rocks and, over millennia, developed into planetesimals – the seeds that would become the first four rocky planets from the Sun. Because of the scarcity of these heavier elements (ie hydrogen, helium and oxygen make up 99 per cent of the Milky Way compared to iron's 0.1 per cent), these planets could not grow very large compared to the four outer planets, which total 99 per cent of the planetary mass orbiting the Sun.

Between the inner and outer Solar System lies a vast strip of asteroids that was once believed to be a single planet that inhabited the orbital region between Mars and Jupiter, smashed apart by a colossal collision. At least, there seemed to be enough rocky mass to support the theory when German astronomer Heinrich Olbers proposed this idea in 1802. But since then, scientists have discovered not only that the Asteroid Belt would form a body only four per cent the size of Earth's Moon, but that the differing chemical compositions of the asteroids indicate they never came from a single body. Today, it's thought that the Asteroid Belt is simply a remnant of the original coalescing nebula, which was prevented from forming a planet by the mighty pull of nearby Jupiter's gravity.

Past the Asteroid Belt is the frost line. Here, at about 523 million kilometres (325 million miles) from the Sun and beyond, temperatures plummet to -120 degrees Celsius (-184 degrees Fahrenheit) – cold enough for gaseous compounds to solidify. There were enough of these volatile compounds to form giants Jupiter, Saturn, Uranus and Neptune. They grew massive enough to capture the lightest elements of helium and hydrogen, with Jupiter and Saturn taking the lion's share. By the time Uranus and Neptune had grown enough to hold onto the nebular gas, Jupiter and Saturn had claimed most of it.

We'll give an honourable mention to Pluto because for 76 years from the point of its discovery, it was considered a planet. However, due to finding many other similar-sized bodies orbiting the Sun – including the distant and super-icy Eris – it was reclassified as a dwarf planet. It's been suggested that Pluto was once an escaped moon of Neptune that was knocked out of its previous orbit by Triton, Neptune's current largest moon. It's now believed to be a member of the Kuiper Belt, which is similar in origin to the Asteroid Belt, only much bigger and located at the very fringes of the Solar System. ☼

## The Solar System in the making...

### 1 Giant molecular cloud

A giant body of nebular particles begins to group together and, over time, forms larger and larger clumps.

### Going for a spin

In astronomy, angular momentum is the amount of spin or orbital motion any celestial object possesses. It's calculated through multiplying mass by velocity by the distance from the object that celestial body is spinning around. It's a vitally important component of understanding the formation of our Solar System, because angular momentum dictated the initial spin of the molecular cloud that created the Sun and all of the planets. Thus, it played a major role in the initial distribution of the planets, their orbits and axial rotation. Ultimately, it had a huge hand in the form life took here on Earth.

### 2 Sun formation

The Sun forms from these clumps and throws off a massive coronal ejection that helps seed the planets.

## Solar System timeline

# 4.59

**billion years ago**  
The Solar System forms as the Sun goes nuclear

# 4.3

**billion years ago**  
Earth's satellite, the Moon, forms

# 2

**billion years ago**  
Complex cellular life appears on Earth

# Now 1.5

**2012**  
Humans are the dominant species on our planet

**billion years' time**  
The Sun expands; Earth is now uninhabitable




# AMAZING VIDEO!


SCAN THE QR CODE  
FOR A QUICK LINK

Watch how our Solar System formed right now

[www.howitworksdaily.com](http://www.howitworksdaily.com)



**DID YOU KNOW?** It's believed our Moon most likely formed from a massive collision between Earth and another celestial body



### 3 The inner planets

Mercury, Venus, Earth and Mars – the iron and nickel terrestrial planets closest to the Sun – steadily gain mass as they're bombarded by meteorites.



### 5 Planetary migration

The planets move around a great deal on the same plane – Jupiter in particular, which migrated across what's now the Asteroid Belt before settling in its current position.



### 4 The outer planets

Jupiter, Saturn, Uranus and Neptune are among the first planets to form, amassing enough material to achieve gravities that attract the light gases like helium and hydrogen abundant in the early Solar System.

### 6 Today

This is a relatively calm period in the history of the Solar System, but over the billions of years to come, planets will either be consumed by a growing Sun or ejected from the Solar System.

## 4.8

**billion years' time**  
The Sun becomes a red giant

## 6.5

**billion years' time**  
Saturn's moon Titan becomes habitable



## 10

**billion years' time**  
The Sun sheds its outer gaseous layers



## 13

**billion years' time**  
The Sun becomes a white dwarf

## 15

**billion years' time**  
Life in the Solar System is now impossible



# AMAZING NEW SPACE MAGAZINE!

## BLAST OFF NOW!

Available  
from all good  
newsagents and  
supermarkets

# All About Space

DISCOVER THE WONDERS OF THE UNIVERSE



[www.spaceanswers.com](http://www.spaceanswers.com)

### IN ISSUE THREE:


- All about Venus
- The Very Large Telescope
- Space stations of the future
- The 146 moons of the Solar System
- How to look at galaxies
- How to photograph the stars



#### EXPLORATION



#### SOLAR SYSTEM




#### DEEP SPACE



#### FUTURE TECH




#### ASTRONOMY





## HIDDEN ATTRACTION

Despite once being considered pretty barren, the ZOA actually hides what is referred to as the 'Great Attractor', a colossal, mysterious gravity anomaly over 10,000 times the mass of the Milky Way, slowly pulling our galaxy towards it.



**DID YOU KNOW?** The largest cleanroom on the planet is found at the Goddard Space Flight Center, Maryland, USA

# How cleanrooms stay pristine

Why do these rooms need to be so spotless when engineers work on space equipment?



A cleanroom is a secured environment where the level of particulate matter in the atmosphere is strictly controlled.

All pollutants such as dust, chemical vapours, airborne microbes and aerosols are permanently monitored and eradicated by an internal conditioning system, which includes a combination of filters (HEPA and ULPA), extraction fans, airlocks, air showers and protective clothing for its workers.

Via this system, a controlled number of particles per cubic metre (and of a specific size) can be ensured, with higher-class facilities capable of delivering smaller and fewer particles. For instance, an ISO 1 cleanroom – the highest grade; there are nine in total – allows no more than two two-micrometre particles per cubic metre. For perspective, a typical urban environment has 35 million particles of all sizes per cubic metre.

Cleanrooms are used by NASA when building, testing and integrating spacecraft components to ensure no contamination or

damage is inadvertently done to the sensitive and expensive equipment – technology that once launched into space cannot be decontaminated. Indeed, while tiny specks of dirt may seem insignificant, past experiences and studies have shown that even the tiniest piece of pollen, sand, hair or flake of skin can imbalance a star-tracking unit, damage an exhaust port or even lead to a spacecraft's thruster becoming blocked.

As such, whenever a NASA engineer comes into work on the latest space technology, far from simply hanging up their coat and getting down to business they must first change into their protective clothing, pass through an air shower – essentially a human-sized hand-dryer that removes any particles stuck to the suit, proceed through a secure airlock equipped with extraction fans, and then finally pass through a temperature and humidity-controlled room to the assembly area. Only then, and under the constant filtering process of a laminar flow filtration system, can they begin work. 🌀



The galactic plane of the Milky Way can obscure around one-fifth of the extragalactic sky at night



## Why does the Zone of Avoidance look so empty?

What is this region in space and why do stars and even entire galaxies appear to shun it?



The Zone of Avoidance (ZOA) is a narrow band in the night sky in which very few galaxies can be seen. To reflect this barren-looking region, astronomers nicknamed the band the 'Zone of Avoidance', as compared to other parts of the sky, celestial bodies seem to be actively avoiding this patch of space.

Interestingly, however, the ZOA is actually a misnomer of sorts, as while it is true that very few galaxies are visible within it, it's not because they are not there or are intentionally 'avoiding' it, but rather that they are obscured by the interstellar matter of our own galaxy, the Milky Way.

This occurs as the interstellar dust, attenuation (loss of flux intensity) and stars in the plane of the Milky Way – referred to as

the galactic plane – obstruct approximately 20 per cent of the extragalactic sky at visible wavelengths. As a result, this combination of factors makes it extremely difficult to discern cosmic phenomena accurately. For instance, it's hard not to confuse foreground stars with background galaxies.

Recent developments in space astronomy have made good headway in exploring this obscured part of the night sky by employing surveys of it at longer wavelengths than visible light, such as in infrared. At these wavelengths, attenuation is almost entirely eradicated, making probing the ZOA more viable. In light of this, many galaxies have now been discovered there – Maffei 1 and 2 and Dwingeloo 1 to name just three – and more are being found each year. 🌀



# What goes on in the Hypervelocity Gun Lab?

Why is NASA shooting objects at thousands of miles per hour in its New Mexico facility?



In 1996, a briefcase-sized piece of debris from the French rocket Ariane I collided with the military reconnaissance satellite Cerise in Earth's orbit. It was travelling at nearly 50,000 kilometres (31,000 miles) per hour – fast enough to vaporise part of Cerise's stabilisation boom and send the satellite spiralling into an erratic trajectory. Fortunately, ground control was able to set Cerise back on track so it could continue its mission. However, this could have been disastrous for a manned craft or space station like the ISS, which had its own near-miss with a fragment of the Russian satellite Cosmos 2251 that was travelling at 26,000 kilometres (16,155 miles) per hour, earlier in 2012.


NASA is well aware of the dangers of the space junk that our half-century of spaceflight has left in orbit. The Space Surveillance Network in Colorado Springs, USA, monitors thousands of orbital objects travelling at an

average 33,000 kilometres (21,000 miles) per hour. Large chunks can be avoided so the biggest threat to any mission is from the smaller pieces of debris – those between two and ten centimetres (one to four inches) in diameter that zoom around the Earth like super-accelerated bullets and number in the tens of thousands, yet are too small to track.

For every kilogram of shielding placed on a shuttle, it costs NASA tens of thousands of dollars extra, so the precise amount required for any mission is calculated at the White Sands Test Facility in New Mexico. This cutting-edge shooting gallery is home to four enormous guns with 36-metre (118-foot) barrels that can propel aluminium ball bearings at similar speeds to those which can be reached in orbit. NASA engineers will fire many of these at shuttle casings until they find one whose armoured outer layers prevent the pressure wall from being punctured. ⚙

## The hypervelocity gun up close

The gun's mechanism is simple but effective. A piston is driven into a compression chamber by 1.8 kilograms (four pounds) of gunpowder, which squeezes the hydrogen inside to 7,000 kilograms-force per square centimetre (100,000 pounds-force per square inch). This propels the aluminium sphere in a plastic sabot down the barrel. A steel stripper rips the shell off and the sphere enters the target tank (with air pumped out to replicate the vacuum of space) and hits the target. A digital camera that captures 100 million frames a second records the impact to the nanosecond.





## 1. MESSY

### Russia

Russia and its former Soviet incarnation has ejected nearly 6,000 carrier rockets, satellites and other expended junk into near-Earth space.



## 2. MESSIER

### USA

The United States of America has left marginally more of the junk in orbit than Russia: 27.5 per cent compared to 25.5 per cent.



## 3. MESSIEST

### China

China's relatively recent expansion into space has seen the country shoot to the top of the space polluters, responsible for 40 per cent of the debris.




### DID YOU KNOW?

A single layer of one-50th of an inch-thick aluminium can improve shuttle puncture odds from 1:62 to 1:1,000





# Everything you need to know



# HOW IT WORKS

Get your copy today ✓ Print ✓ iPad  
✓ iPhone ✓ Android



Quality print edition on sale at **imagineshop**.co.uk  
Interactive digital edition on all platforms on sale at  
**www.greatdigitalmags.com**



**DID YOU KNOW?** 'Planetary nebula' is a misnomer coined by early astronomers who saw fuzzy discs that looked like gas planets

# The Helix Nebula up close

Find out why scientists have been intently studying this planetary nebula




The nearest planetary nebula to Earth is the Helix Nebula, which began expanding around 12,000 years ago. It's roughly 700 light years from our world, which makes it easily viewable from the Hubble Space Telescope stationed in low Earth orbit, but still far away enough to make its three-dimensional shape troublesome to figure out. And NASA scientists – being the voraciously curious academics that they are – just had to know what shape the Helix Nebula actually is...

When a Sun-like star is dying, it doesn't have the mass to go supernova and so it throws off layers in huge coronal mass ejections (CMEs) until it becomes a bright shell of expanding gas known as a white dwarf. The shapes that the 1,000 or so catalogued nebulas form as the star ejects its outer shell are as varied as

snowflakes – a fact that NASA is struggling to explain. The proximity of the Helix Nebula made it a prime candidate for closer inspection, so NASA compiled images of it from Hubble and terrestrial telescopes around the globe. This is the 3D image they came up with as a result of the intense study: a poached egg-shaped nebula with a bulbous blue inner sphere surrounded by gas.

Fringed around the inner sphere are thousands of cometary knots – so-called because these tight bundles of gas and dust bear some resemblance to comets with their trailing tails. These knots were used as 'markers' to create the image, along with measurements of the speed and direction that the nebular material is moving. The dying star located at the centre of the Helix Nebula is causing the dust particles and gas that encircle it to glow brightly, or fluoresce. ☼



The Helix Nebula, otherwise known as NGC 7293, lies about 700 light years from Earth towards the Aquarius constellation





"It will be able to capture light instantaneously from a mammoth area of the night sky"

# Earth's largest digital camera explained

### What makes the Large Synoptic Survey Telescope such an astronomical marvel?



At an altitude of 2,660 metres (8,730 feet) on the El Peñón peak in northern Chile, construction is underway of one of the most remarkable telescopes ever to be devised. The Large Synoptic Survey Telescope (LSST) is unprecedented in size, and with an aperture of 8.4 metres (27.4 feet) it will be able to capture light instantaneously from a mammoth area of 320 square metres (3,440 square feet) in the night sky with its staggering 3.2-billion-pixel digital camera (the biggest on the planet).

The four parts of its name are representative of the major features of the telescope. 'Large' refers to the enormous primary mirror that will provide astronomers with an unrivalled view of the night sky. 'Synoptic' is the movie-like window on the universe the LSST will unveil by taking over 400,000 16-megapixel images every night, allowing

astronomers to see videos of celestial objects that change or move rapidly. 'Survey' is the immediate release of data to the public, allowing numerous studies to be made by anyone including mapping the mass of dark matter in the cosmos and tracking the closest asteroids to Earth. 'Telescope', somewhat predictably, refers to the entire structure that will house all of this incredible technology.

Unusually for such a huge telescope, the LSST project is the work of a non-profit private organisation known as the LSST Corporation, which has raised funding through both private pledges and national grants. Construction of the telescope in its high-altitude position – perfect for clear views unhindered by the atmosphere – began back in November 2007, and as of July 2012 the LSST has entered its final design phase. It is set to be completed in 2014 and initially is expected to run until 2024.

#### Mount

The telescope's mount is a compact and still structure that will reduce image motion and blur.

#### Mirrors

The primary and tertiary mirrors are found inside the telescope, where the light is first reflected.

#### Platform

The LSST's camera will be accessible by a platform running along the side.



The LSST will be housed at the end of the building on the left in this concept image



## Find dark matter

**1** The Large Synoptic Survey Telescope will detect signatures of dark energy and dark matter by measuring weak gravitational lensing present in deep space.

## Track asteroids

**2** In under a minute the LSST will be able to find objects that are merely 140 metres (460 feet) wide in the Asteroid Belt, helping us to chart potentially dangerous near-Earth objects.

## Record movies

**3** The rapid image-capturing and processing power of the telescope will enable it to watch superfast events in the universe unfold, such as novas and supernovas.


## Map the Milky Way

**4** The ability of this massive telescope to capture the entire night sky in just three days will be crucial in our continued attempts to map out our galaxy.

## Make new discoveries

**5** The incredible imaging power of this telescope and its wide field of view mean that it is highly expected to make numerous unprecedented cosmic discoveries.

**DID YOU KNOW?** Software billionaire Bill Gates kick-started funding for the LSST by pledging \$10m to the project in 2008



### Support

At the front is a top-end assembly support structure to hold the mirrors and camera in place.

### Secondary

The secondary mirror is found near the top of the telescope, where the camera is also mounted.

## Capturing an image


How will the LSST camera snap 3,200-megapixel shots?

### Sensors

21 grids of sensors, known as rafts, collect the light and make up the 3.2-billion-pixel focal plane.

### Spectrum

The telescope is sensitive to wavelengths from 350 nanometres (ultraviolet) through to 1,040 nanometres (infrared).



### First lens

Incoming light is captured by the first lens at the front of the camera.

### Second lens

The light also passes through a second lens before hitting the detector.

### Weight

The entire structure will weigh close to 300 tons and will be movable in a horizontal and vertical plane with a drive power of 336kW (450hp).

## The data

There's lots of revolutionary tech inside the LSST, but one of the most important bits is the imaging sensors it will use. Capable of capturing light from ultraviolet to infrared, these sensors will produce 30 terabytes of data every night. After a decade of observations it will have produced over 100 petabytes (100 million gigabytes) of data, which will require 250 teraflops of power to process – about 100,000 home PCs!

## The telescope

Unlike most other giant telescopes, the LSST will use three mirrors rather than two to capture images. Light is first collected onto an 8.4-metre (27.6-foot) primary mirror, before being reflected onto a 3.4-metre (11.2-foot) secondary mirror. It is then reflected again onto a five-metre (16.4-foot) tertiary mirror in

the centre of the primary mirror. Both the secondary and tertiary mirrors are spherical, which allows the light to be intensely focused. The arrangement of this trio gives the LSST an exceptionally wide field of view, enabling it to survey the entire southern sky in just three days performing two observations a night.

## The camera

The LSST camera is a massive piece of equipment. It's the size of a small bus and weighs in at 100 tons. The camera is made up of 21 sensor rafts, each of which contains 15,000 sensors. The camera is also equipped with a massive cooling system to keep the sensors at a constant temperature. The camera is also equipped with a massive data storage system to handle the huge amount of data it will produce. The camera is also equipped with a massive power system to keep it running for the next decade.





# MUSCLE CARS EVOLVED

How It Works explores how the latest generation of North American muscle cars is obliterating years of European engineering with a bevy of sophisticated technology



For decades, despite their prestige and beauty, North American muscle cars were dismissed by automotive pundits as nothing more than straight-line dragsters. Machines that while delivering bucketloads of raw power, time and again fell short of the all-round performance and engineering delivered by their European counterparts. Critics would joke to boredom about the inability to turn, brake or even survive for more than a few hours in Mustangs and their like, ignoring these vehicles' craft and many strengths.

Of course, there was an element of truth to the critics' claims – turning certainly hasn't been a strong capability of muscle cars in the past – however, as of 2012, things have radically changed. A new generation of muscle cars is smashing through the walls of European supercar

dealerships and then leaving their current offerings in the dust, out-accelerating, out-maneuvring and out-gunning prestige marques in every way that matters. Far from dumb brutes, today's muscle cars are some of the most technologically refined and advanced vehicles on the planet, not just giving big players like Ferraris, Porsches and Jaguars a run for their money, but leaving them in the scorched remains of a horizon-busting burnout.

Letting this new breed of automotive beast take the spotlight in this feature, How It Works examines three of the most iconic muscle cars currently in production. We reveal their power, performance and – most importantly of all – the technology that's transforming them into some of the best cars on Earth. So you might want to strap yourself in, as you're in store for one heck of a wild ride...\*



### Welcome to... TRANSPORT


How It Works explores the latest generation of North American muscle cars, which are obliterating years of European engineering with a bevy of sophisticated technology. This feature reveals the power, performance and technology that's transforming them into some of the best cars on Earth. So you might want to strap yourself in, as you're in store for one heck of a wild ride...\*



### 70 Handbrake



### 71 Jetstream UAV



### 72 Firebirds

### 73 Mustang

### 74 Shelby GT500

### 75 Ford Focus

### 76 Ford Focus

### 77 Ford Focus

### 78 Ford Focus

### 79 Ford Focus

### 80 Ford Focus

### 81 Ford Focus

### 82 Ford Focus

### 83 Ford Focus

### 84 Ford Focus

### 85 Ford Focus

### 86 Ford Focus

### 87 Ford Focus

### 88 Ford Focus

### 89 Ford Focus

### 90 Ford Focus



...very afraid...  
The Shelby GT500 can even  
outpace a Ferrari California



LEARN MORE





The Shelby GT500 is manufactured in Flat Rock, Michigan, USA


## Shelby GT500

*The ultimate Mustang, the Shelby GT500 is obscenely fast and likely to give you an adrenaline rush like no other*

Let's get the unsurprising facts out of the way first. The 2013 Shelby GT500 is equipped with the most powerful production V8 engine in the world and also the most efficient one in America, producing more than 485 kilowatts (650 brake horsepower). These two achievements are made possible by an all-aluminium block, 2.3-litre (0.6-gallon) supercharger, upgraded cooling system, larger engine fan, redesigned air cooler, higher-flow intercooler pump and a 36 per cent increase in the capacity of the intercooler's heat exchanger. That's impressive – 325 kilometres (202 miles) per hour impressive – but not something that is particularly shocking for arguably one of the most iconic muscle cars ever.

What *is* surprising is the way the GT500 converts that immense power into refined performance. After all, strapping 650 horses to a chassis raises myriad problems, none more so than that of ensuring solid traction and handling. The GT500 deals with these issues through a launch control system – an electronic configurator that enables drivers to set specific rpm launch points – along with a Torsen limited-slip differential and AdvanceTrac steering-assist. Combined, all this advanced tech allows this modern Mustang to maximise the amount of raw power put down, as well as control it while cornering.

Further, the Shelby GT500 complements its all-round performance by the inclusion of a top-of-the-range braking system. Accompanying the 48-centimetre (19-inch) front and 51-centimetre (20-inch) rear forged-aluminium alloys is a new Brembo-made system of rotors and callipers (with six pistons at the front), as well as a series of composite brake pads oriented towards sharp acceleration and deceleration manoeuvres. These, along with a four-profile traction control setup plus an SVT-designed set of Bilstein shock absorbers, ensure excellent handling on the road as well as on the track.



### Engine

The supercharged, intercooled 5.8l (1.5ga), 32-valve V8 petrol engine outputs 485kW (650bhp), which enables the GT500 to accelerate from 0-97km/h (0-60mph) in just 3.5 seconds.

### Brakes

35.6cm (14in) Brembo vented rotors with six-piston callipers in the front and 30cm (11.8in) vented rotors with a single-piston calliper at the rear help the GT500 stop rapidly.

### Electronics

A four-profile traction control setup along with a Bilstein electronically adjustable damper system delivers excellent handling on both road and track.



### The statistics...



#### Shelby GT500

**Length:** 4,780mm (188.2in)

**Height:** 1,400mm (55.1in)

**Weight:** 1,746kg (3,850lb)

**Engine:** 5.8l (1.5ga) V8

**Transmission:** Tremec six-speed manual

**0-100km/h (0-62mph):** 3.5sec

**Power:** 485kW (650bhp)

**Efficiency:** 8.5km/l (24mpg)







"Today's muscle cars are some of the most technologically refined and advanced vehicles on the planet"

### Chevrolet Camaro

As you'd expect from one of the biggest names in muscle car production, the Chevrolet Camaro is pretty fast. Achieving 0-97 kilometres (0-60 miles) per hour in 5.2 seconds, it could keep up with a Jaguar XK with ease, but unlike Camaros of old, today's models boast tech that make it not just a pacy machine, but one that can handle most terrains – and without consuming vast quantities of hydrocarbons to boot.

Critical to this is the StabiliTrak electronic control system. This consists of four speed sensors on each wheel, a rotation rate sensor on the wheelbase, a steering angle sensor on the steering wheel, a brake-operating hydraulic unit and a master control unit in the engine bay. Combined, these components monitor every manoeuvre and make instant adjustments to maintain maximum traction.

How this works is best explained with a theoretical manoeuvre. If a driver has to corner sharply to the left and then immediately right at high speed, the steering angle sensor detects the initial input and transmits it to the master control unit. At the same time, the Camaro's rotation rate sensor – which measures the car's lateral speed and rotation around its centre line – determines its projected potential for straight-line drift and also communicates this to the control unit. The brains of the system act upon the feedback, adjusting the car's rear-left hydraulic brake, slowing its

*The Camaro specialises in pouncing on European supercars and taking out their performance stats with lethal efficiency*

rotation and aiding a smooth cornering manoeuvre. To avoid oversteer, when the car's steering wheel is turned back to the right to take the next bend, StabiliTrak gauges the rotation speed of the front-left wheel and repeats the process, this time reducing the right-hand turning force and preventing the vehicle's back-end from spinning out.

The other notable engineering feat on the reborn Camaro is GM's Active Fuel Management (AFM) technology. This electronic system automatically deactivates four out of the vehicle's eight cylinders when cruising at speed to conserve fuel and boost miles-per-gallon economy. This is a lot more complex than it sounds, as the engine control module (ECM) has to automatically reprogram the cylinders' firing pattern each time a deactivation takes place.

For example, if a Camaro is sustaining a cruise speed with light throttle response, the ECM will – ideally – deactivate cylinders one and seven on the engine's left bank, plus four and six on the right, creating a four-cylinder firing order of eight, two, five and three. However, if cylinder one is undertaking a combustion event when the AFM is called on, then the ECM automatically detects this and, rather than forcing deactivation, bumps the deactivation on to the next cylinder (ie cylinder eight), which in turn rearranges the deactivation pattern for optimum efficiency.

#### The statistics...



#### Chevrolet Camaro

**Length:** 4,837mm (190.4in)

**Height:** 1,360mm (53.5in)

**Weight:** 1,769kg (3,900lb)

**Engine:** 6.2l (1.6ga) V8

**Transmission:** Six-speed manual

**0-97km/h (0-60mph):** 5.2sec

**Power:** 318kW (426bhp)

**Efficiency:** 9.77km/l (27.6mpg)

#### Engine

The 6.2l (1.6ga) V8 engine in the Camaro is quite something. Thanks to improvements such as an enlarged cylinder bore of 10.3cm (4in) and a stroke length of 9.2cm (3.6in), the block can output up to 318kW (426bhp).

#### Transmission

A six-speed transmission comes in two flavours – manual and automatic – with the former more suited to track driving. The automatic variant reduces the horsepower to 298kW (400bhp) but also improves fuel economy.

#### Chassis

The body is made from aluminium and measures in at 483cm (190in) in length. Due to its lightweight construction materials, the Camaro only weighs 1,769kg (3,900lb).

#### Suspension

Independent four-link suspension, a 52/48 front-to-rear weight ratio and 50.8cm (20in) front and rear wheels ensure both a smooth ride and great grip while turning at speed.

#### Electronics

GM's StabiliTrak electronic stability control system automatically analyses the driver's steering input compared to the car's response and makes adjustments to prevent over- or understeer.





1959

The first car with the Challenger name was the limited-edition 1959 Dodge Silver Challenger. It packed a six-cylinder V8 engine.

1970

Built to rival the Mustang and Camaro, the first-gen Challenger sold well with 76,935 made in its first year, but it was slated by critics.



1978

The next time the Challenger name was used by Dodge was in 1978, rebranding the Mitsubishi Galant Lambda for a US audience.

2008


Arguably the true successor to the Seventies model, the SRT Challenger was longer and taller than the original and packed a 6.1-litre (1.6-gallon) V8.



A 1977-era Chevrolet Camaro featured in the 2007 film *Transformers*, with modern variants in the two sequels



The Camaro hits 97km/h (60mph) in an



## Dodge Challenger

The Dodge SRT8 sends out a challenge not just to other muscle cars, but any vehicle that dares to take it on

Where the new Shelby GT500 and Chevrolet Camaro partner their raw power with unseen and subtle advanced technologies, the Dodge Challenger struggles more to shake off its muscle car heritage than perhaps any other.

Indeed, aside from the cart-breaking frenzy of the giant 6.4-litre (1.7-gallon) V8 engine – a block capable of outputting more torque than a Lamborghini Gallardo – the on-road stability granted by automatic electronic rain brakes, tyre pressure monitors, antilock vented brake discs and a steering assist computer is second to none. With added responsiveness delivered by independent front and multi-link rear suspension, the Challenger specialises in providing the user with critical information to help maximise the driving experience.

Central to this is the Challenger's Electronic Vehicle Information Center (EVIC). The EVIC consists of a trip computer, G-force indicator, two speed timers, 0.2-kilometre (eighth-mile) and 0.4-kilometre (quarter-mile) automatic log, and a multimedia information centre. This, partnered with Dodge's trapezoidal systems gauges – which includes a digital compass and temperature sensor, allows for the vehicle's performance to be closely monitored and then tailored dependent on driving conditions, the terrain and the driver's skill level.

### The statistics...



#### Dodge Challenger SRT8

**Length:** 5,021mm (197.7in)  
**Height:** 1,450mm (57.1in)  
**Weight:** 1,886kg (4,160lb)  
**Engine:** 6.4l (1.7ga) V8 SRT HEMI  
**Transmission:** Six-speed manual  
**0-97km/h (0-60mph):** 3.9sec  
**Power:** 350kW (470bhp)  
**Efficiency:** 8.14km/l (23mpg)

The Challenger comes with a G-force indicator as well as 0-97km/h (0-60mph) and 97-0km/h (60-0mph) timers




2x © Death Writer

## Flexing their muscles... HIW pits the Shelby GT500 against a Citroën C5 and Ferrari California to see which car makes the best all-round ride

Key ● 1st ● 2nd ● 3rd


### Citroën C5

**Weight:** 1,670kg (3,682lb) ●  
**Efficiency:** 14.9km/l (42.2mpg) ●  
**Engine size:** 1.6l (0.4ga) ●  
**Power:** 115kW (154bhp) ●  
**Max torque:** 240Nm (177lb/ft) ●  
**0-100km/h (0-62mph):** 8.2sec ●  
**Top speed:** 209km/h (130mph) ●  
**Cost:** £19,895 (\$N/A) ●



### Shelby GT500

**Weight:** 1,746kg (3,850lb) ●  
**Efficiency:** 8.5km/l (24mpg) ●  
**Engine size:** 5.8l (1.5ga) ●  
**Power:** 410kW (650bhp) ●  
**Max torque:** 600Nm (443lb/ft) ●  
**0-100km/h (0-62mph):** 3.5sec ●  
**Top speed:** 325km/h (202mph) ●  
**Cost:** \$54,995 (£N/A) ●



### Ferrari California

**Weight:** 1,731kg (3,817lb) ●  
**Efficiency:** 6.7km/l (19mpg) ●  
**Engine size:** 4.2l (1.1ga) ●  
**Power:** 360kW (483bhp) ●  
**Max torque:** 505Nm (372lb/ft) ●  
**0-100km/h (0-62mph):** 3.8sec ●  
**Top speed:** 312km/h (194mph) ●  
**Cost:** £142,865 (\$223,055) ●







"Handbrakes offer a greater level of safety and reliability than the more complex hydraulic types"



### Bucket


The bucket is an enclosed platform on which the operator(s) can stand. Typically, the bucket is equipped with a control panel for fine positional adjustments.

### Arm

The bucket is raised by one or more lifting arms, which can telescopically extend to a variety of heights. The arms are powered by hydraulics.

### Base

Due to the weight of the arms and bucket, the picker needs to be anchored in place with a stabilising base. These range from mechanical tripods through to full-blown trucks.



## How handbrakes stop a vehicle

A closer look at the essential safety feature that can stop a car dead



A handbrake is an additional braking mechanism installed on all commercial vehicles that's completely separate from foot pedal-operated brakes. The role of the handbrake is to both supply an emergency means of stopping if the primary brakes fail – eg if the brake fluid leaks – and also as a parking assist tool. The latter ability is especially useful if a driver needs to park their vehicle on a steep incline.

Critically, handbrakes are purely mechanical braking tools, relying on a series of levers, cables and screws to activate a car's wheel brakes. In being designed this way, they offer a greater level of safety and reliability than the more complex, if more powerful, hydraulic types. As shown in the diagram below, the handbrake system originates at the front of the vehicle – typically perceived by the user as a lever – and culminates at the rear wheels where the brakes engage to stop a car in its tracks.

### Handbrake in action


See how your vehicle's handbrake works

#### 1. Lever

Most handbrakes employ a manual lever, which can be drawn upwards to tauten the handbrake's central cable. Some are activated by pedals or buttons instead.

#### 4. Brakes

With drum brakes the split cables go directly to the rear wheels' brake shoes; while with disc brakes, they go to a corkscrew mechanism that drives a calliper piston.



#### 2. Cable

Attached to the lever is a brake cable (multiple cables are used in some cases), which when the lever is drawn up passes through a force-amplification mechanism.

#### 3. Equaliser

With the small force generated by the lever greatly increased, the central cable passes through an equaliser, a U-shaped device that splits the cable – thus the force – into two.

## Cherrypickers explained

How do these portable mechanical platforms help get people to out-of-reach places?



Cherrypickers are a type of mechanical lifting device in which a series of telescopically extending, hydraulically

powered arms can raise a platform to great heights. The arms of the picker originate from a stabilising base, which is commonly a large truck so that the picker can be easily transported, while the arms extend up to the bucket. The cherrypicker's movement can be controlled from a base-mounted panel – common for firefighting, where the fire officer needs their hands free to put out a blaze – and also from a bucket-mounted one. The latter panel allows the operator a

greater degree of fine control over their position once up in the air.

While the term 'cherrypicker' has become a general name for any sort of mechanical lifting device, technically it only applies to those with these hydraulic, telescopic arms. Scissor lifts, aka pantographs, which use folding supports in an X pattern, are not cherrypickers and can be powered by pneumatic or mechanical means, as well as hydraulics. Though scissor lifts might provide more vertical lifting power, they don't possess the ability to move horizontally, so they're restricted to lifting in a single vertical plane.



## Military

**1** UAVs are most commonly used in national militaries, operating typically as remotely piloted drone aircraft that can relay real-time battlefield footage back to a command station.

## Civilian

**2** Increasingly, UAVs are being used in the civilian sphere too. A good example is firefighting, where remotely piloted drones are flown into burning buildings to assess stability.

## Rotorcraft

**3** While the majority of UAVs are fixed-wing aircraft – either with or without engines – rotorcraft designs, such as the MQ-8B Fire Scout, are gaining popularity in the battlefield.

## Reaper

**4** The most deadly UAV is the MQ-9 Reaper. Designated as a 'hunter-killer', this is capable of scanning, identifying and then taking out targets with powerful Hellfire missiles.

## Toy

**5** Interestingly, UAVs are beginning to be made as toys, with small hobby units such as the Parrot AR.Drone enabling users to pilot them remotely via their smartphones.

The Jetstream 31 UAV has already flown thousands of miles without any human assistance

## The big three

To fly solo in shared airspace, any future UAV must always play it safe

### 1 Weather avoidance

If the jet can't detect bad weather, it could easily fly into a storm. To avoid this, the Jetstream uses a variety of cameras, sensors and electrical systems to continuously sweep the surrounding atmosphere and cloud forms.

### 2 Object avoidance

With future UAVs set to fly in shared civilian airspace, they need to be able to adequately avoid other aircraft and obstacles. The Jetstream 31 does this with an aircraft identification antenna (AIA) to pick up transponder signals, which then initiates a course change. If no signal is identified, on-board cameras can give a visual contact.

### 3 Emergency landing

In the worst-case scenario a UAV must be able to land without causing danger. The Jetstream uses belly-mounted sensors and radars to detect buildings and life on the ground, selecting only clear areas to touch down.

# Jetstream 31 UAV

HIW explores BAE's 'Flying Test Bed' to discover how the next generation of unmanned aerial vehicles will work

The Jetstream 31 UAV, or the Flying Test Bed, is an unmanned (also known as uninhabited) aerial vehicle designed by BAE Systems to trial a new series of smart, autonomous flight-control, navigation and detection systems.

The systems are designed to provide a clear technological roadmap for the development of next-generation UAVs capable of routinely flying in controlled airspaces – such as those commonly shared by civilian jetliners. However, for the dream of autonomous aircraft to become a reality, strict safety protocols must first be met. Read on to find out how the Jetstream 31 UAV is going a long way to realising them...

## The statistics...

### Jetstream 31 UAV

**Air crew:** 2 (system's operators)

**Ground crew:** 2 (UAV commander, flight test observer)

**Wingspan:** 15.8m (52ft)

**Length:** 14.3m (47ft)


**Height:** 5.1m (17ft)

**Max speed:** 411.9km/h (256mph)

**Cruise speed:** 313.8km/h (195mph)

**Max altitude:** 7,315m (24,000ft)

**Max range:** 1,255km (780mi)



The Jetstream 31 UAV will be used to trial a new series of smart, autonomous flight-control, navigation and detection systems.

## Testing times







"The largest fireboat in the world can pump up to 50,000 gallons of water per minute"

# Fireboats explained

How do these unique vessels extinguish blazes out at sea?



Fireboats, just like land-based fire engines, specialise in redistributing water on a large scale from a store (such as those delivered through fire hydrants) onto a large blaze. Critically a major distinction is that while terrestrial fire engines must be physically attached to a water source via a large tube, fireboats do not, as they are installed with pumping mechanisms that can draw seawater directly from their native environment.

The pumps themselves are installed within the base of the fireboat's hull, sucking water into the vessel and depositing it into a system of internal pipes and valves for redistribution. On average, the pumps can take in upwards of 37,854 litres (10,000 gallons) of water per minute into the boat's water-firing nozzles. But the current largest fireboat in the world – the RANGER 4200-class Three Forty Three – can pump up to a staggering 189,270 litres (50,000 gallons) per minute!


The distribution nozzles, which are also known as water cannons, are controlled either manually by the firefighters – with the individual nozzles swivelling on a platform – or remotely from the control station through a series of hydraulics. The pressure the water is fired at is also dictated from the control room and can be varied to deliver a wide variety of arcs and spray patterns best suited to the job at hand.

In order for a fireboat to effectively put out ship fires – or indeed those in a harbour or on coastline – and rescue anyone who's trapped, it needs to be able to position itself so that both are easily achieved. This is obviously handled in the first instance by steering it effectively – hence the raised control station – however it's also aided by an internal ballast system.

The ballast system enables the fireboat to raise or lower itself according to the deck level of the stricken ship, creating better firing lines from its cannons and allowing, where possible, for evacuees to board directly from the other vessel. The addition of on-board lifeboats and diving equipment allows for traditional ferrying operations too, in situations where close positioning of the fireboat is not possible.

Despite their name, fireboats do much more than putting out fires, operating not just as marine fire engines, but also as ambulances and anti-terrorism units. The latter role has grown specifically over the last decade and, as such, modern fireboats are installed with an advanced suite of detectors that can sweep for and pick up signs of chemical, biological, radiological, nuclear and explosive agents in the local atmosphere. To protect the crew in the case of a foreign agent being detected, the control room has its own integrated air supply, which is screened continuously by a series of high-efficiency particulate air (HEPA) filters.

On a final note, depending on the country of origin, certain fireboats may also be configured for ice-breaking operations. This essentially requires the vessel to be built with a double hull, with both hull layers strengthened at the bow, stern and waterline with extra steel plates and the interior augmented with a number of watertight compartments.



### Lifeboat

As fireboats primarily deal with fires on other vessels, one or more lifeboats are stored on board in order for evacuees to safely disembark. They are typically launched off a hydraulic ramp at the rear.



### Ballast tanks

Newer fireboats are also installed with internal ballast tanks. These allow the fireboat to modify its position in the water to better reach fires, stranded civilians or the deck of smaller/bigger vessels.





**Phoenix**  
With a displacement of 146 tons and able to pump up to 24,226 litres (6,400 gallons) of water at a high pressure, the Phoenix is a formidable firefighter.



**William Lyon Mackenzie**  
The Mackenzie delivers a displacement of 200 tons and the ability to not only tackle fires but also smash through pack ice.



**Three Forty Three**  
Blowing all rivals out of the water, this 500-ton firefighting beast can pump 189,270 litres (50,000 gallons) of water a minute.

**OLD TIMEY** In 1940, British fireboat the Massey Shaw rescued 500 troops from Dunkirk, France

### Nozzle

The nozzles—or cannons—of the fireboat receive water from the pumps and project it at high power in the direction of the blaze. Their power can be modified to suit each fire.

### Detectors


Modern fireboats are equipped with a host of detectors that can sweep for signs of chemical, biological, radiological, nuclear and explosive agents.

Modern fireboats are equipped with advanced radars and chemical agent detection sensors



### Control station

All aspects of the fireboat can be manipulated from a raised, centrally positioned control room. Here the captain of the boat has access to its steering controls, pumps, nozzles, ballast system and detectors.



### Pumps

The fireboat's pumps draw water into the vessel at great speed from the surrounding ocean and route it through a piping/valve system to the nozzles for distribution.





Apple Newsstand

Great digital magazines on ✓ iPad ✓ iPhone



...the animal's body is made of soft tissue, and it's not until the animal is born that it has a hard shell. The shell is made of a material called chitin, which is a type of sugar. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body. The shell is also made of a material called calcium carbonate, which is a type of mineral. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body. The shell is also made of a material called calcium carbonate, which is a type of mineral. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body.

...the animal's body is made of soft tissue, and it's not until the animal is born that it has a hard shell. The shell is made of a material called chitin, which is a type of sugar. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body. The shell is also made of a material called calcium carbonate, which is a type of mineral. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body. The shell is also made of a material called calcium carbonate, which is a type of mineral. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body.

...the animal's body is made of soft tissue, and it's not until the animal is born that it has a hard shell. The shell is made of a material called chitin, which is a type of sugar. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body. The shell is also made of a material called calcium carbonate, which is a type of mineral. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body. The shell is also made of a material called calcium carbonate, which is a type of mineral. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body.

Q24 | How It Works

...the animal's body is made of soft tissue, and it's not until the animal is born that it has a hard shell. The shell is made of a material called chitin, which is a type of sugar. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body. The shell is also made of a material called calcium carbonate, which is a type of mineral. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body. The shell is also made of a material called calcium carbonate, which is a type of mineral. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body.

...the animal's body is made of soft tissue, and it's not until the animal is born that it has a hard shell. The shell is made of a material called chitin, which is a type of sugar. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body. The shell is also made of a material called calcium carbonate, which is a type of mineral. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body. The shell is also made of a material called calcium carbonate, which is a type of mineral. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body.

...the animal's body is made of soft tissue, and it's not until the animal is born that it has a hard shell. The shell is made of a material called chitin, which is a type of sugar. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body. The shell is also made of a material called calcium carbonate, which is a type of mineral. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body. The shell is also made of a material called calcium carbonate, which is a type of mineral. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body.


...the animal's body is made of soft tissue, and it's not until the animal is born that it has a hard shell. The shell is made of a material called chitin, which is a type of sugar. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body. The shell is also made of a material called calcium carbonate, which is a type of mineral. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body. The shell is also made of a material called calcium carbonate, which is a type of mineral. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body.

## Which creatures have exoskeletons?



Scorpion

Belly-up, a scorpion is a creature with a hard shell. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body. The shell is also made of a material called calcium carbonate, which is a type of mineral. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body. The shell is also made of a material called calcium carbonate, which is a type of mineral. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body.




Spider

The discarded outer shell of a spider is a hard shell. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body. The shell is also made of a material called calcium carbonate, which is a type of mineral. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body. The shell is also made of a material called calcium carbonate, which is a type of mineral. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body.




Crab

A crab is a creature with a hard shell. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body. The shell is also made of a material called calcium carbonate, which is a type of mineral. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body. The shell is also made of a material called calcium carbonate, which is a type of mineral. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body.



Millipede

It's a creature with a hard shell. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body. The shell is also made of a material called calcium carbonate, which is a type of mineral. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body. The shell is also made of a material called calcium carbonate, which is a type of mineral. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body.



Spiny African flower mantis

A spiny African flower mantis is a creature with a hard shell. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body. The shell is also made of a material called calcium carbonate, which is a type of mineral. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body. The shell is also made of a material called calcium carbonate, which is a type of mineral. It's not as hard as the shell of a mollusk, but it's strong enough to protect the animal's body.

www.howitworks.com

www.howitworks.com

THE MAGAZINE THAT FEEDS MINDS

# HOW IT WORKS

INSIDE

GRAVITY  
THE FORCE THAT PULLS YOU BACK TO EARTH

## UNDERWATER WONDERS

HOW THE PLANET'S GREATEST BEASTS SURVIVE THE DEEP



**MUSCLE CARS**  
THE ENGINEERING INSIDE A POWERFUL STREET RACER

Go digital today

- Fully interactive editions
- Download direct to your device
- Save up to 40% off the regular price
- On-sale worldwide the same day as the print version



✓ Android phone ✓ Android tablet ✓ Apple Mac ✓ Windows PC

Save  
up to  
**40%**  
off regular print  
prices

Lobster  
Crustaceans are known for their  
vibrant red shells, but a new  
study of lobster eyes has  
revealed that they are actually  
transparent. Lobster eyes are  
transparent, but the light is  
reflected by the outer shell, making  
them appear red. When a lobster  
is cooked, the shell turns from  
blue-black to bright red.  
The reason for this is that  
the protein in the shell is  
denatured when exposed to heat.

THE MAGAZINE THAT FEEDS MINDS  
**HOW IT WORKS**  
SEARCH FOR  
NEW

**Android**  
magazine  
THE BEST  
TABLETS  
BY THIS  
ONE?

**Apps**  
magazine  
ESSENTIAL  
PHONE, PAD AND TABLET  
APPS

**iCreate**  
IMPROVE  
YOUR MAC  
GARAGEBAND  
MADE EASY

**games**  
**GOD OF WAR  
ASCENSION**  
15

Download and  
enjoy over 20 great  
magazines on your  
favourite topics...

- Technology • Creativity
- Videogames • Sci-fi
- Science & knowledge
- Digital Photography

Enjoy great magazines  
on every device from  
one amazing website

Get your digital copies now at

**[www.greatdigitalmags.com](http://www.greatdigitalmags.com)**





## Velociraptors debunked



### Welcome to... HISTORY

They are one of the most memorable characters from the Nineties blockbuster *Jurassic Park*, but how accurately were velociraptors portrayed? Also in History, take a tour around the world's most famous prison, Alcatraz, based on an island off California, before heading to the Victorian era to get up on the hazardous vocation of chimney sweeping.



75 Mosaics




79 Chimney sweeps



80 Alcatraz prison

- 76 Velociraptors
- 78 Making mosaics
- 78 Nautical capstans
- 79 Chimney sweeping
- 80 History of Alcatraz

LEARN MORE



"Velociraptor hunting techniques revolved largely around their speed and agility"

# Velociraptors

One of the most deadly dinosaurs, the velociraptor was an adept predator and scavenger, but not quite the creature Hollywood would have us believe...



Velociraptors have been ingrained in public consciousness since the 1993 movie *Jurassic Park* showcased them as the most fearsome of apex predators. Smart, lethal and bloodthirsty, the

velociraptors of the film arguably stole the show. However, the movie was famed for its indulgence of artistic licence, with palaeontologists bemoaning the lack of historical accuracy.

So what were these dinosaurs really like? Velociraptor, of which there are two verified species – *V mongoliensis* and *V osmolskae*, was a genus of dromaeosaurid ('running lizard') theropod dinosaur that lived in the Late Cretaceous period, about 75-71 million years ago. They were two metres (6.6 feet) long, just under a metre (three feet) high, feathered and bipedal, running on two of their three toes per foot. They were native to modern-day central Asia (notably Mongolia), where they built large, ground-based nests to protect their young.

Velociraptors, though often living in close proximity to one another, were largely solitary and, while certain finds suggest they could have teamed up while chasing their quarry, they were not pack hunters, with evidence showing they would fight among themselves for feeding rights. In addition, their staple diet consisted of animals of equal size and weight to

themselves or those smaller than them, with very little evidence suggesting they would attempt to bring down larger dinosaurs, such as the *Tyrannosaurus rex* à la *Jurassic Park*.

Velociraptor hunting techniques revolved largely around their speed and agility. They could accelerate up to 64 kilometres (40 miles) per hour and pounce long distances, as well as grip prey firmly with their unique, sickle-shaped claws (notably their enlarged 'killing claw'). These traits were partnered with a tendency to ambush prey, rather than tackle their victims face on or from long range (see the 'Slash or subdue?' boxout for more). Interestingly, however, while there's no doubt that velociraptors hunted live prey, unearthed fossilised evidence suggests they were also incredibly active scavengers, with the species frequently feeding on carrion (pterosaur bones have been found in velociraptor guts, for instance) and carcasses left over by other predators.

Velociraptors died out along with the remaining species of dromaeosauridae in the run up to, and as a result of, the Cretaceous-Tertiary mass-extinction event that occurred approximately 65.5 million years ago. Despite this, elements of their anatomy and appearance can still be seen today – albeit in heavily evolved forms – in many species of bird.



### Feathered fiend

**1** Contrary to popular depictions of velociraptors in films such as *Jurassic Park*, they would have in fact been covered in feathers, a trait that's been passed down to today's birds.

### Size matters

**2** Another falsehood perpetuated by Hollywood movies is the size of velociraptors. Far from being over three metres (9.9 feet) long, they were much closer to two metres (6.6 feet).

### Pack hunters

**3** Velociraptors didn't tend to hunt in packs. Evidence suggests various individuals did chase prey at the same time, but would then squabble among each other for 'first dibs'.

### American citizens

**4** Another myth perpetuated by the *Jurassic Park* franchise is that velociraptors lived in what is now the Americas. In fact, remains have only ever been discovered in central Asia.

### 'Philosoraptor'

**5** Unlike the super-intelligent velociraptors depicted in *Jurassic Park* – eg opening closed doors with their claws – they were likely only as smart as a primitive opossum.

**DID YOU KNOW?** Modern-day hawks and eagles attack their prey in a similar way to velociraptors

### The statistics...



#### Velociraptor

**Group:** Theropod  
**Family:** Dromaeosauridae  
**Length:** 2m (6.6ft)  
**Height:** 0.8m (2.5ft)  
**Weight:** 113kg (200lb)  
**Location:** Asia, eg Mongolia  
**Period:** Late Cretaceous

This is an accurate representation of a velociraptor, being covered in feathers and attacking prey smaller than itself

## Slash or subdue?

Did velociraptors use their sickle-shaped claws to disembowel prey or for some other purpose?

The majority of non-avian theropod dinosaurs are characterised by razor-sharp serrated teeth and talon-like recurved claws, the velociraptor being no exception. Armed with a bounty of claws on both its hands and feet, the velociraptor at first glance seems to be the perfect killing machine, capable of rapidly chasing down prey before shredding their flesh with one of their knife-like tools. Well, that was at least the commonly accepted theory among palaeontologists until late in 2011, before a new study by a team of international dinosaur experts suggested an entirely different use for them.

The study suggested that far from their claws – specifically the velociraptor's much-touted 'killing claws' – being used to shred and slice prey in order to kill them prior to consumption, they were far more likely to be used in a similar way to the talons of modern-day hawks and eagles. This entails the birds using their talons as a gripping tool, snaring prey of a lesser body size, pinning them down with their own body weight and then often consuming them live with their beaks.

This theory is seemingly backed up by the velociraptor's feet showing morphology consistent with a grasping function, supporting a prey immobilisation model rather than the originally assumed combative one.



A fossilised claw from a velociraptor. Recent evidence has emerged that has challenged the idea that this was used as a slashing weapon.

### Spine

The velociraptor's spine was S-shaped and very flexible, allowing it to shift position in a direction of great agility. It also enabled it to jump to a great height, so it could pounce on targets from afar.

### Tail

Long bony projections under the vertebrae, in partnership with ossified (semi-bone) tendons, stiffened the velociraptor's tail structure. This helped it maintain balance and turn quickly.

## Anatomy of a velociraptor

What physiological features made this dinosaur a natural-born killer?



### Legs

Velociraptors were bipedal dinosaurs and ran on only their left and right foot claws. Their legs were slender but with very elastic muscles, granting them speeds of up to 64km/h (40mph).

### Claws

A recurved, sickle-shaped claw was located on the second toe of each foot. These, as well as its other claws, were used to grip on to animals and gain purchase on the ground when running.

### Teeth

The velociraptor's jaw was lined with 28 widely spaced teeth on each side, with each one strongly serrated on the back edge far more than the front – a trait that helped it clamp on to prey once caught.





"Capstans still exist today, but they're usually driven by a motor or hydraulics"

# How mosaics were made

This ancient art dates back 5,000 years, but how were mosaics pieced together?



The first examples of decorative mosaics were found in a temple in modern-day Iraq and dated from 3000 BCE. Since that time, civilisations across the world have used mosaics. Romans named individual tiles

'tesserae', which were small pieces of stone, beads or any material that could be arranged to form an image. Colours were achieved using carefully selected stone or shell and, for more elaborate examples, coloured glass and stone coated in gold leaf.

In floor mosaics, a ground layer called statumen was packed with small pebbles onto which 25 centimetres (ten inches) of mortar called rudus was poured. A finer-grade rudus, known as nucleus, was poured on top of that and the design was etched into the surface, before the tesserae were set in place.

Mosaics were applied using one of three techniques: direct application to the surface for 3D objects; indirect application to a backing, before being transferred to a surface; or double indirect, a more complex indirect method in which the tiles could be laid as they would appear in the final work.



An Imperial Roman mosaic excavated at Zeugma, Turkey, known as 'The Gypsy Girl'

# Nautical capstans explained

Once vital to sailing ships, what functions did these lifting devices serve at sea?



Capstans are mechanical pulleys with a vertical axle. On classic sail ships, they're used to apply tension to ropes in order to hoist and hold sails in place. Early timber capstans had a basic ratchet with which to hold the force applied by the sailors, who levered the rope around the capstan by inserting metal bars through the top and hauling it around in a clockwise direction.

Come the Industrial Revolution (circa 1750-1850) the greater forces at play meant capstans made completely of iron were forged with gears in the head, which were designed to lift anchors and other heavy objects when turned anticlockwise. Capstans still exist today, but they're usually driven by a motor or hydraulics – especially in larger vessels where the elbow grease of several sailors can be replaced several times over at minimal cost. A winch is a form of nautical capstan that is used on smaller sailing boats and this is still generally powered by hand.



Royal Navy cadets training on the HMS



A capstan works in much the same way as a windlass, but the latter is based around a horizontal axle instead

© Corbis, Alamy



The world's tallest chimney/flue gas stack belongs to the GRES-2 Power Station in Kazakhstan. It's known as the 'Cigarette Lighter' and its height is used to more effectively disperse pollutants.

**DID YOU KNOW?** Chimney sweeping is still a profession today, but it's much more hi-tech, often using specialised cameras

# How did people sweep chimneys?

Why was this iconic trade of the 19th century in such high demand?



The occupation of chimney sweeping has often been romanticised, but in reality it was extremely arduous and dangerous work

## Occupational hazards

### Narrow climb

A 4.3m (14ft) ascent and narrow climb make the job suitable only for small children.

### Stuck fast

When shimmying up chimneys, sweeps were at risk of getting stuck with their knees jammed against their chins. Suffocation was a risk if they couldn't escape.

### Flue shape


The right angles of many flues made cleaning by long brushes difficult.

### Chimney pot

The flue narrows at the top and terminates in the chimney pot, or cap, which is too small even for a child to exit from.

### Suffocation

Tight angles meant that sometimes a heavy fall of soot could bury and suffocate the sweep.



The big cities of the 19th century – the likes of Paris, London and New York – were grim places to live in many ways. With mains gas and electricity available only in the latter half of the century and only to the well off, heating homes hadn't changed much in centuries. Solid fuels like wood and coal were burned in thousands of fireplaces, belching thick black smoke into the air, the heavier particles of which eventually settled to coat the city in a filmy black layer.

The smoke also coated the inside of the chimney – the flue – in soot and a tarry by-product called creosote. Over time, soot could thicken to the point of blocking the chimney, while the creosote could potentially ignite and send the whole building up in flames. It was the chimney sweep's job to help prevent this.

A master sweep would take on several apprentices to help him clear the soot with brushes. As the spaces the sweeps had to climb up were often tight – indeed, as little as 23 centimetres (nine inches) wide in places – small boys and girls were chosen.

These children – usually orphans from the local workhouse – were bound to the chimney sweep master until they reached adulthood. They would learn how to climb the treacherous bends and ascents of various chimneys and risk their lives on a daily basis. A long brush was used when possible, but often it didn't have the clearance and, besides, the chimney needed to be scraped smooth because the combined soot and flammable creosote content was a saleable commodity in itself.

Four years after London's Great Smog of 1952 – sometimes called the Big Smoke – the Clean Air Act was passed in the UK that, for the most part, put an end to the chimney sweep trade.

## A sweep wasn't so lucky...

As well as being ill-treated by their masters and often living in appalling conditions, a chimney sweep's apprentice risked their life every day. Narrow spaces meant they could get stuck, suffocate or fall to their death.

Worse still were the effects of the soot they worked with. Asthma and chest conditions were rife in the occupation, and there was also chimney sweep's cancer, a scrotal squamous-cell carcinoma brought on by

sweat accumulating soot around the groin. It produced sores that, in puberty, could invade the testes and eventually move up to the abdomen where it would prove fatal.

The brutality of a chimney sweep apprentice's life was recognised by many peers of the time and, in some places, sending kids up chimneys was forbidden. Regulation finally outlawed the use of children as sweep apprentices in 1875.





"Alcatraz gained its reputation because of its geographical location and its notorious inmates"

# What made Alcatraz prison so secure?

## How did The Rock earn its fearsome reputation?



Even when it was named La Isla de Los Alcatrazes in 1775, no one had anything nice to say about this nine-hectare (22-acre) island. It was barren, with hardly any soil or vegetation, no beaches, and a layer of guano coated its surface. The stratified rock made it difficult for people to build on and steep cliffs encircled by deadly currents made access a nightmare. It remained untouched for nearly another century before the US began to see the features for which the island had been shunned in a more positive light.

In 1859, Camp Alcatraz was established by the US Army as a garrison for 200 soldiers and armaments, but despite enduring the American Civil War, its guns were never fired. Alcatraz proved far more useful as a military prison for deserters, insubordinates and, of course, Confederate sympathisers.

A new block was built in 1909, which was modernised into a maximum-security prison when the army turned The Rock over to the Federal Bureau of Prisons in 1934. It's during the following 30-year period that Alcatraz became the most famous penitentiary in American – if not world – history.

Alcatraz gained its reputation because of its geographical location, its maximum-security status and its notorious inmates. Only 300 of the most disruptive and high-risk of federal prisoners were detained there, held under conditions so strict that anything other than food, medicine, shelter, legal representation and letters to family was considered a privilege to be earned by good behaviour.

Security was tight; only the elite of officers were posted at Alcatraz and prison procedures were run with military precision. Even if an inmate did manage to breach the walls, they still had a chilly stretch of water with treacherously strong currents to navigate before they reached the mainland. Alcatraz prison was closed in 1963 after a review concluded that operations were too expensive and its novel location had encouraged a 'circus' atmosphere.

## No one escapes from The Rock...

### Busting out of this max-security island prison was no mean feat

Over its three decades of operation, 36 prisoners made 14 escape attempts from Alcatraz, of which only five got away and all of these were presumed drowned. One of the better-known attempts was the 1946 'Blastout', where six inmates overpowered a guard, broke into the gun gallery and seized control of the cellhouse, from which they discovered they couldn't escape. A siege ensued that lasted for two days and culminated in a gun battle with the guards, aided by the US marines, who ultimately dropped grenades into the cellhouse to recapture it.

But perhaps the most famous attempt was depicted by the Clint Eastwood film *Escape From Alcatraz*. It was notable for its ingenuity. In 1962 Frank Morris and brothers John and Clarence Anglin used crudely fashioned tools to bore their way into the utility cavity behind their cells. They covered the holes with paintings, built rafts out of raincoats and modelled dummy heads with scraps of soap to avert suspicion until the morning, giving them time to make their getaway. They were never found and, though presumed dead, they are still wanted by the FBI.

### Powerhouse

The military prison had a maintenance tunnel that led from the cellhouse to the powerhouse. This was sealed by the prison authorities in 1934.

### Water tower

The Rock's tallest and most visible feature recently received a \$1.1m (£0.7m) makeover.

### Recreation yard

As per Alcatraz regulation #5, access to the recreation yard was considered a privilege.

### Mess hall

To minimise the movement of inmates, the dining area was located inside the cellhouse.

### Main cellhouse

Alcatraz prison housed up to 312 of America's most dangerous criminals, outnumbering the guards by around 4:1.





## 1. SMALLEST



## Sark prison

Located on the tiny Channel Island, this is thought to be the most diminutive jailhouse in the world. It can only hold a maximum of two people.

## 2. MOST HOMELY



## San Pedro prison

Found in La Paz, Bolivia, this prison is more like its own little neighbourhood with restaurants, a school and even a hotel.

## 3. SWANKIEST




## Justizzentrum Leoben

One of the most luxurious jails must be the glass and stainless steel Justice Centre in Leoben, Austria, a joint prison/court complex.

**DID YOU KNOW?** Alcatraz was named after the birds that once inhabited the island, derived from the Spanish for pelican

### 'Broadway'

The cellhouse's central aisle was affectionately named after the Big Apple's theatre district.



### Gun galleries

Guards on the floor weren't allowed firearms. Instead, officers armed with rifles controlled the floor from these secure balconies.

### Basement

The shower block and storage were located here, plus an area for solitary confinement left over from Alcatraz's military days.

### Officers' club

A place for prison officers to unwind. It included a soda fountain and a bar.

### Residential apartments

Homes were provided here for up to 64 officers and their families.

### Boat dock

As a state penitentiary, no unauthorised vessel was permitted within 183m (600ft) of Alcatraz and no one was allowed ashore without a permit.

## Rogues' gallery

Alcatraz was designed to house America's most notorious and dangerous criminals, partly to isolate the highest-profile inmates from influencing residents in other prisons and partly to stand as a high-visibility example. Alcatraz's most infamous inmate was Chicago underworld kingpin Al Capone, who terrorised parts of the US between the Twenties and early-Thirties. He was incarcerated at Alcatraz in 1934 and transferred to Terminal Island Correctional Institution in 1939, with a fraction of the influence he had during the Prohibition era.

Other notable criminals who succumbed to the full force of the US penal system included kidnapper George 'Machine Gun' Kelly, Bonnie and Clyde accomplice and bank robber Floyd Hamilton, Ma Barker gang member Alvin 'Creepy' Karpis and murderer Robert 'Birdman' Stroud, who was portrayed in the 1962 film classic *The Birdman of Alcatraz* by Burt Lancaster.



The notorious crime boss Al Capone served just over six years at Alcatraz

### Sally port

The cellhouse entrance led past a bank of metal detectors to the visiting room. The armoury and warden's office were close at hand.




# BRAIN DUMP

Because enquiring minds want to know...


## MEET THE EXPERTS

Who's answering your questions this month?


**Luis Villazon**

 Luis has a degree in Zoology from Oxford University and another in Real-time Computing. He's been writing about science and tech for years. His sci-fi novel *A Jar Of Wasps* is published by Anarchy Books.

**Shanna Freeman**

 When Shanna isn't researching and writing about the latest in the fields of space and science, she's mother to a precocious and very active toddler who has started to ask tough questions of her own.

**Rik Sargent**

 Rik is an outreach officer at the Institute of Physics where he works on a variety of projects aimed at bringing physics into the public realm. His favourite part of the job is travelling to outdoor events and demonstrating 'physics busking'.

**Mike Anderiesz**

 Long-time *How It Works* contributor and seasoned tech and computing journalist Mike has 15 years' experience of explaining the ins and outs of the most cutting-edge gadgets, hardware and home entertainment products.

**Aneel Bhangu**

 Aneel is a training academicsurgeon working in London. His research interests include advanced cancers and medical statistics, with his clinical interests including planned surgery for rectal cancers and emergency surgery for trauma.



## Ask your questions

Send us your queries using one of the methods opposite and we'll get them answered

## What's stopping us from building a tower that goes up to space?


**James Graham**

■ The main challenge in building a tower which extends past the upper reach of Earth's atmosphere is there are currently no known materials that would be strong enough not to buckle under their own weight. However, this hasn't stopped many scientists and engineers devising ways that it could be possible, along with high-profile bodies such as NASA investing in research into how it could be done. The accepted view of how this might work involves building from the top down where the top would be a large mass in geosynchronous orbit around Earth (orbiting the planet yet staying in the same position at all times). The 'tower' would most likely be a thin yet strong cable or tether that could be climbed by mechanical means to deliver payloads into space. Building from the top down (towards the ground) would need to be balanced by building up (away from Earth), where the upwards building would act as a counterweight to keep the geosynchronous orbit in check. Exciting developments in the manufacture of new materials such as carbon nanotubes – extremely strong for how little they weigh – could be the perfect candidate. However, finding the huge amount of carbon that we would need is the next hurdle to overcome.

**Rik Sargent**







Edwin Hubble confirmed the universe is continually shifting in the early-Twenties

## Every object absorbs some colours and reflects the colour that we can see, but do the absorbed ones have any effect?

**Gayan Madusanka**

■ The different colours we see represent a spectrum of wavelengths and frequencies of light. If a jumper is red then it reflects frequencies associated with red light, while absorbing the other colours. An important property of a material that determines which colours it will reflect or absorb is the resonant frequency of its electrons. Different electrons have different frequencies at which they like to vibrate – a bit like how a tuning fork always plays the same note when struck. This resonant frequency dictates the preference of electrons to absorb or reflect various colours, or frequencies, of light. The energy from light that they absorb is most commonly transferred to vibration energy in the atoms, meaning the material heats up, but only nominally.

**Rik Sargent**

## What makes the wind blow?

**Luke Knight (11)**

■ Wind is the movement of large bodies of air. Air is made up of gas molecules and those molecules are already whizzing around – that's what makes air a gas instead of a solid. But the motion of individual molecules is chaotic. They are constantly bouncing off one another and changing direction. When you add all the trillions of tiny collisions together, you get an overall pressure that increases as the temperature rises, because the molecules are moving faster. Air at the equator gets heated by the Sun more than air at the poles so it exerts a greater pressure and pushes the colder air out of the way. Because the Earth is also rotating, the atmosphere gets pulled into huge vortices. These rotating pressure systems move across the planet and we feel the result as wind. The exact pattern of the wind is further complicated by differences between the temperature of the land and sea, obstructions from mountains and buildings and even the energy released when water vapour condenses as rain. This is why predicting the weather is so hard!

**Luis Villazon**

**Can we eat ostrich eggs?** Find out on page 114

## If the cosmos is always expanding, what is it expanding into?

**Faye Atkinson**

■ We've known since 1922 that the universe has been changing since it came into being, but we're still not sure about all the details. A better word might be stretching, rather than expanding. If the cosmos is infinite, then it's always been infinite and it will stretch forever; it's not expanding into anything. If it's finite, it may be stretching out something else, but we can only postulate. Currently astronomers believe the universe is either infinite or somehow folds back on itself.

**Shanna Freeman**

## Who made the first QWERTY keyboard?

**Oisin Goddard (10)**

■ Modern keyboards are based on the system devised for the very first typewriter, patented in 1873 by the Milwaukee printer Christopher Latham Sholes. His model used a piano-style keyboard of two rows of keys arranged alphabetically. This ran into problems when the metal typebars linked to the keys jammed if pressed too quickly. The solution was to separate commonly used letter pairs like 'th' so the typebars jammed less often. This system was called QWERTY, after the first letters of the top row. Contrary to popular myth, it wasn't intended to deliberately slow down typists, but rather help them work more efficiently. After Remington picked up the manufacturing rights to Sholes' typewriter, the QWERTY system was continually modified, shifting the position of less important keys and adding new ones. The whole QWERTY system took on a new life with the advent of electronic typewriters before IBM adopted it in the Sixties for its first PC keyboards. Since then, there have been many improvements, such as the addition of function keys.

**Mike Anderiesz**



The QWERTY keyboard in its original form on a Sholes typewriter



# BRAIN DUMP

Because enquiring minds want to know...

Why do we see faces in clouds?

Check out our page 83

Want answers?

Send us your questions using one of the methods opposite and we'll get them answered

## Where does light end up when it enters a black hole?

Anshuman Saha

Many have grappled with this question since the Thirties when it became widely accepted that black holes might exist. Einstein's theory of general relativity tells us that all mass deforms space and time, causing paths taken by particles to bend towards the mass. At the event horizon of a black hole - the boundary in space-time through which

matter and light cannot escape once crossed - the curvature of space and time is so strong, there are simply no paths that lead away from the black hole. Once matter or light has crossed the event horizon, it becomes impossible to determine what happens to it afterwards, since information from that event can never reach an outside observer.

Rik Sargent

## Can we eat ostrich eggs?

Vince Dawes

Not only can you eat them but they are delicious, surprisingly healthy and available online or even in certain supermarkets. Ostrich eggs contain more magnesium and iron, a lot less cholesterol and a little less saturated fat than the equivalent serving of chicken eggs. They provide less vitamin A and E and less zinc, but that's not really the problem with adding them to a balanced diet - it's the practicality. Ostrich eggs typically weigh around 1.4 kilograms (three pounds), the equivalent of two dozen chicken eggs. They also take up to 90 minutes to hard boil and, at 2,000-plus calories per egg, will need 15 very peckish adults to finish. Oh, and you'll probably need a chisel or electric drill to break into the shell too!

Mike Anderiesz




## Why do Persian cats have flat faces?

Mishak Heyman

Not all Persian cats do have flat faces - the traditional, or doll-faced Persian, actually has a muzzle. In the late-Fifties, some cat fanciers decided a spontaneous mutation was a desirable trait, and began breeding Persians to have shorter and shorter muzzles until they had high noses and flat faces. This ultra-typed Persian cat became the breed standard according to the Cat Fanciers' Association. At its most extreme, a Persian cat with these features runs the risk of having deformed tear ducts and perpetually runny eyes, so some are calling for a return to the traditional breed.

Shanna Freeman



## If I touch something really hot, why is there a noticeable delay before I feel it, and why does it feel cold at first?

Robert Ansil

The spinal cord runs in two directions: towards the brain (receptors) and down to the muscles (effectors). An upwards-running pathway, called the spinothalamic tract, detects pain and temperature. There are both hot and cold receptors in the skin. When you touch something extremely hot, it can cause 'over-stimulation', meaning that both hot and cold receptors are activated, as well as pain receptors. If the cold message travels back to your brain first, it will get there moments before the hot sensation. However, this phenomenon certainly doesn't affect everyone. No matter what you sense, a reflex arc will stimulate your muscles and force you to withdraw your limb in under a second.

Aneel Bhangu





## Why doesn't NASA take parts into Earth orbit and build a spaceship to go to Mars up there, like the ISS?

**Stefan Rogers-Coltman**

■ There are a few reasons why we haven't sent a manned flight to a planet like Mars yet. The distance is one. At their closest Mars and Earth are still 80.5 billion kilometres (50 billion miles) away, or about seven months. They'll need supplies on board for all that time. Even if advances in rocketry can reduce the time, once on Mars astronauts will have to wait up to a year and a half to return, when the orbits of the planets align just so. A spaceship big enough to contain all the necessary supplies would be too big to

launch from Earth's gravity given our current technology, so we could theoretically build on the Moon or in orbit. But launching parts up over time like that could get expensive. Beyond these issues, astronauts going to Mars would be exposed to high levels of radiation as well as suffer the effects of microgravity (losing about one per cent of their bone mass each month). There would be psychological fallout from being so far from home too.  
**Shanna Freeman**


Building a spaceship in orbit (like the ISS) is a sound idea, but other factors like cost are always a major consideration

## What is the Farallon Plate?

**Andrew John**

■ During the Permian period, about 300 million years ago, all of the Earth's landmass was joined together into a single continent called Pangaea. What would eventually become the Americas was on the west coast of Pangaea and the tectonic plate that comprised the seabed that lay to the west of that is known as the Farallon Plate by geologists. When Pangaea began to break up about 200 million years ago, the Farallon Plate slid under North America and into the Earth's mantle. This caused the land above it to buckle upwards to form the Rocky Mountains. The Farallon Islands, 43 kilometres (27 miles) west of San Francisco, are all that is left of the Farallon Plate, which will slide completely beneath America in another 5 million or so years.

**Luis Villazon**



## What is pareidolia?

**Farouk Patek**

■ Do you ever think you can see your best friend's face in the clouds? What about the Man in the Moon? This is an incompletely understood phenomenon called pareidolia. Many theories exist to explain it, including religious, scientific, evolutionary and psychological explanations. The most likely is that the complex human brain attempts to make patterns out of random data as it tries to interpret it. Evolutionary theories suggest we are pre-programmed to recognise faces, both for protection and defence. Religious theories suggest these patterns come from higher sources. This includes a woman who saw the face of Jesus on a tortilla in 1978; thousands trekked to rural New Mexico to worship it.

**Aneel Bhangu**

**Why's the Arctic Ocean so flat?** Find out on page 111



# BRAIN DUMP

Because enquiring minds want to know...

What exists in intergalactic space?

Check out on page 87

Want answers?

Send us your questions using one of the methods opposite and we'll get them answered

## Why are there so few waves in the Arctic?

**Sarah Jameson**

■ The Arctic Ocean is already the smallest of the oceans and it is tightly contained by the landmasses of Russia, Alaska, Canada and northern Europe. This means that large ocean swells from storms around the world don't penetrate the Arctic. In winter virtually the entire surface is frozen and even in

summer, ice covers all the deep water in the centre. Without a central landmass - like Antarctica - the Arctic has little temperature variation throughout the year and thus relatively calm weather. The only waves in the Arctic are raised by local winds and generally don't travel very far.

**Luis Villazon**

## Does TV static really have ties to the birth of the universe?

**Lucy Blee**

■ Funnily enough, the answer to this is yes and no... Yes, a certain amount of the 'white noise' you see when TV channels are mistuned can be attributed to cosmic background radiation (CBR) - taken as some of the best proof we have of the Big Bang theory. However, other factors included in TV interference are sparks, lightning and solar radiation. And no because as the digital switchover reaches completion in 2013, our televisions will lose their ability to randomly pick up CBR through analogue interference. So if you want to see some aspect of the origins of the universe nearly 13.7 billion years ago, catch it while you can!

**Mike Anderiesz**



## Do other mammals have different 'typical' blood pressures to humans?

**Oris Aderibor**

■ Blood pressure is partially dependent on height and weight, as well as on the size of the arteries and veins. In general, the larger the animal, the higher the blood pressure. For example, a mouse has a blood pressure of about 120/80 mmHg, while a human being might be considered to be 120/80 mmHg. However, if you look at an elephant, it would be 180/120 mmHg. To counter this, elephants have much thicker blood vessels and a stronger heart to pump the blood to the top of their body.

be. While dogs and cats have similar ranges to human beings, elephants have a much higher average blood pressure to keep their much larger vessels open. While a normal adult human being might be considered to be 120/80 mmHg, the average of readings in an elephant is 180/120 mmHg. To counter this, elephants have much thicker blood vessels and a stronger heart to pump the blood to the top of their body.

**Aneel Bhangu**



The general rule is that the bigger the animal, the higher the blood pressure.

## Why does coffee give some people headaches?


**Adam Harrison**

■ Caffeine is a common stimulant that acts on the central nervous system. Most people know that caffeine comes in tea, coffee, some fizzy drinks and chocolate, but it's in many medicines too. It's also sold in stimulant tablets that some people take to stay awake. Caffeine can both cause and relieve headaches. When in medications, it acts to improve absorption of the other substances in the product, while also causing blood vessels in the brain to constrict slightly, which can relieve headaches caused by dilated veins (eg migraines). However caffeine can also cause headaches; in fact, it's the caffeine withdrawal that causes the pain. Since caffeine normally induces vasoconstriction of the blood vessels in the brain, a sudden lack of it leads to vasodilation (ie the blood vessels swell). This can give a 'pounding' headache, which is relieved as soon as you have some caffeine. It's not just the heavy coffee drinkers who get this; some people can become 'addicted' to very small amounts of daily caffeine.

**Aneel Bhangu**








## If you jump up on a moving plane, why don't you land farther up the aisle than where you leapt from?

**Nathan Young**

■ If you jump straight up on a moving plane you will land on the same spot you initially jumped from because the air – and indeed everything else inside the craft – is moving at the same speed as the plane. If it were possible for a stationary observer outside to see you jump, they would witness you moving forward through the air at the same speed as the aeroplane during your leap. Of course, this assumes the plane is moving at a constant speed. If you were to attempt a jump while the aircraft was speeding up or slowing down – and we're certainly not recommending you do! – you wouldn't land in the same spot.

**Rik Sargent**



## Why do sloths generally hang upside down?

**Ross Gordon**

■ Sloths eat leaves with very little nutritional value; in fact, it takes up to a month for their food to digest. To compensate, they have a metabolic rate about half that of other mammals their size. Since they can't run away from predators or fight them off easily, they hide instead. Hanging below branches makes them less visible to harpy eagles and their claws can grip the branch without using any energy – indeed, sloths won't fall from a tree even if they're shot! Sloths spend so much time upside down that their fur lies the opposite way to most mammals, growing from the paws up to the body.

**Luis Villazon**

## What lies between the galaxies?

**Sam Smith**

■ Intergalactic space is what lies between the galaxies and many experts believe it to be filled with some kind of super-thin gas. Then again, there is also the theorised dark matter, the mysterious substance that emits neither light nor radiation and is estimated to account for around 85 per cent of the matter in most galaxies. Recent breakthroughs at the Large Hadron Collider could one day throw much more light on this and other questions about the formation and structure of the universe – but until someone accurately measures either dark matter or intergalactic space itself, it's all just theory.

**Mike Anderiesz**





# THE KNOWLEDGE

GAMES / BOOKS / GADGETS / TOYS

FOR CONNOISSEURS OF KIT AND SAVANTS OF STUFF

## USB typewriter

Price: £458/\$699

Get it from: [www.usbtypewriter.com](http://www.usbtypewriter.com)

We are currently typing this review, to the great consternation of the rest of the team, with a USB typewriter. That is to say, an old typewriter that's been converted into a USB keyboard. It's wacky, we'll give it that, and it's also quite functional, with a Back Space key and an old-style return (complete with typewriter 'ping') acting as expected with any digital document. It's enormously inefficient compared to a standard USB keyboard and a fully converted antique typewriter could set you back several hundred pounds, although you can buy the USB kit and convert your own typewriter for under £50 (\$80). It's compatible with some tablet devices too, another string to the bow of a gadget that will appeal to novelty lovers.

## Raspberry Pi

Price: £25.92/\$25

Get it from: [www.raspberrypi.org](http://www.raspberrypi.org)

A rather tasty slice of tech emerged earlier this year called the Raspberry Pi. It's essentially a very small (credit card-sized) yet elegant computing solution that lets you do pretty much anything you could with a normal PC. And because the brains behind the device worked hard to minimise the production cost, it's also very cheap. The snag? Well, apart from high demand making it short in supply, the Raspberry Pi is effectively a bare-bones computer. But it doesn't take a rocket scientist to get to grips with the basics. If you're comfortable installing your own operating system then you should be fine setting up a Raspberry Pi as a tiny media system, console or for dozens of other uses. You will need an SD card for storage and a possible chassis (available separately), but gram for gram, this has to be the most versatile computer in the world.

## Optical Illusions

Price: £15.99/\$19.99

Get it from: [www.dk.com](http://www.dk.com)

DK's *Optical Illusions* hardcover can't hope to replicate the same impact of a street artist working their perspective magic on the pavement, but this 30-page book is still capable of captivating even the most jaded souls. Within are several dozen optical illusions from old classics to newer designs that have emerged over the decades with advances in our understanding of how the brain and eyes work. *Optical Illusions* is suggested for 7-12 year olds, but it's quite capable of engaging anyone of any age for half an hour or so.

### HOW IT WORKS

#### TYPEWRITER TECH

A mechanical keyboard is connected to a basket of typebars. When pressed, it's guided by a segment channel up to the unit's ribbon. When struck by the head of the typebar the corresponding ink-covered letter is printed onto the sheet of paper.

## Tiki USB microphone

Price: £59.99/\$59.99

Get it from: [www.bluemic.com](http://www.bluemic.com)

Noise-cancelling and intelligent sound used to be the exclusive domain of headphones and headsets – but not any more. Those looking for high-quality recording from their portable mic would do well to consider the Tiki USB microphone. It switches from intelligent speech mode to natural recording, an ideal solution for Skype or conference calling and recording acoustic audio sounds, respectively, eliminating unwanted background noise and all the while enhancing the targeted audio. It's money worth spending if you can't risk your audio being spoiled by lo-fi technology.

### HOW IT WORKS

#### PI ORIGINS

This device was invented by the Raspberry Pi Foundation, a charity set up by Cambridge University colleagues in order to promote computer science and amateur programming.

### HOW IT WORKS

#### HOW MICROPHONES WORK

Sound vibrates a thin diaphragm of material, which transfers this energy into other components that convert it into an electrical signal. Mics are transducers – devices that convert energy from one form into another.



#### HOW IT WORKS

##### STREET ILLUSIONS

Optical illusions have become hugely popular among street artists recently, who use converging lines and shadows in their art to trick our brains into perceiving holes in the road, deep pools and more.

# OPTICAL ILLUSIONS

## Bayan Audio 3 speaker dock

Price: £159.99/\$N/A

Get it from: [www.bayanaudio.com](http://www.bayanaudio.com)

A beefy base and good-quality amplified sound are generally the main requirements of a speaker dock. On that basis, the Bayan Audio 3 should meet your needs, although you do get more than that. In the same way that bigger audio systems emulate surround sound, this device emulates stereo while adjusting for the effects of potential interference from mobile phone and other radio signals. It's sturdy too and, though we can't say it would suit all as a replacement for a home stereo system, you get a lot of boom for your buck.

#### HOW IT WORKS

##### IPHONE DOCK CHARGING

Apple iPod and iPhone dock adaptors exist that allow you to charge newer Apple devices in old docks. These work by sitting on top of the dock and re-routing the power from the old pin configuration to the pins of your new device.

Bayan Audio

#### HOW IT WORKS

##### HOW HELICOPTERS FLY

Regardless of whether it's a model or a full-scale chopper, helicopters obey the same rules of physics. The angled rotor spins and cuts the air, pushing it downward and causing the helicopter to lift.

## Helo TC Assault

Price: £49.99/\$59.99

Get it from: [www.griffintechology.com](http://www.griffintechology.com)


We'll take any excuse to play with toys in the office, especially flying ones capable of irritating the rest of the *How It Works* team! Stick four AAA batteries into the Helo TC Assault's flight transceiver, download the free app to any iPhone, iPad or smartphone device and you're ready to take off. The controls are straightforward enough: a tactile slider on your device's touchscreen

accelerates the rotors while a virtual joystick and buttons control pitch, yaw and direction. That's the theory anyway... The TC Assault suffers from the same problem as other remote-controlled choppers. Holding it aloft and flying it in the direction you want it to go for more than a second or so is impossible - it's like trying to stop a helium balloon on a string from doing what it wants in a crosswind. The TC Assault does shoot twin plastic missiles on command though, which by the sheer merit of annoying your workmates goes a long way towards redeeming this toy.

# APPS OF THE MONTH

How to find the best Apps

Magazine: [www.knowyourapps.com](http://www.knowyourapps.com)



## iPad: Creatures of Light

Price: Free

Developer: American Museum of Natural History Entertainment Ltd

Version: 1 Size: 484MB Rated: 4+

Creatures of Light came to be thanks to the American Museum of Natural History, and a new

exhibition celebrating natural bioluminescence. A large portion of the app is dedicated to immersive diagrams and animations of the science behind this phenomenon, making the entire subject feel more accessible, which helps you to appreciate the information and images of firefly shows even more. The interface is also not to be scoffed at, with animated backgrounds on a lot of the text-heavy screens to help prevent the app becoming too serious.

Verdict: ★★★★★

## iPhone: Camera Awesome

Price: Free

Developer: SmugMug

Version: 1.04 Size: 18.1MB

Rated: 4+

Camera Awesome seems to have taken its inspiration from Doctor Who's TARDIS, in that from the outside it looks like a standard photo-editing app, but open it and you're presented with a much larger world. The Awesomize feature alone comes with a host of scrollbars to modify your snaps. It appears developer SmugMug has thought of everything.

Verdict: ★★★★★



How to find the best Apps  
[www.knowyourapps.com](http://www.knowyourapps.com)



# The multi award-winning **MULTIFORMAT** games magazine

■ Written  
by gamers  
for gamers

■ The  
UK's most  
respected  
videogame  
magazine

■ Massive  
section  
dedicated to  
retro games



## Get your copy today

✓ Print    ✓ iPad  
✓ iPhone    ✓ Android



Quality print edition on sale at **imagineshop**.co.uk  
Interactive digital edition on all platforms on sale at  
**www.greatdigitalmags.com**






# GROUP TEST

PUTTING PRODUCTS THROUGH THEIR PACES

## Soundbar audio

Those tinny flatscreen speakers just won't cut it any more – let's get serious about sound...



### Orbitsound T9

Price: £199/\$N/A

Get it from: [www.orbitsound.com](http://www.orbitsound.com)

A hell of a kick comes out of these little boxes, which straddle the line between high-end dock and mid-low TV audio. Apparently the shorter and more horizontally aligned of the Orbitsound T9's main components qualifies as a mini-speaker bar, though there's little difference between this and many an iPod dock we've reviewed. It's nothing to complain about though, especially once the T9 is turned on. It has a respectable punch to the audio and the kind of bass bound to have your neighbours a-knocking if it's past the 11pm threshold. Orbitsound's spatial sound technology means stereo audio will follow you wherever you are in the room, and a dock allows for easy smartphone and Apple device playback, with standard line-in and a surprising digital optical feed for higher-tech audio. The T9 does tend to distort when it approaches maximum volume, but this is a compact device designed for games consoles and bedroom setups rather than full home cinema systems, so this shortcoming is easily excused.

Verdict: ★★★★★

### Roth Sub Zero

Price: £149/\$N/A

Get it from: [www.rothaudio.co.uk](http://www.rothaudio.co.uk)

It's refreshing to see a British tech company present a challenge to the audio giants. Roth's answer to the terrible state of affairs that are flatscreen TV-integrated speakers is the Sub Zero. And if simplicity equals cool, then this soundbar easily deserves its name. Plug the audio into the Sub Zero, then the Sub Zero into its power source and you're in business. Not that Roth's follow-up to the BAR 1 is an unsophisticated piece of kit – it's just very well designed. Mini jack, RCA or optical, all input functions can be selected with or without the supplied remote so you can be up and running in less than a minute of getting the Sub Zero out of its box. The sound quality really belies the price too: it's equal to anything we've heard that's half the Sub Zero's RRP again, with a warm bass and incredibly unmuddied mid-tones coming from an integrated subwoofer system. It might not be a brand you're familiar with, but don't allow the suspiciously reasonable price tag to set the alarm bells ringing – the Roth Sub Zero is a bona fide bargain.

Verdict: ★★★★★

### Yamaha YHT S401

Price: £399/\$699.95

Get it from: <http://yamaha.com>

Nudging the brink of mid-range audio is Yamaha's YHT S401 with some impressive stats. It has a 250-Watt total output plus a 100-Watt subwoofer, several inputs that include multiple HDMI and digital optical, several sound modes, FM tuner and 7.1 surround tech. It's not true surround sound, of course, but the Air Surround Xtreme (not to be confused with IntelliBeam technology) is Yamaha's slant on the kind of acoustic magic available today that tricks your ears into thinking you're immersed in sound. It's no dead ringer for a quality 7.1 speaker setup, but it is head and shoulders above a standard stereo soundbar. Plus, rear speakers are an optional add-on, so you can connect them for a true 5.1 system. The woofer is reassuringly heavy and the tri-speaker bar will span the length of most flatscreen TVs, but that's only a testament to the kind of sound this system puts out. Even if, when pushed to high volume, the bass tends to drown out other sounds, it's a tasty bit of kit so long as you're happy to shell out a little more cash.

Verdict: ★★★★★



# HOW IT WORKS SUBSCRIPTION

☒ YES! I would like to subscribe to How It Works

## Your details

Title \_\_\_\_\_ First name \_\_\_\_\_  
Surname \_\_\_\_\_  
Address \_\_\_\_\_  
Postcode \_\_\_\_\_ Country \_\_\_\_\_  
Telephone number \_\_\_\_\_  
Mobile number \_\_\_\_\_  
Email address \_\_\_\_\_

Please complete your email address to receive news and special offers from us

## Direct Debit payment

☐ UK Direct Debit payment

- Yes! I would like to subscribe to How It Works magazine for £17.95 (saving 25%) every 6 issues plus receive a FREE DVD worth £19.99.

Instruction to your Bank or Building Society to pay by Direct Debit		DIRECT DEBIT
<p>NAME AND FULL POSTAL ADDRESS OF YOUR BANK OR BUILDING SOCIETY</p> <p>In: The Manager _____ Bank/Building Society _____</p> <p>Address _____</p> <p>Postcode _____</p> <p>Number of account holder(s) _____</p> <p>Branch sort code _____</p> <p>Bank/Building Society account number _____</p>		
<p>Originator's Identification Number</p> <p>5 0 1 8 8 4</p> <p>Signature &amp; Date</p> <p>Signature _____</p> <p>Date _____</p>		<p>Bank and Building Societies may not accept Direct Debit instructions for some types of account</p> <p>All instructions form</p>

## Payment details 13-ISSUE SUBSCRIPTION PLUS DVD

☐ UK - £41.00 (Save 20%) ☐ Europe - £50.00 ☐ World - £60.00

## Cheque

☐ I enclose a cheque for £ \_\_\_\_\_

(made payable to Imagine Publishing Ltd)

## Credit/Debit Card

☐ Visa ☐ Mastercard ☐ Amex ☐ Maestro

Card number \_\_\_\_\_ Expiry date \_\_\_\_\_

Security number \_\_\_\_\_ (last three digits on the strip at the back of the card)

Issue number \_\_\_\_\_ (if Maestro)

Signed \_\_\_\_\_

Date \_\_\_\_\_

Code: PBF038

☐ Tick this box if you do not wish to receive any promotional material from Imagine Publishing Ltd

☐ Tick this box if you do not wish to receive promotional material from third companies

Valid until 31 December 2011. This offer is available to new UK and overseas standard priced subscriptions when ordering using the code 'PBF038'. This offer expires 31/12/2011. I would like my subscription to start from issue \_\_\_\_\_

Return this form to: How It Works Subscriptions, 800 Guillat Avenue, Kent Science Park, Sittingbourne, Kent ME9 8GU or email it to [howitworks@servicehelpline.co.uk](mailto:howitworks@servicehelpline.co.uk).

## \*Terms & conditions

This offer will require new UK and overseas subscribers to receive the first 12 issues of How It Works free on disc (worth £19.99). UK subscribers must pay £17.95 per issue thereafter. Subscribers can cancel this subscription at any time. New subscribers will start from the next available issue. Offer code PBF038 must be quoted to receive this special subscription price. Details of our direct debit guarantee are available on page 10. This offer expires 31 December 2011. Stocks are limited and Imagine Publishing reserves the right to withdraw this offer at any time.

To manage your subscriber account visit **www.imaginesubs.co.uk** & enter your subscriber ID

# 3 EASY WAYS TO SUBSCRIBE

## 1. Online

[www.imaginesubs.co.uk/hiw](http://www.imaginesubs.co.uk/hiw)  
and enter code PBF038

## 2. Telephone

0844 815 5944

Overseas: +44 (0) 1795 418680

## 3. Post or email

Please complete and post the form to:

How It Works Subscriptions  
800 Guillat Avenue  
Kent Science Park  
Sittingbourne  
ME9 8GU

Alternatively, you can scan  
and email the form to:  
[howitworks@servicehelpline.co.uk](mailto:howitworks@servicehelpline.co.uk)



**USA readers**  
See page 34  
for our special  
offer



# Subscribe today and receive an interactive DVD worth **£19.99\***



## Why subscribe?

- Get a FREE interactive DVD which includes the first 12 issues
- Save 25% off the cover price – making each issue just £2.99 (saving £13 per year)
- Free UK postage and packaging
- Never miss an issue – receive each magazine before it goes on sale in stores

**Free  
gift worth  
£19.99**

**Includes  
all the  
sold-out  
issues**



# HOW TO...

Essential skills for surviving in the modern world delivered step by step

Want us to tell you how? All Ideas welcome!

Facebook:  
How It Works

Twitter:  
@HowItWorksmag

Email:  
howitworks@imagine-publishing.co.uk

Web:  
www.howitworksdaily.com

## FELL A TREE WITH A CHAINSAW

Follow these simple steps and you'll be a lumberjack in no time

### 1 Groundwork

First of all, a fall path must be determined. This is where the tree will drop once cut and, ideally, should be devoid of other trees, rocks and buildings, etc. It's crucial to weigh up all eventualities, and if a tree could potentially fall on a number of objects it's best left for a professional. Note: it's always easier to make a tree fall in the direction it's already leaning.



### 2 Notch

With the fall path – and a retreat path – worked out, put on your safety gear. Next, you need to make a notch, a wedge-shaped incision in the direction you want it to fall. There are different types of notches, but here we'll use the Humboldt. Take the chainsaw and cut into the tree horizontally at waist level to roughly a third of the trunk's diameter. Then cut once more beneath the initial incision at an angle so you get a V-shaped, 45-degree-plus wedge.

### 3 Backcut

You should now be able to remove the notch easily. Inspect its cleanliness as inconsistencies can affect the direction the tree falls. If all is well we can make the final backcut. This is made on the opposite side of the trunk to the notch and should run horizontally through it at the same level as the notch's top edge. Importantly, when cutting, you need to stop when there is one-tenth of the tree stump left between the notch and the backcut.

### 4 Timber!

As soon as you have this small slice of trunk between the notch and the backcut it's time to get out of there! The direction of a safe retreat from any tree should be diagonal – never move directly back as when it falls it can generate kickback. As for distance? The farther the better, as falling trees can create a lot of noise and collateral damage. Now's your chance to yell "Timber!" as a final warning.

### 5 Bucking

If all has gone to plan your tree is now safely on the ground. But the real work has just begun as now the tree needs to be limbed – the removal of all its branches – and then bucked – the sawing of it into logs. Always stand on the uphill side of the lumber just in case it rolls.

## FLY AN APACHE HELICOPTER



How It Works gets some hot tips from Apache pilot Captain Alex Harris of 4 Regiment Army Air Corps on flying one of the planet's most cutting-edge choppers

### 1 How do you get off the ground in an Apache?

We can take off vertically into the hover like any other helicopter, but when we are heavily laden we prefer to conduct a running takeoff, using a runway like an aeroplane. For both techniques we will pull the collective lever up to increase power from the engines and change the angle of attack of the rotor blades, which together generate more lift. When the helicopter's lift is greater than the weight, we go up!

### 2 Tell us about some of the unique instrumentation within this helicopter.

The British Army's version of the Apache is very advanced. All the instrumentation is displayed on glass screens and the crew can switch between the instruments and data displayed depending on the needs of the mission. There are cameras on the front of the aircraft that display an infrared picture to us through the monocular over

our right eye. We use this image both for flying and operating the Apache's weapon systems. Our helmets have sensors in them allowing us to slave the cameras and the gun to point wherever our heads are facing.

### 3 How are the Apache's weapons deployed?

We have three sights that we can use to fire the weapons: the helmet-mounted display (HMD), the Modernised Target Acquisition and Designation Sight (MTADS) and the Fire Control Radar (FCR). All three can be used to fire the Apache's trio of main weapon systems: 30-millimetre (1.2-inch) cannon, Hellfire missiles and rockets. The primary sight is the MTADS, which has a powerful built-in laser that directs laser-seeking missiles all the way to the target. The FCR can find targets several kilometres away and it passes co-ordinates to the radar missiles, which will then autonomously track and hit the target. The HMD is very useful for self-defence and we can engage targets simply by looking at them



through our monocular, selecting the cannon and pulling the trigger.

### 4 What kind of special manoeuvres can you perform in this aircraft?

The Apache is highly manoeuvrable; it can fly a loop and conduct some pretty impressive wing-over manoeuvres. If we are engaged by a threat we can very rapidly lose height simply by rolling the aircraft on to its side and reducing power. Once we near the ground we can pull the power in and the aircraft will transition back to level flight very



**Disclaimer:** Neither Imagine Publishing nor its employees can accept liability for any adverse effects experienced when carrying out these projects. Always take care when handling potentially hazardous equipment or when working with



**NEXT  
ISSUE**

Survive a nuclear  
explosion  
- Shear a  
sheep



Advanced tech in the pilot's helmet enables them to turn the Apache's cameras in whatever direction they're looking



lift will reduce and the weight of the aircraft will cause it to descend. This can be done very quickly if required and all that is needed at the bottom is a slight application of power to cushion the landing. We can also land like an aeroplane and conduct a running landing on a runway or a ship, which is useful if we are heavy or short on power.

## 6 Why is the Apache so highly rated among military helicopters?

The Apache has been tried and tested by the American military over many years so it already has a very good reputation. The UK Apache is as technologically advanced as battlefield helicopters get right now so is admired across the aviation community. Where the UK Apache has made its name though is on operations in Afghanistan and Libya, where we provide firepower to the soldiers on the ground. By combining the technology of the aircraft with the attitude and professional aggression of the pilots the Apache is often seen as mission-essential equipment. Infantry know that if they get into trouble an Apache is minutes away and the sight of one is often enough to scare off an enemy. It can be a deterrent without even having to resort to firepower.

quickly. The pilot is aided by a sophisticated stability system that assists with keeping the helicopter's flight on a smooth profile. The aircraft holds system can put the Apache in a very stable hover, which is useful for using weapons at low level.

## 5 How do you go about landing an Apache?

The Apache is able to land like any other helicopter in that, by reducing the collective lever and power demand, the



Apaches are ideally suited for taking off from sites with limited space like aircraft carriers, though they can also take off like a normal plane

electronics and follow the manufacturer's instructions.

[WWW.HOWITWORKSDAILY.COM](http://WWW.HOWITWORKSDAILY.COM)

# ? TEST YOUR KNOWLEDGE

ENJOYED THIS ISSUE? WELL, WHY NOT TEST YOUR WELL-FED MIND WITH THIS QUICK QUIZ BASED ON THIS MONTH'S CONTENT?

**1** What is the average life span of a great white shark?

**A:**

**2** Which body does the acronym IEEE represent?

**A:**

**3** On which coastline is the Durdle Door rock arch?

**A:**


**4** What size can a male narwhal's tusk grow to?

**A:**



**5** How high did the plume from 1815's Mount Tambora volcanic eruption reach?

**A:**



**6** Who discovered the first free radical?

**A:**

**7** Which is the closest planetary nebula to Earth?

**A:**

**8** How fast could the velociraptor accelerate in miles per hour?

**A:**

**9** What is the top speed of the Shelby GT500 muscle car?

**A:**

**10** By what percentage is Eris bigger than Pluto?

**A:**

## ENTER ONLINE

at [www.howitworksdaily.com](http://www.howitworksdaily.com) and one lucky reader will win not just one but a duo of cutting-edge land rover models, courtesy of Airfix



### > ISSUE 37 ANSWERS

1. Airbus A320 2. Little Boy 3. 309.6m 4. Thomas Newcomen  
5. 8,000 6. 63,600kg 7. 1780 8. Ara ararauna 9. 420 tons 10. 27.5%





# INBOX

Feed your mind. Speak your mind

howitworks@imagine-publishing.co.uk @HowItWorksmag  
www.howitworksdaily.com How It Works Magazine

## Get in touch!

We enjoy reading your letters every month. So keep us entertained by sending in your questions for the mag, comments on what you like/don't like, or any science-related news you want to share.

FANTASTIC PRIZE FOR  
LETTER OF THE MONTH!

# WOWee

## WIN A WOWEE ONE PORTABLE SPEAKER

This issue's top letter wins a WOWee One Classic portable speaker. This turns any surface into a bass amplifier using gel technology, and is compatible with all iDevices and other mobile gadgets.



**Win!**  
A WOWee  
One portable  
speaker

This summer Colorado has seen some of the most destructive forest fires in the state's history

## Letter of the Month

# Native know-how

Dear How It Works,

The distressing article on Colorado's inferno (issue 36) left me fearing that the efforts being made to extinguish the fires will only worsen matters in the long run. The Native American Indians knew the value of controlled burning to promote new growth and, crucially, to burn away tinder before it could accumulate into sufficient fuel to feed an inferno, just waiting for a lightning bolt to spark it. The damage wrought in Colorado made for terrifying reading with 35,323 hectares (87,284 acres) burnt in the High Park area alone. The question in my mind is: why was the environment allowed to produce the massive quantities of fuel that must have been building up for years? Maybe the authorities should consult a few more Native Americans.

Alan Thomas, Shepperton, UK

Thanks for writing in with your thoughts on this story, Alan. Sometimes this kind of native knowledge is brushed aside to give way for conventional Western 'wisdom'; sometimes the knowledge is lost or unknown to the authorities; and sometimes - on a more cynical (yet unfortunately realistic) note - money and industry can override any environmental concerns. It's difficult to know for sure which of these factors (if any) was to blame for the Colorado fires, but whether a disaster is man-made or natural, it's interesting to see nature find a way. In the case of disastrous forest fires, there are some shrubs and trees that are serotinus - ie they depend on fire to release seeds from their casings. Glad this article prompted some thought - we hope you will enjoy the WOWee portable speaker which you've won for your insightful letter.

## Is there a hole in that theory?

Is it actually possible to send a satellite or a probe through a black hole?

Shawn Trumbly

HIW: Hi Shawn. It's not possible to send a probe through a black hole for a few reasons. For one, the nearest black hole to us is V4641 Sgr, which is thousands of light years away. We have barely managed to send a probe out of our own Solar System yet. V4641 Sgr was just discovered in 1999 and we know very little about it, so just finding a black hole is an inexact science. Then even if we could manage to get a probe into

one, it wouldn't be able to return any images or data because of the very nature of black holes: the gravity is so strong that no light of any kind (including radio waves) can escape.

Answered by Shanna Freeman

## I'm a believer!

The person enquiring about the 'taboo' subject of UFOs should be informed that they are indeed real. Little else is known.


R N Hadley, Hectorville, Australia

## Core learning

Dear HIW team,  
I was reading issue 36's Brain dump when an article headed 'What's the deepest hole we've ever dug?' caught my eye. You

answered it by saying that the deepest hole ever dug was 12,262 metres (40,230 feet). But you also stated that at around 1.5 million metres (4.9 million feet) down temperatures would exceed more than 300 degrees Celsius (572 degrees Fahrenheit), more than any drill can cope with. But what if we made a drill with a core of, say, reinforced steel or titanium and coated it with the heat-proof material they make spacesuits out of? Would we be able to get deeper then? It probably wouldn't work, but it was just a thought. I've just got a couple more comments about your magazine before I finish: I think it's great - in fact, I've probably learnt more from it than I have from my seven years at primary school!

Harvey Wilson (11)



© NASA

With the current understanding and technology we can only make an educated guess at how black holes work





The Bagger 288 can excavate around 240,000 tons of material every day!

*"Curiosity landed safe and sound and is currently surveying its surroundings and taking photos"*

## Curiosity could kill the rover...

Hi How It Works, Love issue 36, especially the 'Life on Mars' feature – but just one thing: I don't even think this new rover will make it to Mars. Those 'seven minutes of terror' will be the end of Curiosity. The problem is that NASA has a tried-and-tested system of landing vehicles on Mars and now they're going for a really big rover and, instead of sticking to a proven parachute drop, they've got a rocket booster. There's just too much that can go wrong. Oh well, Spirit and Opportunity had a good run and it was good while it lasted!

Ioan Griffiths, Cardiff, UK

HIW: You spoke too soon, Ioan! Perhaps it seemed improbable, but Curiosity has landed safe and sound

in Gale Crater and, at the time of writing, is currently surveying its surroundings, taking photos and zapping rocks so the engineering team can determine how to safely advance. You must hand it to the NASA team – they're pretty adept at the business of Mars exploration.

## Metal monster

I really loved your '7 engineering wonders of the world' article (issue 35). I think the wonder that wowed me the most was the Krupp Bagger 288. I still can't believe such a monster exists. I mean, a bulldozer can fit into just one of the buckets on its excavating arm – insane! Why would anyone need such a thing? Surely a fleet of mining vehicles could do the same job and for cheaper? Anyway, keep bringing these mind-boggling things to my attention, HIW!

Carly Sarson

## What's happening on... Twitter?

We love to hear from How It Works' dedicated readers and followers, with all of your queries and comments about the magazine and what you'd like to see explained. Here we select a few of the most interesting tweets that we've received in the last month.

TheHubbard  
@HowItWorksmag

To add to the brilliance of the day with the exciting news Curiosity landed, my new @HowItWorksmag arrived!

MegabyteTND  
@HowItWorksmag

If you made a sphere from a one-way mirror, with the shiny side inside, and shone light in it, what would happen?

blogofjchen  
@HowItWorksmag

On holiday, first thing I'll do on return is read my new How It Works mag

xadusx  
@HowItWorksmag

This is ASM! Technology for life! Thanks to @howitworksmag for feeding me this kind of news

kyrachristenson  
@HowItWorksmag

Just sat down to read my new issue of @HowItWorksmag. What an amazing magazine! Lazy Sunday, ahhh...

HOMOsapien86  
@HowItWorksmag

Loving issue 36. WOW! A cheetah going that fast – never going in a race against one, that's for sure :D

alunvaughan  
@HowItWorksmag

Feeding my brain with my new discovery @HowItWorksmag :-D It keeps my inquisitive inner child happy!

# HOW IT WORKS

Imagine Publishing Ltd  
Richmond House, 33 Richmond Hill  
Bournemouth, Dorset, BH2 6EZ  
+44 (0) 1202 586200  
Web: www.imagine-publishing.co.uk  
www.howitworksdaily.com  
www.greatdigitalmags.com

## Magazine team

Editor Helen Laidlaw  
helen.laidlaw@imagine-publishing.co.uk  
01202 586215

Editor in Chief Dave Harfield  
Features Editor Robert Jones  
Features Editor Ben Biggs  
Art Editor Helen Harris  
Senior Sub Editor Adam Millward  
Head of Publishing Aaron Asadi  
Head of Design Ross Andrews

## Contributors

Mike Anderiesz, Emma Bastian, Aneel Bhangu, Shanna Freeman, Tom Harris, Jonny O'Callaghan, Ormsby and Thickstun Interpretive Design, Lynsey Porter, Dave Roos, Rik Sargent, Michael Simpson, Adam Smith, Luis Villazon, Jonathan Wells, Emily S. Damstra

## Cover images

'Underwater Wonders' © DK, muscle car © Ford Motor Company, Large Synoptic Survey Telescope © Todd Mason, Mason Productions Inc LSST Corporation

## Photography

DK Images, Dreamstime, NASA, Getty, Wikimedia, Science Photo Library, Corbis, Alamy, Thinkstock. All copyrights and trademarks are recognised and respected.

## Advertising

Digital or printed media packs are available on request.

Head of Sales Hang Deretz  
01202 586442  
hang.deretz@imagine-publishing.co.uk

Account Manager Liz Tucker  
01202 586431  
liz.tucker@imagine-publishing.co.uk

## International

How It Works is available for licensing. Contact the International department to discuss partnership opportunities.

Head of International Licensing Cathy Blackman  
+44 (0) 1202 586401  
licensing@imagine-publishing.co.uk

## Subscriptions

Head of Subscriptions Lucy Nash  
subscriptions@imagine-publishing.co.uk  
For all subscription enquiries

0844 815 5944  
Overseas +44 (0)1795 418680  
Email: howitworks@servicehelpline.co.uk  
13 issue subscription (UK) – £41  
13 issue subscription (Europe) – £50  
13 issue subscription (USA) – £50  
13 issue subscription (ROW) – £60

## Circulation

Head of Circulation Darren Pearce  
01202 586200

## Production

Production Director Jane Hawkins  
01202 586200

## Founders

Group Managing Director Damian Butt  
Group Finance and Commercial Director Steven Boyd  
Group Creative Director Mark Kendrick

## Printing & Distribution

Wyndham Heron, The Berrill Complex, Colchester Road, Heybridge, Maldon, Essex, CM9 4NW

Distributed in the UK & Ireland by: Seymour Distribution, 2 East Poultry Avenue, London, EC1A 9PT +44 (0)207 429 4000

Distributed in Australia by: Gordon & Gotch, Equinox Centre, 18 Rodborough Road, Frensham Forest, NSW 2086  
+61 2 9972 8800

Distributed in the Rest of the World by: Marketforce, Blue Fin Building, 110 Southwark Street, London, SE1 0SU  
0203 148 8105

## Disclaimer

The publisher cannot accept responsibility for any unsolicited material lost or damaged in the post. All text and layout is the copyright of Imagine Publishing Ltd. Nothing in this magazine may be reproduced in whole or part without the written permission of the publisher. All copyrights are recognised and used specifically for the purpose of criticism and review. Although the magazine has endeavoured to ensure all information is correct at time of print, prices and availability may change. The magazine is fully independent and not affiliated in any way with the companies mentioned herein.

© Imagine Publishing Ltd 2012

ISSN 2041-7322

ip  
IMAGINE  
PUBLISHING

PPA  
recycle  
When you have finished with this magazine please recycle it.

ABC  
34,089  
1 Jan – 30 Jun 2012

## Your daily dose of knowledge

For an endless supply of facts and answers, visit our brand-new website, updated every day

- Wall of knowledge
- Random picks • Videos
- Q&A • News • Top fives
- Competitions • Fully annotated illustrations

www.howitworksdaily.com



# NEXT ISSUE

ISSUE 39 ON SALE  
4 OCTOBER 2012

ANSWERED  
NEXT ISSUE



What happened in the Industrial Revolution?



How was Earth's tallest tower constructed?



What can bring on anaphylactic shock?



How do spacecraft dock with the ISS?



What's inside this armour-plated reptile?

# ROBOTS

THE SUPER-INTELLIGENT MACHINES MAKING OUR LIVES SIMPLER

## + LEARN ABOUT

- AIR FORCE ONE
- BETELGEUSE
- GENETIC ENGINEERING
- SATURN V
- JET POWER
- NATURAL GAS CARS
- FLOOD BARRIERS
- FLYING SQUIRRELS
- THE MOON
- SMALL INTESTINE
- BREADMAKERS

©Thinkstock



# Visionary

ASTRONOMICAL TELESCOPES



Follow us on  
facebook

[www.facebook.com/opticalhardware](http://www.facebook.com/opticalhardware)



**We can't guarantee you'll see the aliens  
....but we think you'll have great fun looking!**



Visionary Binoculars and Telescopes are distributed throughout the galaxy by Optical Hardware Ltd  
(but mainly in Great Britain and Ireland)

[www.opticalhardware.co.uk/astronomy](http://www.opticalhardware.co.uk/astronomy)

For your nearest Stockist staffed by enlightened earthlings visit: [www.opticalhardware.co.uk/stockists](http://www.opticalhardware.co.uk/stockists)



Dell recommends Windows® 7.

Your PC,  
simplified.



Windows 7

## This is the story of James who saved the world.

James was a boy on a mission.

With a click here and a tap there,  
he learned everything about rescuing  
and caring for his insect friends,  
saving the world one butterfly, spider and bug at a time.



Give your child the power to explore more. From interactive classroom solutions to the thin, powerful Inspiron 14z Ultrabook™, inspired by Intel, with Intel® Core™ i3 processor, it's where learning meets life for so many kids every day. Visit our website to find out more.

[Dell.co.uk/education](http://Dell.co.uk/education) or Call 0844 444 3806



The power to do more

**McAfee™ - PROTECT WHAT YOU VALUE.** Dell Products, c/o P.O. Box 69, Bracknell, Berkshire RG12 1RD, United Kingdom. Subject to availability. Prices and specifications may change without notice. Delivery charge is £20 Incl. VAT per system (unless otherwise stated). Consumers are entitled to cancel orders within 7 working days beginning the day after the date of delivery. Dell collection charge is £23 Incl. VAT for system purchases and £11.50 Incl. VAT for accessory purchases. Terms and Conditions of Sales, Service and Finance apply and are available from [www.dell.co.uk](http://www.dell.co.uk). Delivery charges range from £5.75 to £14.95 Incl. VAT (20%) per item for items purchased without a system. Promotional offers limited to maximum 5 systems per customer. 1. Saving is the difference between the total offer price versus the current online price for the basic system with promotional components upgraded individually. 2. Selected systems are available for shipment within 2-3 working days following the date of order confirmation, though delivery dates are not guaranteed and this offer is subject to availability. Dell's general Terms and Conditions of sale apply and are available on [www.dell.co.uk](http://www.dell.co.uk). Dell Services do not affect customer's statutory rights. They are subject to Terms and Conditions which can be found at [www.dell.co.uk/consumerservices/termsandconditions](http://www.dell.co.uk/consumerservices/termsandconditions). Intel, the Intel Logo, Intel Inside, Intel Core, Ultrabook, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Microsoft and Windows® 7 are registered trademarks of Microsoft Corporation.